

MaP-Testing.com

Toilet Seat Covers

A survey of use in public washrooms

January 2016


A five-question survey of visitors to the MaP Testing website home page was conducted between November 6 and December 24, 2015 for the purpose of more closely identifying how paper seat covers are used with commercial water closets (toilets) in the U.S. and Canada. Participants were self-selected from among visitors to the MaP website. The results of that survey are displayed on the following five pages. For questions about the survey or other related inquiries, contact either one of the following:

John Koeller, P.E. MaP Testing Tel. (714) 777-2744 koeller@earthlink.net Bill Gauley, P.Eng. MaP Testing Tel. (519) 853-4057 bill@gauley.ca

Toilet Seat Cover Survey


Completed Responses Partial Responses Survey Visits

1816 0 10783



2. How many seat covers do you typically use per visit?


Answered: 784 Skipped: 1032



	Response Percent	Response Count
1	82.78%	649
2	15.18%	119
More than 2	2.04%	16

3. How do you position the seat cover / tab / flap?


Answered: 753 Skipped: 1063



To the front 67.07% 505 To the rear 32.93% 248		Response Percent	Response Count
To the rear 32.93% 248	To the front	67.07%	505
	To the rear	32.93%	248

4. How do you flush the seat cover?


Answered: 768 Skipped: 1048



	Response Percent	Response Count
Let the flush pull the cover into the bowl	61.46%	472
Crumple and drop the cover into the bowl	3.26%	25
Nudge the cover into the bowl	35.29%	271

5. Does it typically take more than one flush to completely flush the cover?

Answered: 780 Skipped: 1036



	Response Percent	Response Count
Yes	16.03%	125
No	73.85%	576
I don't know	10.13%	79