

Maximum Performance (MaP)[®] of Toilet Fixtures - Flushometer Valve/Bowl Combinations

IMPORTANT NOTE: The evaluation and MaP measurement of the flushometer bowl/valve combinations shown below was performed using the existing MaP protocol designed for residential applications. A **more rigorous** MaP protocol for non-residential (public restroom) applications is under consideration. Results may change if the combinations shown below are re-tested using a (proposed) new commercial protocol.

March 8, 2024

| MaP Report No. (for internal use) | Flushometer bowl | | | | | | | | | | Flushometer valve | | | | | | | |
|--------------------------------------|--------------------------|---|-----------------|-------------------|------|--------------------|---------------------------------|-----------------|------------------------------|--------------------------------|---------------------------------------|---------------------------|--------------------|-----------------------|--------------------------------------|---|------------------------|-------------------------------------|
| | Manufacturer of the Bowl | Bowl/ Valve Combination Number (if available) | Bowl Model Name | Bowl Model Number | Spud | Rough-in (inches)* | Round (R) or Elongated (E) bowl | ADA Height Bowl | Rear Discharge (Back Outlet) | Floor- (F) OR Wall-Mounted (W) | WaterSense Compliant Bowl (certified) | Manufacturer of the Valve | Valve Model Number | MaP Performance Score | 6-L (1.6-gal) Commercial Combination | 4.8-L (1.28-gal) HET Commercial Combination | Rated HET Flush Volume | Valve design: P=Diaphragm; P=Piston |

Conventional Flushometer Valve/Bowl Combinations (ULF: 1.6 gallon/6.0 litre max Effective Flush Volume)

IMPORTANT NOTE: Bowls and Valves may be 'mixed and matched' at this flush volume

| | | | | | | | | | | | | | | | | | | |
|----------------------|-------------------|-------------|--|--|------|------|---|-----|---|---|----|-------------------|--------------------------|-------|-----|--|--|---|
| 55-025RN71 | American Standard | | Madera 1.6 EL | 2234 | Top | 10 | E | | | F | WS | American Standard | 6147.161 and 6147SM.161 | 1,000 | ULF | | | D |
| 17-032RN33-RN49-RN65 | American Standard | 2234660.020 | Madera EL | 2234.001 | Top | 10 | E | | | F | WS | American Standard | 6065.161.002 (battery) | 1,000 | ULF | | | P |
| 55-028RN71 | American Standard | | Afwall EC 1.6 EL (wall mount-ADA possible) | 2257 | Top | N.A. | E | ADA | R | W | WS | American Standard | 6147.161 and 6147SM.161 | 1,000 | ULF | | | D |
| 17-031RN33-RN49-RN65 | American Standard | 2257660.020 | Afwall EL ADA | 2257.101 | Top | N.A. | E | ADA | R | W | WS | American Standard | 6065.161.002 (battery) | 1,000 | ULF | | | P |
| 30-077RN46-RN62 | American Standard | | Afwall EL ADA (1.6 gal/flush) | 2257.101 | Top | N.A. | E | ADA | R | W | WS | American Standard | 6065.161.002 (battery) | 1,000 | ULF | | | P |
| 30-077RN46-RN62 | American Standard | | Afwall FloWise EC EL ADA (1.6 gal/flush) | 2294.011 | Top | N.A. | E | ADA | R | W | WS | American Standard | 6065.161.002 (battery) | 1,000 | ULF | | | P |
| 30-077RN46-RN62 | American Standard | | Afwall EL ADA (1.6 gal/flush) | 2634.101 | Rear | N.A. | E | ADA | R | W | WS | American Standard | 6065.161.002 (battery) | 1,000 | ULF | | | P |
| 55-022RN71 | American Standard | | Madera 1.6 EL ADA | 3043 | Top | 10 | E | ADA | | F | WS | American Standard | 6147.161 and 6147SM.161 | 1,000 | ULF | | | D |
| 17-033RN33-RN49-RN65 | American Standard | 3043660.020 | Madera EL ADA | 3043.001 | Top | 10 | E | ADA | | F | WS | American Standard | 6065.161.002 (battery) | 1,000 | ULF | | | P |
| 55-028RN71-RN71 | American Standard | | Afwall EC 1.6 EL (wall mount-ADA possible) | 3351 | Top | N.A. | E | ADA | R | W | WS | American Standard | 6147.161 and 6147SM.161 | 1,000 | ULF | | | D |
| 10-135RN28-RN44-RN60 | American Standard | | Afwall EL | 3351.101 | Top | N.A. | E | ADA | R | W | WS | Toto | TET 1 DNCR (1-1/2") | 1,000 | ULF | | | P |
| 17-034RN33-RN49-RN65 | American Standard | 3351660.020 | Afwall EL ADA | 3351.101 | Top | N.A. | E | ADA | R | W | WS | American Standard | 6067.161.002 (hard wire) | 1,000 | ULF | | | P |
| 30-077RN46-RN62 | American Standard | 3351660.020 | Afwall EC TS EL ADA (1.28 gal/flush) | 3351.101 | Top | N.A. | E | ADA | R | W | WS | American Standard | 6065.161.002 (battery) | 1,000 | ULF | | | P |
| 30-077RN46-RN62 | American Standard | | Afwall EC EL ADA (1.6 gal/flush) | 3353.101 | Rear | N.A. | E | ADA | R | W | WS | American Standard | 6065.161.002 (battery) | 1,000 | ULF | | | P |
| 55-025RN71 | American Standard | | Madera 1.6 EL | 3451 | Top | 10 | E | | | F | WS | American Standard | 6147.161 and 6147SM.161 | 1,000 | ULF | | | D |
| 10-129RN28-RN44-RN60 | American Standard | | Madera EL | 3451.001 | Top | 10 | E | | | F | WS | Toto | TET 1 DNCR (1-1/2") | 1,000 | ULF | | | P |
| 17-026RN33-RN49-RN65 | American Standard | 3451660.020 | Madera EL | 3451.001 | Top | 10 | E | | | F | WS | American Standard | 6065.161.002 (battery) | 1,000 | ULF | | | P |
| 10-130RN28-RN44-RN60 | American Standard | | Madera EL | 3453.001 | Rear | 10 | E | | | F | WS | Toto | TET 1 DNCR (1-1/2") | 1,000 | ULF | | | P |
| 55-022RN71 | American Standard | | Madera 1.6 EL ADA | 3461 | Top | 10 | E | ADA | | F | WS | American Standard | 6147.161 and 6147SM.161 | 1,000 | ULF | | | D |
| 10-131RN28-RN44-RN60 | American Standard | | Madera EL ADA | 3461.001 | Top | 10 | E | ADA | | F | WS | Toto | TET 1 DNCR (1-1/2") | 1,000 | ULF | | | P |
| 17-027RN33-RN49-RN65 | American Standard | 3461660.020 | Madera EL ADA | 3461.001 | Top | 10 | E | ADA | | F | WS | American Standard | 6065.161.002 (battery) | 1,000 | ULF | | | P |
| 40-014RN56-RN72 | American Standard | | Priolo EL | 3690.001 | Top | 14 | E | | W | F | WS | American Standard | 6065.111 (1.6 gpf) | 1,000 | ULF | | | P |
| 13-094RN28-RN44-RN60 | American Standard | | Priolo EL ADA | 3695.001 | Top | N.A. | E | ADA | R | F | WS | Toto | TET 1 DNCR (1-1/2") | 1,000 | ULF | | | P |
| 13-094RN28-RN44-RN60 | American Standard | | Priolo EL ADA | 3697.001 | Rear | N.A. | E | ADA | R | F | WS | Toto | TET 1 DNCR (1-1/2") | 1,000 | ULF | | | P |
| 25-052RN41-RN57 | American Standard | | Baby Devoro FV Universal (child's bowl height: 10.4-inch = 260 mm) | 2282.001 (child's bowl height: 10.4-inch = 260 mm) | Top | | | | S | F | WS | American Standard | 6065.161.002 | 800 | ULF | | | P |
| 30-077RN46-RN62 | American Standard | | Afwall FloWise EC EL ADA (1.6 gal/flush) | 2296.019 (w/BPL) | Top | N.A. | E | ADA | R | W | WS | American Standard | 6065.161.002 (battery) | 1,000 | ULF | | | P |
| 27-001RN43-RN59 | American Standard | | Madera Youth FloWise (youth bowl height: 14-inch = 355 mm) | 2599.001 (youth bowl height: 14-inch = 355 mm) | Top | | | | E | F | WS | American Standard | 6065.565.002 | 1,000 | ULF | | | P |
| 30-077RN46-RN62 | American Standard | | Afwall EL ADA (1.6 gal/flush) | 2633.101 (w/BPL) | Top | N.A. | E | ADA | R | W | WS | American Standard | 6065.161.002 (battery) | 1,000 | ULF | | | P |
| 10-135RN28-RN44-RN60 | American Standard | | Afwall EL | 3352.101 (w/bedpan lugs) | Top | N.A. | E | ADA | R | W | WS | Toto | TET 1 DNCR (1-1/2") | 1,000 | ULF | | | P |
| 30-077RN46-RN62 | American Standard | | Afwall EC EL ADA (1.6 gal/flush) | 3352.101 (w/BPL) | Top | N.A. | E | ADA | R | W | WS | American Standard | 6065.161.002 (battery) | 1,000 | ULF | | | P |
| 30-077RN46-RN62 | American Standard | | Afwall EC EL ADA (1.6 gal/flush) | 3354.101 (rear outlet w/BPL) | Top | N.A. | E | ADA | R | W | WS | American Standard | 6065.161.002 (battery) | 1,000 | ULF | | | P |
| 22-070RN38-RN54-RN70 | American Standard | | Top Spud Rapidway EL (wall mount-ADA possible) | 3445J.101 | Top | N.A. | E | ADA | R | W | WS | Sloan | Solaris 8111 | 600 | ULF | | | D |
| 22-070RN38-RN54-RN70 | American Standard | | Back Spud Rapidway EL (wall mount-ADA possible) | 3445L.101 | Rear | N.A. | E | ADA | R | W | WS | Sloan | Solaris 8111 | 600 | ULF | | | D |
| 10-129RN28-RN44-RN60 | American Standard | | Madera EL | 3452.001 (w/bedpan lugs) | Top | 10 | E | | | F | WS | Toto | TET 1 DNCR (1-1/2") | 1,000 | ULF | | | P |
| 10-130RN28-RN44-RN60 | American Standard | | Madera EL | 3455.001 (w/bedpan lugs) | Rear | 10 | E | | | F | WS | Toto | TET 1 DNCR (1-1/2") | 1,000 | ULF | | | P |
| 10-131RN28-RN44-RN60 | American Standard | | Madera EL ADA | 3462.001 (w/bedpan lugs) | Top | 10 | E | ADA | | F | WS | Toto | TET 1 DNCR (1-1/2") | 1,000 | ULF | | | P |

| MaP Report No. (for internal use) | Flushometer bowl | | | | | | | | | Flushometer valve | | | | | | | | | |
|--------------------------------------|--------------------------|---|---|--|------|--------------------|---------------------------------|-----------------|------------------------------|--------------------------------|---------------------------------------|---------------------------|-----------------------------------|-----------------------|--------------------------------------|---|------------------------|--|--|
| | Manufacturer of the Bowl | Bowl/ Valve Combination Number (if available) | Bowl Model Name | Bowl Model Number | Spud | Rough-in (inches)* | Round (R) or Elongated (E) bowl | ADA Height Bowl | Rear Discharge (Back Outlet) | Floor- (F) OR Wall-Mounted (W) | WaterSense Compliant Bowl (certified) | Manufacturer of the Valve | Valve Model Number | MaP Performance Score | 6-L (1.6-gal) Commercial Combination | 4.8-L (1.28-gal) HET Commercial Combination | Rated HET Flush Volume | Valve design: P=Pliston; P=Diaphragm; P=Piston | WaterSense Compliant Valve (certified) |
| 13-094RN28-RN44-RN60 | American Standard | | Priolo EL ADA | 3696.001 (w/ bed pan lugs) | Top | N.A. | E | ADA | R | F | WS | Toto | TET 1 DNCR (1-1/2") | 1,000 | ULF | | | | |
| 13-094RN28-RN44-RN60 | American Standard | | Priolo EL ADA | 3698.001 (w/ bed pan lugs) | Rear | N.A. | E | ADA | R | F | WS | Toto | TET 1 DNCR (1-1/2") | 1,000 | ULF | | | P | |
| 43-005RN59 | AMTC | AEF**1012T16 | None EL | AUT-1012 | Top | 10 | E | | | F | WS | AMTC | AEF-801-**CT-16 | 800 | ULF | | | D | |
| 43-005RN59 | AMTC | HSM1012T16 | None EL | AUT-1012 | Top | 10 | E | | | F | WS | AMTC | HSM-801-CT-16 | 800 | ULF | | | D | |
| 43-005RN59 | AMTC | MF1012T16 | None EL | AUT-1012 | Top | 10 | E | | | F | WS | AMTC | MF-700-T16 | 800 | ULF | | | D | |
| 43-004RN59 | AMTC | AEF**1012AT16 | None EL ADA | AUT-1012A | Top | 10 | E | ADA | | F | WS | AMTC | AEF-801-**CT-16 | 800 | ULF | | | D | |
| 43-004RN59 | AMTC | HSM1012AT16 | None EL ADA | AUT-1012A | Top | 10 | E | ADA | | F | WS | AMTC | HSM-801-CT-16 | 800 | ULF | | | D | |
| 43-004RN59 | AMTC | MF1012AT16 | None EL ADA | AUT-1012A | Top | 10 | E | ADA | | F | WS | AMTC | MF-700-T16 | 800 | ULF | | | D | |
| 43-003RN59 | AMTC | AEF**1012WT16 | None EL (wall mount-ADA possible) | AUT-1012W | Top | N.A. | E | ADA | R | W | WS | AMTC | AEF-801-**CT-16 | 800 | ULF | | | D | |
| 43-003RN59 | AMTC | HSM1012WT16 | None EL (wall mount-ADA possible) | AUT-1012W | Top | N.A. | E | ADA | R | W | WS | AMTC | HSM-801-CT-16 | 800 | ULF | | | D | |
| 43-003RN59 | AMTC | MF1012WT16 | None EL (wall mount-ADA possible) | AUT-1012W | Top | N.A. | E | ADA | R | W | WS | AMTC | MF-700-T16 | 800 | ULF | | | D | |
| 44-092RN60 | Gerber | | None RF | 25-820 | Top | 10 | R | | | F | | Sloan | 111-1.6 | 1,000 | ULF | | | D | |
| 45-024RN61 | Sloan Valve | | EL (juvenile bowl height: 13.5-inch = 343 mm) | ST2449 | Top | 10 | E | | | F | WS | Sloan | Royal 111-1.6 | 1,000 | ULF | | | D | |
| 24-120RN40-RN56 | Toto | | EL | CT705EN* | Top | 12 | E | | | F | WS | Toto | TMT1NNC(33) OR TET3LB(31, 32, 33) | 600 | ULF | | | P | |
| 24-103RN40-RN56 | Toto | | EL (wall mount-ADA possible) | CT708E | Top | N.A. | E | ADA | R | W | WS | Toto | TMT 1NNC | 600 | ULF | | | P | |
| 21-089RN37-RN53-RN69 | Zurn Water, LLC | | EL (wall mount-ADA possible) | Z5615-BWL (wall-hung-back outlet) | Top | N.A. | E | ADA | R | W | WS | Zurn | Z6000AV-WS1 | 800 | ULF | | | D | |
| 21-089RN37-RN53-RN69 | Zurn Water, LLC | | EL (wall mount-ADA possible) | Z5615-BWL (wall-hung-back outlet) | Top | N.A. | E | ADA | R | W | WS | Zurn | Z6000PL-WS1 | 800 | ULF | | | D | |
| 21-097RN37-RN53-RN69 | Zurn Water, LLC | | EL (wall mount-ADA possible) | Z5615-BWL (wall-hung-back outlet) | Top | N.A. | E | ADA | R | W | WS | Zurn | Z6200-WS1 | 800 | ULF | | | P | |
| 21-089RN37-RN53-RN69 | Zurn Water, LLC | | EL (wall mount-ADA possible) | Z5615-BWL (wall-hung-back outlet) | Top | N.A. | E | ADA | R | W | WS | Zurn | ZEMS6000AV-WS1 | 800 | ULF | | | D | |
| 21-089RN37-RN53-RN69 | Zurn Water, LLC | | EL (wall mount-ADA possible) | Z5615-BWL (wall-hung-back outlet) | Top | N.A. | E | ADA | R | W | WS | Zurn | ZEMS6000PL-WS1 | 800 | ULF | | | D | |
| 21-097RN37-RN53-RN69 | Zurn Water, LLC | | EL (wall mount-ADA possible) | Z5615-BWL (wall-hung-back outlet) | Top | N.A. | E | ADA | R | W | WS | Zurn | ZEMS6200-WS1 | 800 | ULF | | | D | |
| 21-097RN37-RN53-RN69 | Zurn Water, LLC | | EL (wall mount-ADA possible) | Z5615-BWL (wall-hung-back outlet) | Top | N.A. | E | ADA | R | W | WS | Zurn | ZEMS6200-WS1-IS | 800 | ULF | | | D | |
| 21-089RN37-RN53-RN69 | Zurn Water, LLC | | EL (wall mount-ADA possible) | Z5615-BWL (wall-hung-back outlet) | Top | N.A. | E | ADA | R | W | WS | Zurn | ZER6000AV-WS1 | 800 | ULF | | | D | |
| 21-089RN37-RN53-RN69 | Zurn Water, LLC | | EL (wall mount-ADA possible) | Z5615-BWL (wall-hung-back outlet) | Top | N.A. | E | ADA | R | W | WS | Zurn | ZER6000PL-WS1 | 800 | ULF | | | D | |
| 21-089RN37-RN53-RN69 | Zurn Water, LLC | | EL (wall mount-ADA possible) | Z5615-BWL (wall-hung-back outlet) | Top | N.A. | E | ADA | R | W | WS | Zurn | Z6000AV-WS1 | 800 | ULF | | | D | |
| 21-089RN37-RN53-RN69 | Zurn Water, LLC | | EL (wall mount-ADA possible) | Z5616-BWL (wall-hung-back outlet with BPL) | Top | N.A. | E | ADA | R | W | WS | Zurn | Z6000AV-WS1 | 800 | ULF | | | D | |
| 21-089RN37-RN53-RN69 | Zurn Water, LLC | | EL (wall mount-ADA possible) | Z5616-BWL (wall-hung-back outlet with BPL) | Top | N.A. | E | ADA | R | W | WS | Zurn | Z6000PL-WS1 | 800 | ULF | | | D | |
| 21-097eRN37-RN53-RN69 | Zurn Water, LLC | | EL (wall mount-ADA possible) | Z5616-BWL (wall-hung-back outlet with BPL) | Top | N.A. | E | ADA | R | W | WS | Zurn | Z6200-WS1 | 800 | ULF | | | P | |
| 21-089RN37-RN53-RN69 | Zurn Water, LLC | | EL (wall mount-ADA possible) | Z5616-BWL (wall-hung-back outlet with BPL) | Top | N.A. | E | ADA | R | W | WS | Zurn | ZEMS6000AV-WS1 | 800 | ULF | | | D | |
| 21-089RN37-RN53-RN69 | Zurn Water, LLC | | EL (wall mount-ADA possible) | Z5616-BWL (wall-hung-back outlet with BPL) | Top | N.A. | E | ADA | R | W | WS | Zurn | ZEMS6000PL-WS1 | 800 | ULF | | | D | |
| 21-097gRN37-RN53-RN69 | Zurn Water, LLC | | EL (wall mount-ADA possible) | Z5616-BWL (wall-hung-back outlet with BPL) | Top | N.A. | E | ADA | R | W | WS | Zurn | ZEMS6200-WS1 | 800 | ULF | | | D | |
| 21-097hRN37-RN53-RN69 | Zurn Water, LLC | | EL (wall mount-ADA possible) | Z5616-BWL (wall-hung-back outlet with BPL) | Top | N.A. | E | ADA | R | W | WS | Zurn | ZEMS6200-WS1-IS | 800 | ULF | | | D | |
| 21-089RN37-RN53-RN69 | Zurn Water, LLC | | EL (wall mount-ADA possible) | Z5616-BWL (wall-hung-back outlet with BPL) | Top | N.A. | E | ADA | R | W | WS | Zurn | ZER6000AV-WS1 | 800 | ULF | | | D | |
| 21-089qRN37-RN53-RN69 | Zurn Water, LLC | | EL (wall mount-ADA possible) | Z5616-BWL (wall-hung-back outlet with BPL) | Top | N.A. | E | ADA | R | W | WS | Zurn | ZER6000PL-WS1 | 800 | ULF | | | D | |
| 21-097fRN37-RN53-RN69 | Zurn Water, LLC | | EL (wall mount-ADA possible) | Z5616-BWL (wall-hung-back outlet with BPL) | Top | N.A. | E | ADA | R | W | WS | Zurn | ZER6200-WS1 | 800 | ULF | | | P | |
| 21-089mRN37-RN53-RN69 | Zurn Water, LLC | | EL (wall mount-ADA possible) | Z5616-BWL (wall-hung-back outlet with BPL) | Top | N.A. | E | ADA | R | W | WS | Zurn | ZR6000AV-WS1 | 800 | ULF | | | D | |
| 21-089RN37-RN53-RN69 | Zurn Water, LLC | | EL (wall mount-ADA possible) | Z5616-BWL (wall-hung-back outlet with BPL) | Top | N.A. | E | ADA | R | W | WS | Zurn | ZR6000PL-WS1 | 800 | ULF | | | D | |
| 52-004RN68 | Zurn Water, LLC | | Ecovantage EL (wall mount-ADA possible) | Z5617-BWL | Rear | N.A. | E | ADA | R | W | WS | Zurn | Z61****-WS1 | 1,000 | ULF | | | D | |
| 52-005RN68 | Zurn Water, LLC | | Ecovantage EL (wall mount-ADA possible) | Z5617-BWL | Rear | N.A. | E | ADA | R | W | WS | Zurn | Z62****-WS1 | 1,000 | ULF | | | P | |
| 52-004RN68 | Zurn Water, LLC | | Ecovantage EL (wall mount-ADA possible) | Z5617-BWL | Rear | N.A. | E | ADA | R | W | WS | Zurn | ZEMS61****-WS1 | 1,000 | ULF | | | D | |
| 52-005RN68 | Zurn Water, LLC | | Ecovantage EL (wall mount-ADA possible) | Z5617-BWL | Rear | N.A. | E | ADA | R | W | WS | Zurn | ZEMS62****-WS1 | 1,000 | ULF | | | P | |
| 52-004RN68 | Zurn Water, LLC | | Ecovantage EL (wall mount-ADA possible) | Z5617-BWL | Rear | N.A. | E | ADA | R | W | WS | Zurn | ZER61****-WS1 | 1,000 | ULF | | | D | |
| 52-005RN68 | Zurn Water, LLC | | Ecovantage EL (wall mount-ADA possible) | Z5617-BWL | Rear | N.A. | E | ADA | R | W | WS | Zurn | ZER62****-WS1 | 1,000 | ULF | | | P | |
| 52-004RN68 | Zurn Water, LLC | | Ecovantage EL (wall mount-ADA possible) | Z5617-BWL | Rear | N.A. | E | ADA | R | W | WS | Zurn | ZH61****-WS1 | 1,000 | ULF | | | D | |
| 52-005RN68 | Zurn Water, LLC | | Ecovantage EL (wall mount-ADA possible) | Z5617-BWL | Rear | N.A. | E | ADA | R | W | WS | Zurn | ZH62****-WS1 | 1,000 | ULF | | | P | |
| 19-049RN36-RN52-RN68 | Zurn Water, LLC | | EL | Z5640 (back outlet) | Top | | E | | | F | | Zurn | Z6000AV-WS1 | 1,000 | ULF | | | D | |

| MaP Report No. (for internal use) | Flushometer bowl | | | | | | | | | | Flushometer valve | | | | | | | | |
|--------------------------------------|--------------------------|---|-----------------|-----------------------|------|---------------------|---------------------------------|-----------------|------------------------------|--------------------------------|---------------------------------------|---------------------------|--------------------|-----------------------|--------------------------------------|---|------------------------|-------------------------------------|--|
| | Manufacturer of the Bowl | Bowl/ Valve Combination Number (if available) | Bowl Model Name | Bowl Model Number | Spud | Rough-in (inches) * | Round (R) or Elongated (E) bowl | ADA Height Bowl | Rear Discharge (Back Outlet) | Floor- (F) OR Wall-Mounted (W) | WaterSense Compliant Bowl (certified) | Manufacturer of the Valve | Valve Model Number | MaP Performance Score | 6-L (1.6-gal) Commercial Combination | 4.8-L (1.28-gal) HET Commercial Combination | Rated HET Flush Volume | Valve design: D=Diaphragm; P=Piston | WaterSense Compliant Valve (certified) |
| 41-011RN57 | Zurn Water, LLC | | EL | Z5655-BWL1 | Top | 12 | E | ADA | | F | WS | Zurn | ZTR6200-W1S | 1,000 | ULF | | | P | |
| 41-011RN57 | Zurn Water, LLC | | EL | Z5656-BWL1 w/BPL | Top | 12 | E | ADA | | F | WS | Zurn | ZTR6200-W1S | 1,000 | ULF | | | P | |
| 41-011RN57 | Zurn Water, LLC | | EL | Z5657-BWL1 w/AM glaze | Rear | 12 | E | ADA | | F | WS | Zurn | ZTR6200-W1S | 1,000 | ULF | | | P | |
| 41-016RN57 | Zurn Water, LLC | | EL ADA | Z5665-BWL1 | Top | 12 | E | ADA | | F | WS | Zurn | ZTR6200-W1S | 1,000 | ULF | | | P | |
| 41-016RN57 | Zurn Water, LLC | | EL ADA | Z5666-BWL1 w/BPL | Top | 12 | E | ADA | | F | WS | Zurn | ZTR6200-W1S | 1,000 | ULF | | | P | |
| 41-016RN57 | Zurn Water, LLC | | EL ADA | Z5667-BWL1 w/AM glaze | Rear | 12 | E | ADA | | F | WS | Zurn | ZTR6200-W1S | 1,000 | ULF | | | P | |

Notes: *-Rough-in dimension shown is the actual dimension of the tested installaiton; some bowls on this list may accommodate BOTH 10-inch and 12-inch rough-in

RF – Round-front toilet bowl

EL – Elongated-front toilet bowl

N.A. - Wall (rear) outlet bowl. Rough-in dimension is NOT applicable.

S - Special bowl height for child installations as follows:

Amer Std Approx. 10.4 inches to 14 inches (260 to 355 mm)

Gerber Approx. 13.4 inches (340 mm)

ADA-Meets bowl-height requirements of Americans with Disabilities Act; does NOT imply that fixture meets any other ADA requirements.

G - Gallons per Flush

L - Litres per Flush

BPL - Bowl with Bed Pan Lugs