



HIGH-EFFICIENCY URINALS (HEUs) U.S. and CANADA March 14, 2024



What is a High-Efficiency Urinal?

The High Efficiency Urinal (HEU) has been a part of the North American plumbing fixture marketplace for over 30 years. This long history includes both flushing and non-water urinals. It is only within the past 20+ years, however, that the plumbing industries determined it was time to adopt a definition of an HEU in order to avoid marketplace confusion.

The HEU is defined as a fixture that operates at 0.5-gallons per flush (gpf) (1.9-Litres per flush - Lpf) or less, a threshold that is 50 percent less than the current U.S. national product standard (maximum) mandated by the U.S. Energy Policy Act in 1992, which became effective in 1994. This 50 percent threshold serves as a metric for water authorities and municipalities designing more aggressive commercial plumbing fixture retrofit programs and, in many cases, establishes an additional performance tier for their financial incentives (e.g., rebate programs). Furthermore, it also serves as a “guidepost” for the various green building programs, standards, and codes being developed and used in North America. Finally, 0.5-gpf (1.9-Lpf) has been adopted by the U.S. EPA’s WaterSense® Program as the maximum volume for its flushing urinal specification.

High-Efficiency Urinals in the North American Marketplace

Fixtures currently considered as qualifying for the HEU designation fall into several different design and flush volume categories. View the tables that follow, which are organized to display those categories and reflect the latest information obtained from the manufacturers and other sources (WaterSense® and Certifying Bodies). The flush volumes shown in the tables are as certified and/or as reported by the manufacturer. It is always the responsibility of the reader to verify this information before making purchase or plumbing design decisions.

We urge readers to seek out performance and maintenance information from industry and other sources. We also strongly urge readers to perform a full life cycle cost analysis of purchase, installation, and maintenance before making a purchase decision.

WaterSense® High-Efficiency Urinals

Also included in these tables is a column that identifies those fixture models reported by recognized Certification Bodies as certified to the U.S. EPA’s WaterSense® specification for high-efficiency flushing urinals. Information about the WaterSense® labeling program (including the product specification) for high-efficiency flushing urinals may be found at:

<https://www.epa.gov/watersense/urinals>

The EPA’s listing of WaterSense®-certified flushing urinals may be searched here:

<https://lookforwatersense.epa.gov/products/Product-Search-Results-Urinal.html>

This MaP listing of HEUs is periodically updated by the authors. The latest version may always be accessed at www.map-testing.com

NOTE: Numerous water providers in North America use this HEU list for qualifying urinal products for rebates under their water conservation programs. Therefore, manufacturers and their representatives are urged to contact the authors to correct any errors in these listings and to add new high-efficiency urinal products to this list when those products become available.

CONTENTS:

- Table 1. Flushing high-efficiency urinals – 0.5 gallons (1.9 litres) per flush
- Table 2. Flushing high-efficiency urinals – 0.25 gallons (0.9 litres) per flush
- Table 3. Flushing high-efficiency urinals – 0.125 gallons (0.5 litres) per flush
- Table 4. Hybrid (non-water with drain cleansing feature) high-efficiency urinals
- Table 5. WaterSense-compliant high-efficiency urinal flushometer valves
- Table 6. Non-water (waterless) high-efficiency urinals

Table 1. Flushing High-Efficiency Urinal Fixtures (0.5-gallons per flush – 1.9 litres per flush)

Manufacturer/ Brand	Model Name	Model Number	Mat'l	WaterSense® compliant?	Integral Flush Valve Sensor?
Acorn Engineering	Penal-Ware	1709HEU	SS	No	No
	http://acomeng.com/product.aspx?ProductID=1312&title=ADA+Stainless+Steel+High+Efficiency+Urinal+for+Rear+Mount+(Chase)+Application				
American Standard	Selectronic Innsbrook	6520.001	VC	No	Yes (battery)
	Selectronic Innsbrook	6520.003	VC	No	Yes (hard wired AC)
	Universal Allbrook	6550.001 (top spud)	VC	Yes	No
	Universal Allbrook	6550.005	VC	Yes	
	Maybrook	6581.001	VC	Yes	No
	Washbrook Flowise	6590.005 (top spud)	VC	Yes	No
	Washbrook Flowise Universal	6590.001 (top spud)	VC	Yes	No
	Washbrook	6590.503	VC	Yes	
	Washbrook Flowise	6115.001	VC	Yes	
	Ultima	6145.051	VC	Yes	
	Ultima	6145SM.051	VC	Yes	
	Washbrook Flowise Universal	6515.001 (back spud)	VC	Yes	No
	Washbrook Flowise	6515.005 (back spud)	VC	Yes	No
	Greenbrook Top Spud	6516.001	VC	Yes	
	Greenbrook	6516.002	VC	Yes	
	Greenbrook	6516.002EC	VC	Yes	
	Greenbrook Back Spud	6517.001	VC	Yes	
	Pintbrook	6002.001 (top spud)	VC	Yes	No
	Pintbrook	6002.503	VC	Yes	
	Pintbrook	6002001USMCA	VC	Yes	
(none)	6042.005	VC	Yes		
Stallbrook	6400.001	VC	Yes	No	
https://www.americanstandard-us.com/bathroom/commercial-urinals					
AMTC	System (fixture & valve)	MF101812U05	VC	Yes	
	System (fixture & valve)	AEF101812U05	VC	Yes	
	System (fixture & valve)	HSM101812U05	VC	Yes	
	System (fixture & valve)	AEFHW101812U05	VC	Yes	
	System (fixture & valve)	AEFC101812U05	VC	Yes	
	System (fixture & valve)	AEFWB101812U05	VC	Yes	
	System (fixture & valve)	MF101814U05	VC	Yes	
	System (fixture & valve)	AEF101814U05	VC	Yes	
	System (fixture & valve)	HSM101814U05	VC	Yes	
	System (fixture & valve)	AEFHW101814U05	VC	Yes	
	System (fixture & valve)	AEFC101814U05	VC	Yes	
	System (fixture & valve)	AEFWB101814U05	VC	Yes	
	http://www.amtccorporation.com/index.htm				
Briggs	Hilton	7521 (top spud)	VC	Yes	No
	Lawton	7553 (top spud)	VC	Yes	No
https://briggsplumbing.com/fixtures/?fixtures-term=commercial-products					
Canton Bathware (by Compass)	None	572-7488	VC	Yes	
	None	572-7489	VC	Yes	
Conrac	Calder	4810BEX (top spud)	VC	Yes	No
	Calder	4810BEY (back spud)	VC	Yes	No
	Carlton	4810BFX (top spud)	VC	Yes	No
	Carlo	4810BHX (top spud)	VC	Yes	No
	Carlo	4810BHY (back spud)	VC	Yes	No
	Canata	4810BMX (top spud)	VC	Yes	No
https://conrac.ca/product-category/commercial/					
Crane	Eco Richland	7120 (top spud)	VC	Yes	
	Eco Crawford	7399	VC	Yes	
Duravit	Architec	081836	VC	Yes	No
	Architec	082036	VC	Yes	No
	Caro	083630	VC	F/V - Yes	Yes
	DuraStyle	280630	VC	Yes	
	DuraStyle	280631	VC	Yes	
	Philippe Starck 1	083432	VC	F/V - Yes	Yes
	Philippe Starck 1	083532	VC	F/V - Yes	Yes
	Vero	280132	VC	F/V - Yes	Yes
	Vero	280032	VC	F/V - Yes	Yes
	Starck 3	082135	VC	Yes	No
	ME by Starck (0.33 gpf)	280930	VC	Yes	
https://www.duravit.us/products/toileshing/urinals.us-en.html					

Table 1. Flushing High-Efficiency Urinal Fixtures (0.5-gallons per flush – 1.9 litres per flush) - continued

Manufacturer/ Brand	Model Name	Model Number	Mat'l	WaterSense® compliant?	Integral Flush Valve Sensor?
FGI Industries (Foremost)	None	C4810BEX (top spud)	VC	Yes	No
	None	C4810BEY (back spud)	VC	Yes	No
	None	C4810BFX (top spud)	VC	Yes	No
	None	C4810BHX (top spud)	VC	Yes	No
	None	C4810BHY (back spud)	VC	Yes	No
	Canata	C4810BMX (top spud)	VC	Yes	No
	Rondo	UR-490-Y (top spud)	VC	Yes	No
Hajoca	Mainline	MLS10412	VC	Yes	No
	Mainline	MLS10413	VC	Yes	No
	Mainline	MLS10414	VC	Yes	No
HD Supply - Seasons	None	564812 (top spud)	VC	Yes	No
https://hdsupplysolutions.com/shop/p/seasons@-top-spud-washout-flush-urinal-p564812					
Globe Union	None	C310350	VC	Yes	No
	None	C310372	VC	Yes	
	None	C310382	VC	Yes	
	None	C310360	VC	Yes	
Gerber	North Point	pHE-27-720 or GHE27720 (top spud)	VC	Yes	No
	North Point	pHE-27-725 or GHE27725 (back spud)	VC	Yes	No
	North Point	pHE-27-730 or GHE27730 (top spud)	VC	Yes	No
	North Point	pHE-27-740 or GHE27740	VC	Yes	No
	North Point	HE-27-740	VC	Yes	No
	North Point	pHE-27-735 or GHE27735 (back spud)	VC	Yes	No
	Lafayette	GHE27780 or HE-27-780	VC	Yes	No
	Hamilton	GHE27770 or HE-27-770	VC	Yes	No
	Clinton	GHE27750 or HE-27-750	VC	Yes	No
	North Point	GHE27710 or HE-27-710	VC	Yes	No
	Monitor	pHE-27-800 or GHE27800	VC	Yes	No
	Lafayette	pHE-27-900 or GHE27900	VC	Yes	No
	https://www.gerber-us.com/urinals/category/us-urinals				
HD Supply	Seasons	564812	VC	Yes	
Kohler	Bardon	K-4915	VC	No	Yes
	Bardon	K-4960-ET (top spud)	VC	Yes	No
	Bardon	K-4960-ER (rear spud)	VC	Yes	No
	Bardon	K-4991-ER (rear spud)	VC	Yes	No
	Bardon	K-4991-ET (top spud)	VC	Yes	No
	Bardon Touchless	K-2590	VC	Yes	
	Bardon Touchless	K-32590	VC	Yes	
	Dexter	K-5016-ER (rear spud)	VC	Yes	No
	Dexter	K-5016-ET (top spud)	VC	Yes	No
	Darfield	K-5024-T (top spud)	VC	No	No
	Tend	K-20713-ET (top spud)	VC	Yes	
	Tend	K-20713-ER (rear spud)	VC	Yes	
	Tend	K-28079-ET (top spud)	VC	Yes	
	Tend	K-28079-ER (rear spud)	VC	Yes	
	Portico	K-38020-ET (top spud)	VC	Yes	
	Portico	K-38020-ER (rear spud)	VC	Yes	
	Stanwell	K-25048-ET (top spud)	VC	Yes	No
	Stanwell	K-25048-ER (rear spud)	VC	Yes	No
	Branham	K-25039-T (top spud)	VC	Yes	
	Branham	K-25039-R (rear spud)	VC	Yes	
	https://www.us.kohler.com/us/browse/bathroom-commercial-bathroom-urinals/ /N-25aj				
Mainline	None	MLS10412	VC	Yes	
	None	MLS10413	VC	Yes	
	None	MLS10414	VC	Yes	
Mansfield	Cascade	410HE (top spud)	VC	Yes	No
	Cascade	410HE-RS (rear spud)	VC	Yes	No
	Suburban	475HE	VC	Yes	No
	Adam	401HE	VC	Yes	No
https://www.mansfieldplumbing.com/product-category/commercial/?page_number=1&category=commercial-urinals					
ProFlo (by Ferguson)	None	PF1805 (top spud, wash out)	VC	Yes	No
	None	PF1801	VC	Yes	No
	None	PF1815 (top spud, siphon jet)	VC	Yes	No
	None	PF1825 (top spud, wash out)	VC	Yes	No
	None	PF1835	VC	Yes	No
	None	PF1835A	VC	Yes	No
	None	PF1845	VC	Yes	No
	https://www.ferguson.com/category/bathroom-plumbing/toilets%2C-toilet-seats-urinals/commercial-toilets-urinals/				

Table 1. Flushing High-Efficiency Urinal Fixtures (0.5-gallons per flush – 1.9 litres per flush) - continued

Manufacturer/ Brand	Model Name	Model Number	Mat'l	WaterSense® compliant?	Integral Flush Valve Sensor?
Sloan Valve	Efficiency Series	SU-1005A (top spud)	VC	Yes	No
	Efficiency Series	SU-1015A (rear spud)	VC	Yes	No
	Efficiency Series	WEUS 1005.1001-0.5*	VC	Yes	No (manual)
	Efficiency Series	WEUS 1005.1201-0.5 SOLIS*	VC	Yes	Yes (electronic sensor)
	Efficiency Series	WEUS 1005.1301-0.5*	VC	Yes	
	Efficiency Series	WEUS 1005.1304-0.5 SOLIS*	VC	Yes	
	Efficiency Series	WEUS 1005.1401-0.5 ECOS*	VC	Yes	Yes (electronic sensor)
	Efficiency Series	WEUS 1205.1001-0.5*	VC	Yes	
	Efficiency Series	WEUS 1205.1301-0.5 *	VC	Yes	
	Efficiency Series	WEUS 1205.1410-0.5*	VC	Yes	
	Efficiency Series	WEUS 1205.1010*	VC	Yes	
	Efficiency Series	WEUS 1205.1020*	VC	Yes	
	Efficiency Series	WEUS 1205.1415*	VC	Yes	
	Efficiency Series	SU-7009A (top spud)	VC	Yes	
	Efficiency Series	SU-7019A (rear spud)	VC	Yes	
	Efficiency Series	SU-1205A (top spud)	VC	Yes	No
	Efficiency Series	SU-1215A (rear spud)	VC	Yes	No
	Efficiency Series	SU-1009A	VC	Yes	
	Efficiency Series	SU-1209A	VC	Yes	
	Efficiency Series	SU-1219A	VC	Yes	
Efficiency Series	SU-7409-0.5	VC	Yes		
Efficiency Series	SU-7419-0.5	VC	Yes		
https://www.sloan.com/commercial-bathroom-products/urinals/browse		*-urinal fixture coupled with flush valve			
Toto	None	UT104E (top spud)	VC	Yes	No
	None	UT104EV (rear spud)	VC	Yes	No
	None	UT447E (top spud)	VC	Yes	No
	None	UT447EV (rear spud)	VC	Yes	No
	Urinal w/automatic flush valve	UE906EVG	VC	Yes	Yes
https://www.totousa.com/products/commercial#subcategories=10170128115972183709					
Tynan	None	7101PT	VC	Yes	No
	Charon	7100	VC	Yes	No
	Aeron	7101	VC	Yes	No
	Damon	7102	VC	Yes	No
	Avalon	7103A	VC	Yes	No
Vortens (Porcelana Corona)	Austral Zero5	3601 (top spud)	VC	No	No
	Verona Zero5	3621 (top spud)	VC	No	No
	https://coronamexico.com				
Willoughby Industries	None	ASUW-1314-HEU-BS	SS	Yes	
	None	ASUW-1314-HEU-FA-BS	SS	Yes	
	None	UW-1317-HEU-BS	SS	Yes	
	None	UW-1317-HEU-TS	SS	Yes	
	None	UW-1317-HEU-FA-BS	SS	Yes	
	None	UW-1317-HEU-FA-TS	SS	Yes	
https://www.willoughby-ind.com/product-category/products/urinals-products/					
Zurn	EcoVantage	Z5751.196 (top spud)	VC	No	No (manual)
	EcoVantage	Z5751.219 (top spud)	VC	No	No (manual)
	EcoVantage	Z5751.201 (top spud)	VC	No	Yes
	EcoVantage	Z5751.245 (top spud)	VC	No	Yes
	EcoVantage	Z5752.245 (rear spud)	VC	No	Yes
	EcoVantage	Z5752.245 (rear spud)	VC	No	Yes
	AquaSense	ZTR6203-EWS	VC	Yes	
	AquaSense	Z6003AV-EWS	VC	Yes	
	Omni-Flo	Z5755U	VC	Yes	
	Omni-Flo	Z5765U	VC	Yes	
	Small Pint	Z5738U	VC	Yes	
	Siphon Jet	Z5730	VC	Yes	
https://www.zurn.com/products/finish-plumbing/fixtures/urinals					

Table 2. Flushing High-Efficiency Urinal Fixtures (0.25 gallons per flush – 0.9 litres per flush)

Manufacturer/ Brand	Model Name	Model Number	Mat'l	WaterSense [®] compliant?	Integral Flush Valve Sensor?
Acorn Engineering	Penal-Ware	1709HEU	SS	No	No
	https://www.acorneng.com/urinals				
American Standard	Maybrook	6581.001	VC	Yes	No
	https://www.americanstandard-us.com/bathroom/commercial-urinals				
Sloan Valve	Efficiency Series	WEUS 1002.1001-0.25 (top spud)	VC	Yes	No (manual)
	Efficiency Series	WEUS 1002.1201-0.25 SOLIS (top spud)	VC	Yes	Yes
	Efficiency Series	WEUS 1002.1301-0.25 (top spud)	VC	Yes	Yes
	Efficiency Series	WEUS 1002.1302-0.25 (top spud)	VC	Yes	Yes
	Efficiency Series	WEUS 1002.1303-0.25 (top spud)	VC	Yes	
	Efficiency Series	WEUS 1002.1304-0.25 (top spud)	VC	Yes	
	Efficiency Series	WEUS 1002.1401-0.25 ECOS (top spud)	VC	Yes	Yes
	Efficiency Series	WEUS 1002.1402-0.25 SMO (top spud)	VC	Yes	Yes
	Efficiency Series	WEUS 1002.1403-0.25-SMOOTH (top spud)	VC	Yes	Yes
	Efficiency Series	WEUS 1012.1011-0.25 (top spud)	VC	Yes	
	Efficiency Series	WEUS 1012.1311-0.25 (top spud)	VC	Yes	
	Efficiency Series	WEUS 1202.1001-0.25 SOLIS (top spud)	VC	Yes	
	Efficiency Series	WEUS 1202.1301-0.25 (top spud)	VC	Yes	
	Efficiency Series	WEUS 1202.1410-0.25 (top spud)	VC	Yes	
	Efficiency Series	WEUS 1202.1015	VC	Yes	
	Efficiency Series	SU-1002A (top spud)	VC	Yes	No
	Efficiency Series	SU-1012A (rear spud)	VC	Yes	No
	Efficiency Series	SU-1202A (top spud)	VC	Yes	No
	Efficiency Series	SU-1212A (rear spud)	VC	Yes	No
	Efficiency Series	SU-7009A (top spud)	VC	Yes	No
	Efficiency Series	SU-7019A (rear spud)	VC	Yes	No
	Efficiency Series	SU-1009A	VC	Yes	
	Efficiency Series	SU-1209A	VC	Yes	
	Efficiency Series	SU-1219A	VC	Yes	
	Efficiency Series	SU-7409-0.25	VC	Yes	
Efficiency Series	SU-7419-0.25	VC	Yes		
http://www.sloanvalve.com/Our_Products.aspx					
Duravit	Starck 3	082544 (top spud)	VC	Yes	No
	Starck 3	082444 (rear spud)	VC	Yes	No
https://www.duravit.us/products/toileshing/urinals.us-en.html					
ProFlo (by Ferguson)	None	PF1815PT	VC	Yes	No
	https://www.ferguson.com/category/bathroom-plumbing/toilets%2C-toilet-seats-urinals/commercial-toilets-urinals/				
Tynan	Charon	7100PT (top spud)	VC	Yes	No
	Charon	7101PT	VC	Yes	No
Zurn	Omni-Flo	Z5755U	VC	Yes	
	Omni-Flo	Z5765U	VC	Yes	
	Small Pint	Z5738U	VC	Yes	
https://www.zurn.com/products/finish-plumbing/fixtures/urinals					

Table 3. Flushing High-Efficiency Urinal Fixtures (1-PINT/0.125 gal per flush – 0.5 litres per flush)

Manufacturer/ Brand	Model Name	Model Number	Mat'l	WaterSense [®] compliant?	Integral Flush Valve Sensor?
Acorn Engineering	Penal-Ware	1709HEU	SS	No	No
	https://www.acorneng.com/urinals				
American Standard	Washbrook Flowise 0.125	6515.125 (back spud)	VC	Yes	No
	Washbrook Flowise 0.125	6515.001	VC	Yes	No
	Washbrook Flowise 0.125	6115.001	VC	Yes	No
	Washbrook Flowise Universal	6515.001 (back spud)	VC	Yes	No
	Greenbrook Top Spud	6516.001	VC	Yes	
	Greenbrook Top Spud	6516.002	VC	Yes	
	Greenbrook Top Spud	6516002EC	VC	Yes	
	Greenbrook Back Spud	6517.001	VC	Yes	
	Washbrook Flowise 0.125	6590.125 (top spud)	VC	Yes	No
	Washbrook Flowise Universal	6590.001 (top spud)	VC	Yes	No
	Washbrook Flowise	6590.525	VC	Yes	
	Maybrook	6581.001	VC	Yes	No
	Pintbrook	6002.001	VC	Yes	No
	Pintbrook	6002001USMCA	VC	Yes	No
	Pintbrook	6002.501	VC	Yes	
	Pintbrook	6002.503	VC	Yes	
	Pintbrook	6002.505	VC	Yes	
	Pintbrook	6002.525	VC	Yes	
	Decorum 1 pt	6042.001 (top spud)	VC	Yes	No
	Decorum	6042.453 (top spud)	VC	Yes	No
Decorum	6042.633 (top spud)	VC	Yes	No	
Decorum 1 pt	6043.001 (back spud)	VC	Yes	No	
https://www.americanstandard-us.com/bathroom/commercial-urinals					
AMTC	Fixture	AUU-1018-12	VC	Yes	
	Fixture	AUU-1018-14	VC	Yes	
	System (fixture & valve)	MF101812U18	VC	Yes	
	System (fixture & valve)	AEF101812U18	VC	Yes	
	System (fixture & valve)	HSM101812U18	VC	Yes	
	System (fixture & valve)	AEFW101812U18	VC	Yes	
	System (fixture & valve)	AEFC101812U18	VC	Yes	
	System (fixture & valve)	AEFWB101812U18	VC	Yes	
	System (fixture & valve)	MF101814U18	VC	Yes	
	System (fixture & valve)	AEF101814U18	VC	Yes	
	System (fixture & valve)	HSM101814U18	VC	Yes	
	System (fixture & valve)	AEFW101814U18	VC	Yes	
	System (fixture & valve)	AEFC101814U18	VC	Yes	
	System (fixture & valve)	AEFWB101814U18	VC	Yes	
http://www.amtccorporation.com/					
Conrac	Kolby	4810BSY	VC	Yes	No
	Kolby	4810BSX (0.1 gpf volume)	VC	Yes	No
	Bartleigh	4810BNX	VC	Yes	No
	Bartleigh	4810BNY	VC	Yes	No
http://www.conrac.ca/					
CYI Industry Ltd.	Washout	U580	VC	Yes	No
Duravit	ME by Starck	280931		Yes	
https://www.duravit.us/products/toileshing/urinals.us-en.html					
FGI Industries (Foremost)	None	C4810BSY	VC	Yes	No
	None	C4810BSX (0.1 gpf volume)	VC	Yes	No
	None	UR-1845Y	VC	Yes	No
Gerber – Globe Union	North Point	pHE-27-721 or GHE27721 or HE-27-721	VC	Yes	No
	North Point	pHE-27-731 or GHE27731 or HE-27-731	VC	Yes	No
	Lafayette	HE-27-740 or GHE27740 or HE-27-740	VC	Yes	
	Clinton	GHE27750 or HE-27-750	VC	Yes	
	Hamilton	GHE27770 or HE-27-770	VC	Yes	
	Lafayette	GHE27900 or HE-27-900	VC	Yes	
	Monitor	GHE27800 or HE-27-800	VC	Yes	
	Lafayette	GHE27780 or HE-27-780	VC	Yes	
	North Point	GHE27710 or HE-27-710	VC	Yes	
	Lafayette	C310360	VC	Yes	
	None	C310372	VC	Yes	
	None	C310382	VC	Yes	
	None	C310350	VC	Yes	
	Monitor	C310322	VC	Yes	
	Lafayette	C310332	VC	Yes	
	Clinton	C310392	VC	Yes	
	Hamilton	C310402	VC	Yes	
	https://www.gerber-us.com/urinals/category/us-urinals				

Manufacturer/ Brand	Model Name	Model Number	Mat'l	WaterSense [®] compliant?	Integral Flush Valve Sensor?
Kohler	Bardon	K-4904-ER (rear spud)	VC	Yes	No
	Bardon	K-4904-ET (top spud)	VC	Yes	No
	Bardon	K-4991-ER (rear spud)	VC	Yes	No
	Bardon	K-4991-ET (top spud)	VC	Yes	No
	Tend	K-20713-ET (top spud)	VC	Yes	
	Tend	K-20713-ER (rear spud)	VC	Yes	
	Tend	K-28079-ET (top spud)	VC	Yes	
	Tend	K-28079-ER (rear spud)	VC	Yes	
	Portico	K-38020-ET (top spud)	VC	Yes	
	Portico	K-38020-ER (rear spud)	VC	Yes	
	Dexter	K-5452-ER (rear spud)	VC	Yes	No
	Dexter	K-5452-ET (top spud)	VC	Yes	No
	Steward Hybrid (see note*)	K-5244-ET (top spud)	VC	Yes	No
Steward Hybrid (see note*)	K-5244-ER (rear spud)	VC	Yes	No	
*Note: Although these models carry the term "hybrid" in their model name, they are NOT hybrids of the type displayed in Table 4 below. Rather, they are conventional 1-pint (0.125 gpf/0.5 Lpf) urinals.					
https://www.us.kohler.com/us/browse/bathroom-commercial-bathroom-urinals/_/N-25aj					
Mansfield	Brevity	421 (top spud)	VC	No	No
	Brevity	422 (top spud)	VC	Yes	No
	Brevity	422RS (rear spud)	VC	Yes	No
	Cascade	410 UHE	VC	Yes	No
	None	414 UHE	VC	Yes	No
https://www.mansfieldplumbing.com/product-category/commercial/?page_number=1&category=commercial-urinals					
Megabrand	None	U101HE (system with Sloan valve)	VC	Yes	
ProFlo (by FGI Industries-Ferguson)	None	PF1815PT	VC	Yes	No
	None	PF1825PT	VC	Yes	No
	None	PF1825PTA	VC	Yes	
	None	PF1805PT	VC	Yes	
	None	PF1845PT	VC	Yes	
https://www.ferguson.com/category/bathroom-plumbing/toilets%2C-toilet-seats-urinals/commercial-toilets-urinals/					
Sloan Valve	Efficiency Series	WEUS 1010.1011-0.125 (rear spud)*	VC	Yes	No (manual)
	Efficiency Series	WEUS 1000.1001-0.125 (top spud)*	VC	Yes	No (manual)
	Efficiency Series	WEUS 1010.1311-0.125 ESS (top spud)*	VC	Yes	Yes
	Efficiency Series	WEUS 1010.1312-0.125 (top spud)*	VC	Yes	
	Efficiency Series	WEUS 1010.1313-0.125 (top spud)*	VC	Yes	
	Efficiency Series	WEUS 1010.1331-0.125 (top spud)*	VC	Yes	
	Efficiency Series	WEUS 1000.1201-0.125 SOLIS (top spud)*	VC	Yes	Yes
	Efficiency Series	WEUS 1000.1301-0.125 ESS (top spud)*	VC	Yes	Yes
	Efficiency Series	WEUS 1000.1302-0.125 HWS (top spud)*	VC	Yes	Yes
	Efficiency Series	WEUS 1000.1303-0.125 ESS OR (top spud)*	VC	Yes	Yes
	Efficiency Series	WEUS 1000.1304-0.125 ESS OR (top spud)*	VC	Yes	
	Efficiency Series	WEUS 1000.1331-0.125 ESS OR (top spud)*	VC	Yes	
	Efficiency Series	WEUS 1000.1401-0.125 ECOS (top spud)*	VC	Yes	Yes
	Efficiency Series	WEUS 1000.1411-0.125 HW ECOS C (top spud)*	VC	Yes	Yes
	Efficiency Series	WEUS 1000.1402-0.125 SMO (top spud)*	VC	Yes	Yes
	Efficiency Series	WEUS 1000.1403-0.125 SMOOTH (top spud)*	VC	Yes	Yes
	Efficiency Series	WEUS 1200.1001-0.125 (top spud)*	VC	Yes	
	Efficiency Series	WEUS 1200.1201-0.125 (top spud)*	VC	Yes	
	Efficiency Series	WEUS 1200.1301-0.125 (top spud)*	VC	Yes	
	Efficiency Series	WEUS 1200.1410-0.125 (top spud)*	VC	Yes	
	Efficiency Series	WEUS 1200.1006*	VC	Yes	
	Efficiency Series	WEUS 1200.1010*	VC	Yes	
	Efficiency Series	WEUS 1200.1415*	VC	Yes	
	Efficiency Series	WEUS 1200.1420*	VC	Yes	
	Efficiency Series	WEUS 1210.1035*	VC	Yes	
	Efficiency Series	WEUS 1210.1311*	VC	Yes	
	Efficiency Series	WEUS 1210.1320	VC	Yes	
	Efficiency Series	WEUS 1210.1020*	VC	Yes	
	Efficiency Series	WEUS-7400.1001	VC	Yes	
	Efficiency Series	WEUS-7400.1201	VC	Yes	
	Efficiency Series	WEUS-7400.1301	VC	Yes	
	Efficiency Series	WEUS-7400.1401	VC	Yes	
	Efficiency Series	SU-1000A (top spud)	VC	Yes	No
	Efficiency Series	SU-1010A (rear spud)	VC	Yes	No
	Efficiency Series	SU-1200A (top spud)	VC	Yes	No
	Efficiency Series	SU-1210A (rear spud)	VC	Yes	No
	Efficiency Series	SU-7009-A (top spud)	VC	Yes	No
	Efficiency Series	SU-7019-A (rear spud)	VC	Yes	No
	Efficiency Series	SU-1009 (rear spud)	VC	Yes	
	Efficiency Series	SU-1209A	VC	Yes	
	Efficiency Series	SU-1019	VC	Yes	
Efficiency Series	SU-1219A	VC	Yes		
Efficiency Series	SU-7409-0.125	VC	Yes		
Efficiency Series	SU-7419-0.125	VC	Yes		
https://www.sloan.com/commercial-bathroom-products/urinals/browse			*-urinal fixture coupled with flush valve		

Table 3. Flushing High-Efficiency Urinal Fixtures (1-PINT/0.125 gal per flush – 0.5 litres per flush) - continued

Manufacturer/ Brand	Model Name	Model Number	Mat'l	WaterSense® compliant?	Integral Flush Valve Sensor?
Toto	None	UT105U (top spud)	VC	Yes	No
	None	UT105UV (rear spud)	VC	Yes	No
	None	UT105UG	VC	Yes	No
	None	UT105UVG	VC	Yes	No
	Urinal w/automatic flush valve	UE906UVG	VC	Yes	Yes
	None	UT445U	VC	Yes	No
https://www.totousa.com/products/commercial#subcategories=10170128115972183709					
Tynan	Charon	7100PT	VC	Yes	No
	Damon PT	7102PT	VC	Yes	No
	Damon II	7102PTA	VC	Yes	No
Western Pottery	None	U493	VC	Yes	
	None	U480	VC	Yes	
https://westernpottery.com/commercial/					
Zhangzhou Wanhui	None	U493	VC	No	
	None	U020	VC	No	
Zurn	The Pint	Z5798.205 (top spud)	VC	F/V Yes (fixture certified with 5 different certified Zurn flush valves)	Yes
	The Pint	Z5798.206 (top spud)	VC		Yes
	The Pint	Z5798.207 (top spud)	VC		No (manual)
	The Pint	Z5798.235 (top spud)	VC	F/V - Yes	Yes
	The Pint	Z5798.234 (top spud)	VC		Yes
	The Pint	Z5799 (rear spud)	VC		Yes
	Small Pint	Z5738.205 (top spud)	VC	F/V Yes (fixture certified with 5 different certified Zurn flush valves)	Yes
	Small Pint	Z5738.206 (top spud)	VC		Yes
	Small Pint	Z5738.207 (top spud)	VC		No (manual)
	Small Pint	Z5738.235 (top spud)	VC		Yes
	Small Pint	Z5738.234 (top spud)	VC		Yes
	Small Pint	Z5738.234 (top spud)	VC		Yes
	Omni-Flo	Z5755U	VC	Yes (fixture certified with 5 different certified Zurn valves)	
	Omni-Flo	Z5765U	VC		
	Retrofit Pint	Z5758.205 (top spud)	VC	F/V Yes (fixture certified with 5 different certified Zurn flush valves)	Yes
	Retrofit Pint	Z5758.206 (top spud)	VC		Yes
	Retrofit Pint	Z5758.207 (top spud)	VC		No (manual)
	Retrofit Pint	Z5758.235 (top spud)	VC		Yes
	Retrofit Pint	Z5758.234 (top spud)	VC		Yes
	Retrofit Pint	Z5759 (rear spud)	VC		F/V - Yes
	Full Stall Pint	Z5792.205 (top spud)	VC	No	Yes
	Full Stall Pint	Z5792.206 (top spud)	VC	No	Yes
	Full Stall Pint	Z5792.207 (top spud)	VC	No	No (manual)
	Full Stall Pint	Z5792.235 (top spud)	VC	No	Yes
	Full Stall Pint	Z5792.234 (top spud)	VC	No	Yes
	Nano Pint	Z5708.205 (top spud)	VC	F/V Yes (fixture certified with 5 different certified Zurn flush valves)	Yes
	Nano Pint	Z5708.206 (top spud)	VC		Yes
Nano Pint	Z5708.207 (top spud)	VC	No (manual)		
Nano Pint	Z5708.235 (top spud)	VC	Yes		
Nano Pint	Z5708.234 (top spud)	VC	Yes		
Nano Pint	Z5708.234 (top spud)	VC	Yes		
https://www.zurn.com/products/finish-plumbing/fixtures/urinals					

Table 4. HYBRID (Non-Water and Flushing) High-Efficiency Urinal Fixtures (urinals periodically flush with drain cleansing water on a programmed schedule)

Manufacturer/ Brand	Model Name	Model Number	Mat'l	WaterSense compliant urinal?	Integral valve?
Sloan Valve	Hybrid Urinal	HYB-1000	VC	No	Yes
	Hybrid Urinal	HYB-1000-RET	VC	No	Yes
	Hybrid Urinal	HYB-4000	VC	No	Yes
https://www.sloan.com/commercial-bathroom-products/urinals/browse?level=product&product_flush_method=Hybrid					

Table 5. WaterSense®-Compliant High-Efficiency Flushometer Valves (Flushing Devices for Urinals)

Manufacturer/Brand	Model Name	Model Number	Flush Volume
Advanced Modern Technologies (AMTC)	None	MF-700-U18	0.125 gpf – 0.5 Lpf
	None	MF-700-U05	0.5 gpf – 1.9 Lpf
	Hybridflush	AEF-801-CU-18	0.125 gpf – 0.5 Lpf
	Hybridflush	AEF-801-CU-05	0.5 gpf – 1.9 Lpf
	Hybridflush	HSM-801-CU-18	0.125 gpf – 0.5 Lpf
	Hybridflush	HSM-801-CU-05	0.5 gpf – 1.9 Lpf
	Hybridflush	AEF-801-HWCU-18	0.125 gpf – 0.5 Lpf
	Hybridflush	AEF-801-HWCU-05	0.5 gpf – 1.9 Lpf
	Hybridflush	AEF-801-CCU-18	0.125 gpf – 0.5 Lpf
	Hybridflush	AEF-801-CCU-05	0.5 gpf – 1.9 Lpf
	Hybridflush	AEF-801-WBCCU-18	0.125 gpf – 0.5 Lpf
Hybridflush	AEF-801-WBCCU-05	0.5 gpf – 1.9 Lpf	
http://www.amtcorporation.com/			
American Standard	FloWise	6045SM.013	0.125 gpf – 0.5 Lpf
	FloWise	6045SM.051	0.5 gpf – 1.9 Lpf
	FloWise	6045.505	0.5 gpf – 1.9 Lpf
	Selectronic	6061.013	0.125 gpf – 0.5 Lpf
	Selectronic	6061.025	0.25 gpf – 0.95 Lpf
	Selectronic	6061.051	0.5 gpf – 1.9 Lpf
	Selectronic	6061.201	0.125 gpf – 0.5 Lpf
	Selectronic	6061.301	0.125 gpf – 0.5 Lpf
	Selectronic	6061.401	0.125 gpf – 0.5 Lpf
	Selectronic	6061.501	0.125 gpf – 0.5 Lpf
	Selectronic	6062.013	0.125 gpf – 0.5 Lpf
	Selectronic	6064.013	0.125 gpf – 0.5 Lpf
	Selectronic	6064.025	0.025 gpf – 0.95 Lpf
	Selectronic	6064.051	0.5 gpf – 1.9 Lpf
	Selectronic	6062.025	0.025 gpf – 0.95 Lpf
	Selectronic	6062.051	0.5 gpf – 1.9 Lpf
	Selectronic	6062.201	0.125 gpf – 0.5 Lpf
	Selectronic	6062.301	0.125 gpf – 0.5 Lpf
	Selectronic	6062.401	0.125 gpf – 0.5 Lpf
	Selectronic	6062.501	0.125 gpf – 0.5 Lpf
	Selectronic	6063.013	0.125 gpf – 0.5 Lpf
	Selectronic	6063.025	0.25 gpf – 0.95 Lpf
	Selectronic	6063.201	0.125 gpf – 0.5 Lpf
	Selectronic	6063.301	0.125 gpf – 0.5 Lpf
	Selectronic	6063.401	0.125 gpf – 0.5 Lpf
	Selectronic	6063.501	0.125 gpf – 0.5 Lpf
	Selectronic	6063.513	0.125 gpf – 0.5 Lpf
	Selectronic	6061.205	0.5 gpf – 1.9 Lpf
	Selectronic	6061.305	0.5 gpf – 1.9 Lpf
	Selectronic	6061.405	0.5 gpf – 1.9 Lpf
	Selectronic	6061.505	0.5 gpf – 1.9 Lpf
	Selectronic	6062.205	0.5 gpf – 1.9 Lpf
	Selectronic	6062.305	0.5 gpf – 1.9 Lpf
	Selectronic	6062.405	0.5 gpf – 1.9 Lpf
	Selectronic	6062.505	0.5 gpf – 1.9 Lpf
	Selectronic	6063.051	0.5 gpf – 1.9 Lpf
	Selectronic	6063.205	0.5 gpf – 1.9 Lpf
	Selectronic	6063.305	0.5 gpf – 1.9 Lpf
	Selectronic	6063.405	0.5 gpf – 1.9 Lpf
	Selectronic	6063.505	0.5 gpf – 1.9 Lpf
	Selectronic	6063.515	0.5 gpf – 1.9 Lpf
	FloWise	7015.051	0.5 gpf – 1.9 Lpf
	Selectronic	7093.051	0.5 gpf – 1.9 Lpf
	Selectronic	606B.051	0.5 gpf – 1.9 Lpf
	Selectronic	606B.025	0.25 gpf – 0.95 Lpf
	Selectronic	606B.013	0.125 gpf – 0.5 Lpf
	Selectronic	606B.205	0.5 gpf – 1.9 Lpf
	Selectronic	606B.305	0.5 gpf – 1.9 Lpf
	Selectronic	606B.405	0.5 gpf – 1.9 Lpf
	Selectronic	606B.505	0.5 gpf – 1.9 Lpf
Selectronic	606B.201	0.125 gpf – 0.5 Lpf	
Selectronic	606B.301	0.125 gpf – 0.5 Lpf	
Selectronic	606B.401	0.125 gpf – 0.5 Lpf	
Selectronic	606B.501	0.125 gpf – 0.5 Lpf	
Side Mount	6045SM.013	0.125 gpf – 0.5 Lpf	
Side Mount	6045SM.051	0.5 gpf – 1.9 Lpf	
Ultima	6145.003	0.125 gpf – 0.5 Lpf	
Ultima	6145M.013	0.125 gpf – 0.5 Lpf	
Ultima	6145.051	0.5 gpf – 1.9 Lpf	
Ultima	6145SM.051	0.5 gpf – 1.9 Lpf	
https://www.americanstandard-us.com/bathroom/commercial-flushometers?page=1&plimit=21			
Crane	None	6113.051	0.5 gpf – 1.9 Lpf
	None	6725.051	0.5 gpf – 1.9 Lpf
http://www.cranep plumbing.com			

Table 5. WaterSense®-Compliant High-Efficiency Flushometer Valves (Flushing Devices for Urinals) -cont'd

Manufacturer/Brand	Model Name	Model Number	Flush Volume
Delta (Masco)	None	81T2a1bA-c-de-f19h	0.125 gpf - 0.5 Lpf
	None	81T2a1bA-c-de-f05h	0.5 gpf - 1.9 Lpf
	None	81T231-f05-WMSbA-e	0.125 gpf - 0.5 Lpf
	None	81T231-f19-WMSbA-e	0.5 gpf - 1.9 Lpf
	None	81T2a1-b-cd05	0.125 gpf - 0.5 Lpf
	None	81T2a1-b-cd19	0.5 gpf - 1.9 Lpf
	None	83Tabc-d05	0.125 gpf - 0.5 Lpf
I-CON Systems	I-CON	VLV-FVL-3000-U-0.25-0001	0.25 gpf - 0.95 Lpf
	I-CON	VLV-FVL-3005-U-0.25-0001	0.25 gpf - 0.95 Lpf
	I-CON	VLV-FVL-3050-U-0.25-0001	0.25 gpf - 0.95 Lpf
	I-CON	VLV-FVL-3050-U-0.25-0002	0.25 gpf - 0.95 Lpf
	I-CON	VLV-FVL-3000-U-0.5-0001	0.25 gpf - 0.95 Lpf
	I-CON	VLV-FVL-3005-U-0.5-0001	0.25 gpf - 0.95 Lpf
	I-CON	VLV-FVL-3005-U-0.5-0002	0.25 gpf - 0.95 Lpf
	I-CON	VLV-FVL-3050-U-0.5-0001	0.25 gpf - 0.95 Lpf
	I-CON	VLV-FVL-3050-U-0.5-0002	0.25 gpf - 0.95 Lpf
I-CON	VLV-FVL-3050-U-0.5-0003	0.25 gpf - 0.95 Lpf	
http://www.i-con.com/BrowseProducts.aspx			
Hydrotek International	None	H8-B1.125	0.125 gpf - 0.5 Lpf
	None	HB8-B1.125	0.125 gpf - 0.5 Lpf
	None	H8-B1.125DC	0.125 gpf - 0.5 Lpf
	None	H8SLE-B1.125	0.125 gpf - 0.5 Lpf
	None	H8-B1-05	0.5 gpf - 1.9 Lpf
	None	HB8-B1-05	0.5 gpf - 1.9 Lpf
	None	H8-B1-05DC	0.5 gpf - 1.9 Lpf
	None	HB8SLE-B1-05	0.5 gpf - 1.9 Lpf
http://hydrotekintl.com			
I-CON	None	VLV-FVL-3000-U-0.25-0001	0.25 gpf - 0.95 Lpf
	None	VLV-FVL-3005-U-0.25-0001	0.25 gpf - 0.95 Lpf
	None	VLV-FVL-3050-U-0.25-0001	0.25 gpf - 0.95 Lpf
	None	VLV-FVL-3000-U-0.25-0002	0.25 gpf - 0.95 Lpf
	None	VLV-FVL-3000-U-0.5-0001	0.5 gpf - 1.9 Lpf
	None	VLV-FVL-3005-U-0.5-0001	0.5 gpf - 1.9 Lpf
	None	VLV-FVL-3005-U-0.5-0002	0.5 gpf - 1.9 Lpf
	None	VLV-FVL-3050-U-0.5-0001	0.5 gpf - 1.9 Lpf
	None	VLV-FVL-3050-U-0.5-0002	0.5 gpf - 1.9 Lpf
	None	VLV-FVL-3050-U-0.5-0003	0.5 gpf - 1.9 Lpf
Kohler	Touchless	K-10949	0.5 gpf - 1.9 Lpf
	Touchless	K-10958	0.5 gpf - 1.9 Lpf
	Wave	K-10668	0.125 gpf - 0.5 Lpf
	Wave	K-10675	0.5 gpf - 1.9 Lpf
	None	K-13519	0.5 gpf - 1.9 Lpf
	None	K-13520	0.125 gpf - 0.5 Lpf
	Primme	K-76317	0.125 gpf - 0.5 Lpf
	Primme	K-76318	0.5 gpf - 1.9 Lpf
http://www.us.kohler.com/onlinecatalog/product_result_gen.jsp?category=20&dynamic=v&attribute=k6d_type&filterVal=Manual%20Urinal&sectionVal=Flushometers			
Moen	None	8315	0.5 gpf - 1.9 Lpf
	None	8315AC05	0.5 gpf - 1.9 Lpf
	None	8316	0.125 gpf - 0.5 Lpf
	None	8316AC	0.5 gpf - 1.9 Lpf
	None	8312M05	0.5 gpf - 1.9 Lpf
	None	8312M0125	0.125 gpf - 0.5 Lpf
	None	8312MR05	0.5 gpf - 1.9 Lpf
	None	8312MR0125	0.125 gpf - 0.5 Lpf
	None	8312SR05	0.5 gpf - 1.9 Lpf
	None	8312SR125	0.125 gpf - 0.5 Lpf
	None	8315	0.5 gpf - 1.9 Lpf
	None	8316AC	0.125 gpf - 0.5 Lpf
	http://pro.moen.com/commercial/flush-valves/_/N-6aq		

Table 5. WaterSense®-Compliant High-Efficiency Flushometer Valves (Flushing Devices for Urinals) -cont'd

Manufacturer/Brand	Model Name	Model Number	Flush Volume
Sloan Valve	Sloan, Royal, Ecos, or Optima Plus	186-0.125	0.125 gpf – 0.5 Lpf
	Sloan, Royal, or Crown	186-0.125 ESS	0.125 gpf – 0.5 Lpf
	Sloan, Royal, Ecos or Crown	186-0.25	0.25 gpf – 0.95 Lpf
	Sloan, Royal, or Crown	186-0.25 ESS	0.25 gpf – 0.95 Lpf
	Sloan, Regal, Royal, Ecos, Gem, or Crown	186-0.5	0.5 gpf – 1.9 Lpf
	Sloan or Royal	186-0.5 ESS	0.5 gpf – 1.9 Lpf
	Gem 2	186-0.125 XL	0.125 gpf – 0.5 Lpf
	Gem 2	186-0.25 XL	0.25 gpf – 0.95 Lpf
	Royal	188-0.5	0.5 gpf – 1.9 Lpf
	Sloan, Regal, or Royal	194-0.5	0.5 gpf – 1.9 Lpf
	Royal	195-0.125 ESS	0.125 gpf – 0.5 Lpf
	Royal	195-0.25 ESS	0.25 gpf – 0.95 Lpf
	Royal	195-0.5 ESS	0.5 gpf – 1.9 Lpf
	Crown	195-0.125	0.125 gpf – 0.5 Lpf
	Crown	195-0.25	0.25 gpf – 0.95 Lpf
	Sloan, Regal, Royal, or Crown	195-0.5	0.5 gpf – 1.9 Lpf
	Sloan, Regal, or Royal	197-0.5	0.5 gpf – 1.9 Lpf
	Royal	613-0.5	0.5 gpf – 1.9 Lpf
	Ecos, Solis, or Optima Plus	8186-0.125	0.125 gpf – 0.5 Lpf
	Ecos, Solis, or Optima Plus	8186-0.25	0.25 gpf – 0.95 Lpf
	Ecos, Solis, Optima Plus, or G2 Optima Plus	8186-0.5	0.5 gpf – 1.9 Lpf
	Solis	8195-0.5	0.5 gpf – 1.9 Lpf
	Royal Prison	9613-0.5	0.5 gpf – 1.9 Lpf
	Optima Plus	RESS-U-0.5	0.5 gpf – 1.9 Lpf
	Optima Plus	RESS-U-0.25	0.25 gpf – 0.95 Lpf
	Optima Plus	RESS-U-0.125	0.125 gpf – 0.5 Lpf
	TruFlush	TRF-196-0.5	0.5 gpf – 1.9 Lpf
	TruFlush	TRF-8196-0.5	0.5 gpf – 1.9 Lpf
	TruFlush	TRF-196-0.25	0.25 gpf – 0.95 Lpf
	TruFlush	TRF-8196-0.25	0.25 gpf – 0.95 Lpf
	None	CX 8198-0.5	0.5 gpf – 1.9 Lpf
	None	CX 8198-0.25	0.25 gpf – 0.95 Lpf
	https://www.sloan.com/commercial-bathroom-products/flushometers		
Toto	EcoPower	TEU1UN	0.125 gpf – 0.5 Lpf
	EcoPower	TEU2UN	0.125 gpf – 0.5 Lpf
	EcoPower	TEU3UN	0.125 gpf – 0.5 Lpf
	EcoPower	TEU1LN	0.5 gpf – 1.9 Lpf
	Manual	TMU1LN	0.5 gpf – 1.9 Lpf
	EcoPower	TEU1LA	0.5 gpf – 1.9 Lpf
	EcoPower	TEU2LA	0.5 gpf – 1.9 Lpf
	EcoPower	TEU3LA	0.5 gpf – 1.9 Lpf
	EcoPower	TEU1UA	0.125 gpf – 0.5 Lpf
	EcoPower	TEU2UA	0.125 gpf – 0.5 Lpf
	EcoPower	TEU3UA	0.125 gpf – 0.5 Lpf
	EcoPower	TEU1UAX	0.125 gpf – 0.5 Lpf
	EcoPower	TEU2UAX	0.125 gpf – 0.5 Lpf
	EcoPower	TEU3UAX	0.125 gpf – 0.5 Lpf
	EcoPower	TEU1LAX	0.5 gpf – 1.9 Lpf
	EcoPower	TEU2LAX	0.5 gpf – 1.9 Lpf
	EcoPower	TEU3LAX	0.5 gpf – 1.9 Lpf
	None	TEU1LAR	0.5 gpf – 1.9 Lpf
	None	TEU2LAR	0.5 gpf – 1.9 Lpf
	None	TEU3LAR	0.5 gpf – 1.9 Lpf
	None	TEU1UAR	0.125 gpf – 0.5 Lpf
None	TEU2UAR	0.125 gpf – 0.5 Lpf	
None	TEU3UAR	0.125 gpf – 0.5 Lpf	
https://www.totousa.com/products/commercial#subcategories=10172282318988567253			
Viega	EcoPlus	8164.5US	0.5 gpf – 1.9 Lpf
https://www.viega.us/en/homepage.html			

Table 5. WaterSense®-Compliant High-Efficiency Flushometer Valves (Flushing Devices for Urinals) -cont'd

Manufacturer/Brand	Model Name	Model Number	Flush Volume
Zurn	AquaVantage	Z6003AV-ULF	0.125 gpf – 0.5 Lpf
	AquaVantage	ZER6003AV-ULF	0.125 gpf – 0.5 Lpf
	AquaSense	ZEMS6003AV-ULF	0.125 gpf – 0.5 Lpf
	AquaSense	ZEMS6003AV-ULF-IS	0.125 gpf – 0.5 Lpf
	AquaVantage	ZEG6003AV	0.125 gpf – 0.5 Lpf
	EcoVantage	ZEG6003EV	0.125 gpf – 0.5 Lpf
	AquaSense	ZTR6203-ULF	0.125 gpf – 0.5 Lpf
	AquaSense	ZTR6201-ULF	0.125 gpf – 0.5 Lpf
	AquaSense	ZTR6203-EWS	0.5 gpf – 1.9 Lpf
	AquaSense	Z6003AV-EWS	0.5 gpf – 1.9 Lpf
	AquaSense	ZTR6203-QRT	0.5 gpf – 1.9 Lpf
	AquaSense	ZTR6201-QRT	0.5 gpf – 1.9 Lpf
	AquaVantage	Z6001AV-EWS	0.5 gpf – 1.9 Lpf
	AquaVantage	ZEMS6003AV-EWS	0.5 gpf – 1.9 Lpf
	AquaVantage	ZEMS6001AV-EWS	0.5 gpf – 1.9 Lpf
	AquaVantage	ZERS6003AV-EWS	0.5 gpf – 1.9 Lpf
	AquaVantage	ZER6001AV-EWS	0.5 gpf – 1.9 Lpf
	Metroflush	Z6203-EWS	0.5 gpf – 1.9 Lpf
	Metroflush	Z6201-EWS	0.5 gpf – 1.9 Lpf
	Metroflush	ZEMS6203-EWS	0.5 gpf – 1.9 Lpf
Metroflush	ZERS6203-EWS	0.5 gpf – 1.9 Lpf	
Metroflush	ZER6201-EWS	0.5 gpf – 1.9 Lpf	

<https://www.zurn.com/products/finish-plumbing/flush-valves>

Table 6. Non-Water (Waterless) High-Efficiency Urinal Fixtures¹

Manufacturer/ Brand	Model Name	Model Number	Trap Design ²	Material
Acorn	Dura-Ware	2159	Self sealing waste valve (duckbill) ²	SS
http://acomeng.com/product.aspx?ProductId=1314&title=ADA+Stainless+Steel+Waterless+Urinal				
Duravit	ME by Starck	281430		VC
https://www.duravit.us/products/toileshing/urinals.us-en.html				
HybridH2O	Coral	HM-25 (available with optional AMTC programmable flush valve)	Liquid seal (urine)	VC
https://sustainable restroom products.com/product/hybridh2o-hm-25-urinal				
Kohler	Steward	K-4917	Liquid seal	VC
	Steward	K-4918	Liquid seal	VC
	Steward	K-4919	Liquid seal	VC
	Steward	K-5244-ER	Liquid seal	VC
	Steward	K-5244-ET	Liquid seal	VC
https://www.kohler.com/en/products/commercial/shop-commercial-urinals?Flushing_Type=Waterless				
Sloan	WaterFree	WES-1000	Liquid seal	VC
	WaterFree	WES-4000	Liquid seal	VC
https://www.sloan.com/commercial-bathroom-products/urinals/browse?level=product&product_flush_method=Waterfree				
Urimat	Eco	15001	Self sealing waste valve (duckbill) ²	Composite
	Ecoplus	16001	Self sealing waste valve (duckbill) ²	Composite
	EcoVideo	16981		Composite
	Ceramic 20	12220		VC
	Ceramic C2	12401	Self sealing waste valve (duckbill) ²	VC
	Ceramic C2-CS	12402	Self sealing waste valve (duckbill) ²	VC
	INOX	18200		SS
https://www.urimat.com/en/products/urinals				
Waterless[®]	Anza	2005	Liquid seal	Composite
	Kalahari	2003	Liquid seal	Composite
	Kalahari	2003B (bottom drain)	Liquid seal	Composite
	Sonora	2004	Liquid seal	Composite
	Sonora	2004B (bottom drain)	Liquid seal	Composite
	Baja	2104	Liquid seal	VC
	Del Mar	2901 (shipboard)	Liquid seal	Composite
	Del Casa	2902 (home or space saving)	Liquid seal	Composite
	Santa Fe	2903	Liquid seal	Composite
www.waterless.com/				
Zero Flush	Enviroseal	ZF-101	Liquid seal	VC
	Enviroseal	ZF-301	Liquid seal	SS
	Enviroseal	ZF-501	Liquid seal	VC
https://www.purleve.com/product-categories-2-2/no-water-urinals/zeroflush-no-water-urinals/				
Zurn	Ecovantage	Z5795	Liquid seal	VC
https://www.zurn.com/products/finish-plumbing/fixtures/urinals/z5795				

Material Key:

VC – Vitreous China
SS – Stainless Steel

Notes on WaterSense Certification:

- 1 - The flushing urinal fixtures noted as WaterSense® compliant in Tables 1, 2, and 3 have been fully tested and certified by an independent, accredited laboratory as meeting the specification's requirements, after which they are listed by an Approved Certifying Body.
- 2 – IMPORTANT: The urinal listings shown as WaterSense®-compliant in Tables 1, 2, and 3 are for the certified urinal fixtures. In some cases, this certification also includes the flush valve, which is also required to be WaterSense® compliant. Check with the manufacturer to determine what components are associated with the certified products in these lists.
- 3 - Flush valves are separately tested and certified to the requirements of the WaterSense® specification. These certified valves are listed in Table 5.

General Notes on Non-Water Urinals:

- 1 – Some North American jurisdictions and some plumbing code provisions may not permit the installation of non-water urinals, even though those non-water urinals with a liquid seal are covered within two ANSI standards: ASME A112.19.19 for vitreous china non-water urinal fixtures and IAPMO Z124.9 for plastic urinal fixtures.
- 2 – Some jurisdictions do **not allow the installation of urinals with self-sealing waterless waste valves (non-liquid or mechanical seals, sometimes termed “duckbills”)**. These urinals are listed by IAPMO as qualifying to “IAPMO Guide Criteria for Waterless Urinals, IGC 161-2006a” but may not be permitted by some local codes and/or national standards.
- 3 - IMPORTANT NOTE: Urinals listed in Table 6-Non-Water Urinals are NOT included in the WaterSense Program because they do not use water, but are designed to perform the same waste removal function as flushing urinals and are deemed by the U.S. EPA to be equivalent.

It is very important that the specifier, designer, and/or purchaser first check with the local authority having jurisdiction to determine if and where such fixtures are permitted.

General Notes on High-Efficiency Flushing Urinals: All flushing HEUs must meet the very same waste removal performance requirements as all other flushing urinals sold in North America. All urinals, regardless of flush volume, may experience problems when installed in commercial building locations with degraded, aging, or poorly installed drainline systems, e.g., insufficient drainline slope, dips and sags, pre-existing buildup of solids, etc. In most cases, additional sources of wastewater upstream of the urinal fixture may help to reduce, defer, or prevent solids build-up in the drainline.

DISCLAIMER:

The information contained herein was gathered from sources deemed reliable and is believed to be correct at the time of posting or publication. However, the authors cannot guarantee that all of the information is either correct or current. The authors take no responsibility for the subsequent communication or use of the information presented herein. Therefore, readers are strongly encouraged to **perform their own research** into HEUs before making specifying or purchasing decisions.

NOTE: Organizations wishing to cite or post this listing must give credit to the AUTHORS and may not manipulate, revise, or truncate this listing without the written permission of the AUTHORS.

For further information on this listing and High-Efficiency Urinals, contact the AUTHORS:

John Koeller at 714-757-0679 or jkoeller@map-testing.com

Bill Gauley at 416-677-6193 or bill@gauley.ca