



## Maximum Performance (MaP) of "PREMIUM" tank-type & electro-hydraulic toilet models (California)

MaP PREMIUM Requirements....each listed toilet model must meet the following:

- Effective flush at 1.1 gallons/4.0 Litres or less
- U.S. EPA WaterSense-qualified (certified & listed)
- MaP: 600 grams or better

In California, the model must also be listed in the MAE Database of the California Energy Commission

**NOTE:** MaP PREMIUM rounds flush volumes to a single decimal place. While we recognize that 1.1 gallons is about 11 tablespoons of water greater than the 4.0-litre maximum flush volume set by MaP PREMIUM, it is our professional opinion that this difference is not materially significant.

**CAUTION:** Toilets shown on this list are recommended **FOR RESIDENTIAL APPLICATIONS** OR those **other light commercial installations** where sufficient volumes of supplemental flows of water are introduced into the building drainline system near the toilet fixture (clothes washers, showers, dishwashers, process water, food service operations, sinks, etc.).



June 24, 2026

| MaP Test Report Number (internal use) | Brand Name        | Toilet Model Name                                       | Toilet Model Numbers                                                                              | Design: Single-flush (S); Dual-flush (D) | Gravity (G); Pressure-Assist (P); Electric (E) | RATED flush volume (see note 3 below) | 1- or 2-piece | Horizontal Rough-in (inches) | Round (R) or Elongated (E) bowl | Comfort Height Bowl (CH) | Rear (Back) Outlet | Floor- (F) OR Wall-Mounted (W) |
|---------------------------------------|-------------------|---------------------------------------------------------|---------------------------------------------------------------------------------------------------|------------------------------------------|------------------------------------------------|---------------------------------------|---------------|------------------------------|---------------------------------|--------------------------|--------------------|--------------------------------|
| 51-015                                | ACARA             | None EL CH                                              | AC249HL bowl, T491.0GS tank                                                                       | S                                        | G                                              | 1.0                                   | 2             | 12                           | E                               | CH                       |                    | F                              |
| 51-016                                | ACARA             | None EL                                                 | AC249L bowl, T491.0GS tank                                                                        | S                                        | G                                              | 1.0                                   | 2             | 12                           | E                               |                          |                    | F                              |
| 51-017                                | ACARA             | None RF                                                 | AC249R bowl, T491.0GS tank                                                                        | S                                        | G                                              | 1.0                                   | 2             | 12                           | R                               |                          |                    | F                              |
| 62-026                                | Aflush/Waso       | Two Piece EL CH                                         | A2001EL                                                                                           | S                                        | G                                              | 0.9                                   | 2             | 12                           | E                               | CH                       |                    | F                              |
| 62-024                                | Aflush/Waso       | Two Piece EL CH                                         | A2001E                                                                                            | S                                        | G                                              | 0.9                                   | 2             | 12                           | E                               | CH                       |                    | F                              |
| 62-025                                | Aflush/Waso       | Two Piece RF CH                                         | A2001R                                                                                            | S                                        | G                                              | 0.9                                   | 2             | 12                           | R                               | CH                       |                    | F                              |
| 62-023                                | Aflush/Waso       | Two Piece RF CH                                         | A2001RL                                                                                           | S                                        | G                                              | 0.9                                   | 2             | 12                           | R                               | CH                       |                    | F                              |
| 76-038                                | Alpha Bath        | None EL CH                                              | KBF-BS003 (OR HDE7101W211011101211AL                                                              | S                                        | E                                              | 1.0                                   | 1             | 12                           | E                               | CH                       |                    | F                              |
| 45-031                                | American Standard | Vormax UHET EL                                          | 238AA.114: 3385A.101 bowl, 4385A.114 tank (NOTE: also includes 238AA.114CP with cleaning feature) | S                                        | G                                              | 1.0                                   | 2             | 12                           | E                               |                          |                    | F                              |
| 45-031                                | American Standard | Vormax UHET EL                                          | 238AA.115: 3385A.101 bowl, 4385A.115 tank (NOTE: also includes 238AA.115CP with cleaning feature) | S                                        | G                                              | 1.0                                   | 2             | 12                           | E                               |                          |                    | F                              |
| 24-104RN40                            | American Standard | Cadet Pressure-Assist EL                                | 2462.100: 3481.100 OR 3481.001 bowl, 4142.100 tank - WDI EcoFlush inside                          | S                                        | P                                              | 1.1                                   | 2             | 12                           | E                               |                          |                    | F                              |
| 25-039RN41                            | American Standard | Cadet FloWise Pressure-Assist EL CH                     | 2467.100: 3483.100 OR 3483.001 bowl, 4142.100 tank - WDI EcoFlush inside                          | S                                        | P                                              | 1.1                                   | 2             | 12                           | E                               | CH                       |                    | F                              |
| 40-020RN56-RN72                       | American Standard | Cadet EL CH                                             | 3380526ST: 3705216 bowl, 4133A518 tank (lined)                                                    | D                                        | G                                              | 1.1                                   | 2             | 12                           | E                               | CH                       |                    | F                              |
| 74-039                                | American Standard | Aspirations EcoStrength 0.8 gpf EL CH                   | 250AA809: 3407A101 bowl, 4408A809 tank (left-hand trip lever)                                     | S                                        | V                                              | 0.8                                   | 2             | 12                           | E                               | CH                       |                    | F                              |
| 74-039                                | American Standard | Aspirations EcoStrength 0.8 gpf EL CH                   | 250AA808: 3407A101 bowl, 4408A808 tank (right-hand trip lever)                                    | S                                        | V                                              | 0.8                                   | 2             | 12                           | E                               | CH                       |                    | F                              |
| 78-004                                | American Standard | Aspirations EcoStrength 0.8 gpf EL CH                   | 251AA808: 3408A100 skirted bowl, 4408A808 tank (right-hand trip lever)                            | S                                        | V                                              | 0.8                                   | 2             | 12                           | E                               | CH                       |                    | F                              |
| 78-004                                | American Standard | Aspirations EcoStrength 0.8 gpf EL CH                   | 251AA809: 3408A100 skirted bowl, 4408A809 tank (left-hand trip lever)                             | S                                        | V                                              | 0.8                                   | 2             | 12                           | E                               | CH                       |                    | F                              |
| 55-016                                | American Standard | Studio S Low-Profile 1-pc RH EL CH                      | 2548A.100 (one-piece)                                                                             | S                                        | P                                              | 1.0                                   | 1             | 12                           | E                               | CH                       |                    | F                              |
| 25-036RN41                            | American Standard | Yorkville FloWise Pressure-Assist EL (rear outlet bowl) | 2876.100: 3701.100 OR 3701.001 bowl, 4142.100 tank - WDI EcoFlush inside                          | S                                        | P                                              | 1.1                                   | 2             | N.A.                         | E                               |                          | R                  | F                              |
| 38-038                                | American Standard | H2Option UHET DF EL CH                                  | 2886.218: 3705.216 bowl, 4133A.218 tank                                                           | D                                        | G                                              | 1.1                                   | 2             | 12                           | E                               | CH                       |                    | F                              |
| 40-020                                | American Standard | H2Option UHET DF EL CH (lined tank)                     | 2886.518: 3705.216 bowl, 4133A.518 tank (lined)                                                   | D                                        | G                                              | 1.1                                   | 2             | 12                           | E                               | CH                       |                    | F                              |
| 39-029                                | American Standard | H2Option UHET DF EL                                     | 2887.218: 3706.216 bowl, 4133A.218 tank                                                           | D                                        | G                                              | 1.1                                   | 2             | 12                           | E                               |                          |                    | F                              |
| 40-018                                | American Standard | H2Option UHET DF EL (lined tank)                        | 2887.518: 3706.216 bowl, 4133A.518 tank (lined)                                                   | D                                        | G                                              | 1.1                                   | 2             | 12                           | E                               |                          |                    | F                              |
| 39-030                                | American Standard | H2Option UHET DF RF                                     | 2889.218: 3708.216 bowl, 4133A.218 tank                                                           | D                                        | G                                              | 1.1                                   | 2             | 12                           | R                               |                          |                    | F                              |
| 40-019                                | American Standard | H2Option UHET DF RF (lined tank)                        | 2889.518: 3708.216 bowl, 4133A.518 tank (lined)                                                   | D                                        | G                                              | 1.1                                   | 2             | 12                           | R                               |                          |                    | F                              |
| 39-033RN55                            | American Standard | H2Optimum UHET SF EL CH                                 | 288AA.114: 3705.216 bowl, 4133A.114 tank                                                          | S                                        | G                                              | 1.1                                   | 2             | 12                           | E                               | CH                       |                    | F                              |
| 39-033RN55                            | American Standard | H2Optimum UHET SF EL CH                                 | 288AA.115: 3705.216 bowl, 4133A.115 tank                                                          | S                                        | G                                              | 1.1                                   | 2             | 12                           | E                               | CH                       |                    | F                              |
| 39-032RN55                            | American Standard | H2Optimum UHET SF EL                                    | 288CA.114: 3706.216 bowl, 4133A.114 tank                                                          | S                                        | G                                              | 1.1                                   | 2             | 12                           | E                               |                          |                    | F                              |
| 39-031RN55                            | American Standard | H2Optimum UHET SF RF                                    | 288DA.114: 3708.216 bowl, 4133A.114 tank                                                          | S                                        | G                                              | 1.1                                   | 2             | 12                           | R                               |                          |                    | F                              |
| 51-011RN67                            | American Standard | H2Option RH EL CH                                       | 2886.204 (left) and 2886.205 (right): 3705.216 bowl, 4133A.204 OR 4133A.205 tank                  | D                                        | G                                              | 1.1                                   | 2             | 12                           | E                               | CH                       |                    | F                              |
| 38-038RN54-RN70                       | American Standard | H2Option 2-Piece UHET DF EL CH                          | 606AA002: 3705216 bowl, 4133A218 tank                                                             | D                                        | G                                              | 1.1                                   | 2             | 12                           | E                               | CH                       |                    | F                              |
| 38-038                                | American Standard | Cadet Ultra Low Dual Flush EL CH                        | 740AA.200: 3218A.001B bowl, 4133A.200R tank                                                       | D                                        | G                                              | 1.1                                   | 2             | 12                           | E                               | CH                       |                    | F                              |
| 45-031                                | American Standard | Homestead VorMax 1G EL                                  | 745AA.111: 3385A.001R bowl, 4385A.111R tank                                                       | S                                        | G                                              | 1.0                                   | 2             | 12                           | E                               | CH                       |                    | F                              |
| 54-050                                | American Standard | Cosette EL Dual Flush                                   | 752CA200 (one-piece)                                                                              | D                                        | G                                              | 1.1                                   | 1             | 12                           | E                               |                          |                    | F                              |
| 38-002                                | AmGreen           | None RF                                                 | AG20B bowl, AG20T tank                                                                            | S                                        | G                                              | 1.0                                   | 2             | 12                           | R                               |                          |                    | F                              |
| 38-001                                | AmGreen           | None EL                                                 | AG25B bowl, AG20T tank                                                                            | S                                        | G                                              | 1.0                                   | 2             | 12                           | E                               |                          |                    | F                              |
| 43-002                                | AmGreen           | None EL CH                                              | AG25H bowl, AG20T tank                                                                            | S                                        | G                                              | 1.0                                   | 2             | 12                           | E                               | CH                       |                    | F                              |
| 51-015                                | Aqua 1            | None EL CH                                              | A249HL bowl, T491.0GS tank                                                                        | S                                        | G                                              | 1.0                                   | 2             | 12                           | E                               | CH                       |                    | F                              |
| 51-016                                | Aqua 1            | None EL                                                 | A249L bowl, T491.0GS tank                                                                         | S                                        | G                                              | 1.0                                   | 2             | 12                           | E                               |                          |                    | F                              |
| 51-017                                | Aqua 1            | None RF                                                 | A249R bowl, T491.0GS tank                                                                         | S                                        | G                                              | 1.0                                   | 2             | 12                           | R                               |                          |                    | F                              |



## Maximum Performance (MaP) of "PREMIUM" tank-type & electro-hydraulic toilet models (California)

MaP PREMIUM Requirements....each listed toilet model must meet the following:

- Effective flush at 1.1 gallons/4.0 Litres or less
- U.S. EPA WaterSense-qualified (certified & listed)
- MaP: 600 grams or better

In California, the model must also be listed in the MAE Database of the California Energy Commission

**NOTE:** MaP PREMIUM rounds flush volumes to a single decimal place. While we recognize that 1.1 gallons is about 11 tablespoons of water greater than the 4.0-litre maximum flush volume set by MaP PREMIUM, it is our professional opinion that this difference is not materially significant.

**CAUTION:** Toilets shown on this list are recommended **FOR RESIDENTIAL APPLICATIONS** OR those **other light commercial installations** where sufficient volumes of supplemental flows of water are introduced into the building drainline system near the toilet fixture (clothes washers, showers, dishwashers, process water, food service operations, sinks, etc.).



June 24, 2026

| MaP Test Report Number (internal use) | Brand Name                              | Toilet Model Name                               | Toilet Model Numbers                                                                                                  | Design: Single-flush (S); Dual-flush (D) | Gravity (G); Pressure-Assist (P); Electric (E) | RATED flush volume (see note 3 below) | 1- or 2-piece | Horizontal Rough-in (inches) | Round (R) or Elongated (E) bowl | Comfort Height Bowl (CH) | Rear (Back) Outlet | Floor-(F) OR Wall-Mounted(W) |
|---------------------------------------|-----------------------------------------|-------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------|------------------------------------------|------------------------------------------------|---------------------------------------|---------------|------------------------------|---------------------------------|--------------------------|--------------------|------------------------------|
| 45-003                                | Axent                                   | Annie EL CH                                     | W376-123X-U1 (one-piece)                                                                                              | S                                        | G                                              | 1.0                                   | 1             | 12                           | E                               | CH                       |                    | F                            |
| 43-027                                | BINLI                                   | None EL (one-piece)                             | BL-118-OPT                                                                                                            | D                                        | G                                              | 1.0                                   | 1             | 12                           | E                               |                          |                    | F                            |
| 43-031                                | BINLI                                   | None EL (one-piece)                             | BL-136-OPT                                                                                                            | D                                        | G                                              | 1.0                                   | 1             | 12                           | S                               |                          |                    | F                            |
| 43-030                                | BINLI                                   | None EL (one-piece)                             | BL-137-OPT                                                                                                            | D                                        | G                                              | 1.0                                   | 1             | 12                           | S                               |                          |                    | F                            |
| 43-028                                | BINLI                                   | None EL (one-piece)                             | BL-153-OPT                                                                                                            | D                                        | G                                              | 1.0                                   | 1             | 12                           | S                               |                          |                    | F                            |
| 71-055                                | Canton Bathware - Compass Manufacturing | Canton EL CH                                    | 572-8205 bowl, 572-8204 tank                                                                                          | S                                        | G                                              | 1.0                                   | 2             | 10                           | E                               | CH                       |                    | F                            |
| 71-050                                | Canton Bathware - Compass Manufacturing | Canton EL                                       | 572-8206 bowl, 572-8204 tank                                                                                          | S                                        | G                                              | 1.0                                   | 2             | 10                           | E                               |                          |                    | F                            |
| 71-054                                | Canton Bathware - Compass Manufacturing | Canton RF                                       | 572-8207 bowl, 572-8204 tank                                                                                          | S                                        | G                                              | 1.0                                   | 2             | 10                           | R                               |                          |                    | F                            |
| 76-031                                | Canton Bathware - Compass Manufacturing | None EL CH                                      | 572-8288 bowl, 572-8287 tank                                                                                          | D                                        | G                                              | 1.1                                   | 2             | 10                           | E                               | CH                       |                    | F                            |
| 59-013                                | Caroma                                  | Sydney Smart II 305 EL CH (one-piece)           | 987305                                                                                                                | D                                        | G                                              | 1.0                                   | 1             | 12                           | E                               | CH                       |                    | F                            |
| 32-113RN48                            | Caroma                                  | Sydney Smart II 305 RF CH                       | 305101 bowl, 302100 tank                                                                                              | D                                        | G                                              | 1.0                                   | 2             | 12                           | R                               | CH                       |                    | F                            |
| 32-112RN48                            | Caroma                                  | Sydney Smart II 305 EL CH                       | 305102 bowl, 302100 tank                                                                                              | D                                        | G                                              | 1.0                                   | 2             | 12                           | E                               | CH                       |                    | F                            |
| 58-032                                | Caroma                                  | Somerton Invisi EL (rear outlet - in-wall tank) | 604100W: 604110W bowl, 237061 or 237062 tank (in-wall)                                                                | D                                        | G                                              | 1.0                                   | 2             | 10                           | E                               |                          | R                  | F                            |
| 48-004                                | Caroma                                  | Sydney Low Profile RF CH                        | 609151 bowl, 622333 tank (FULL FLUSH IS ABOVE 1.28)                                                                   | D                                        | G                                              | 1.1                                   | 2             | 12                           | R                               | CH                       |                    | F                            |
| 14-035RN36                            | Caroma                                  | Profile Smart 305 RF                            | 609151A bowl, 840420 tank 609151A bowl, 840420 tank (NOTE: tank lid contains a lavatory sink that drains to the tank) | D                                        | G                                              | 1.0                                   | 2             | 12                           | R                               |                          |                    | F                            |
| 14-026RN36                            | Caroma                                  | Sydney Smart RF (Rear Outlet bowl)              | 609450 bowl, 622322 tank (see NOTE below)                                                                             | D                                        | G                                              | 1.1                                   | 2             | N.A.                         | R                               |                          | R                  | F                            |
| 50-009                                | Caroma                                  | Somerton EL CH                                  | 829109 bowl, 810788 tank                                                                                              | D                                        | G                                              | 1.0                                   | 2             | 12                           | E                               | CH                       |                    | F                            |
| 45-028                                | Caroma                                  | Somerton Smart EL CH                            | 829109 bowl, 829110 tank (also 829110-R tank)                                                                         | D                                        | G                                              | 1.0                                   | 2             | 12                           | E                               | CH                       |                    | F                            |
| 74-034                                | Caroma                                  | Sydney Smart EL CH                              | 987200 (and 987200-R)                                                                                                 | D                                        | G                                              | 1.0                                   | 1             | 12                           | E                               | CH                       |                    | F                            |
| 35-025RN51                            | Caroma                                  | Caravelle Smart One-Piece EL CH                 | 989900 (one-piece - see NOTE below)                                                                                   | D                                        | G                                              | 1.0                                   | 1             | ADJ                          | E                               | CH                       |                    | F                            |
| 50-035                                | Cobban                                  | None EL CH                                      | BT0915TDF (one-piece)                                                                                                 | D                                        | G                                              | 1.0                                   | 1             | 12                           | E                               | CH                       |                    | F                            |
| 50-037                                | Cobban                                  | None EL CH                                      | BT09165TDF (one-piece)                                                                                                | D                                        | G                                              | 1.0                                   | 1             | 12                           | E                               | CH                       |                    | F                            |
| 50-036                                | Cobban                                  | None EL CH                                      | BT10165TDF (one-piece)                                                                                                | D                                        | G                                              | 1.0                                   | 1             | 12                           | E                               | CH                       |                    | F                            |
| 54-034                                | Contrac                                 | Manning EL                                      | 4710BHXU (one-piece)                                                                                                  | D                                        | G                                              | 1.1                                   | 1             | 12                           | E                               |                          |                    | F                            |
| 39-012RN55                            | Contrac                                 | Kiera EL CH (one-piece - lined tank)            | 4710BNW (one piece - lined tank - skirted bowl)                                                                       | D                                        | G                                              | 1.0                                   | 1             | 12                           | E                               | CH                       |                    | F                            |
| 39-011RN55                            | Contrac                                 | Kiera EL CH (one-piece)                         | 4710BNWU (one piece - skirted bowl)                                                                                   | D                                        | G                                              | 1.0                                   | 1             | 12                           | E                               | CH                       |                    | F                            |
| 60-017                                | Contrac                                 | Wilton EL CH                                    | 4710BSXU (one-piece - skirted bowl)                                                                                   | S                                        | G                                              | 0.8                                   | 1             | 12                           | E                               | CH                       |                    | F                            |
| 34-009RN50                            | Contrac                                 | Carson RF (lined tank)                          | 4720BPW: 4722BPW bowl, 4721BPW tank                                                                                   | D                                        | G                                              | 1.0                                   | 2             | 12                           | R                               |                          |                    | F                            |
| 34-008RN50                            | Contrac                                 | Carson RF                                       | 4720BPWU: 4722BPW bowl, 4721BPWU tank                                                                                 | D                                        | G                                              | 1.0                                   | 2             | 12                           | R                               |                          |                    | F                            |
| 36-059RN52                            | Contrac                                 | Camri EL (lined tank)                           | 4722BLW bowl, 4721BPW tank (lined)                                                                                    | D                                        | G                                              | 1.0                                   | 2             | 12                           | E                               |                          |                    | F                            |
| 36-058RN52                            | Contrac                                 | Camri EL                                        | 4722BLW bowl, 4721BPWU tank                                                                                           | D                                        | G                                              | 1.0                                   | 2             | 12                           | E                               |                          |                    | F                            |
| 36-057RN52                            | Contrac                                 | Cullen EL CH (lined tank)                       | 4722BNW bowl, 4721BPW tank (lined)                                                                                    | D                                        | G                                              | 1.0                                   | 2             | 12                           | E                               | CH                       |                    | F                            |
| 36-056RN52                            | Contrac                                 | Cullen EL CH                                    | 4722BNW bowl, 4721BPWU tank                                                                                           | D                                        | G                                              | 1.0                                   | 2             | 12                           | E                               | CH                       |                    | F                            |
| 53-005                                | Contrac                                 | Keaton RF                                       | 4740BFXU: 4742BFX bowl, 4741BOXU tank                                                                                 | S                                        | G                                              | 0.8                                   | 2             | 12                           | R                               |                          |                    | F                            |
| 53-004                                | Contrac                                 | Suto EL CH                                      | 4740BOXU: 4742BOX bowl, 4741BOXU tank                                                                                 | S                                        | G                                              | 0.8                                   | 2             | 12                           | E                               | CH                       |                    | F                            |
| 58-012                                | Contrac                                 | Avenal EL CH                                    | 4770HNWU: 4772HNW bowl, 4771HNWU tank                                                                                 | D                                        | G                                              | 1.0                                   | 2             | 12                           | E                               | CH                       |                    | F                            |
| 26-003RN42-RN58                       | Contrac                                 | Canby EL (one-piece)                            | 5710BEX (one-piece) (lined tank)                                                                                      | D                                        | G                                              | 1.0                                   | 1             | 12                           | E                               |                          |                    | F                            |
| 26-004RN42-RN58                       | Contrac                                 | Canby EL (one-piece)                            | 5710BEXU (one-piece)                                                                                                  | D                                        | G                                              | 1.0                                   | 1             | 12                           | E                               |                          |                    | F                            |



## Maximum Performance (MaP) of "PREMIUM" tank-type & electro-hydraulic toilet models (California)

MaP PREMIUM Requirements....each listed toilet model must meet the following:

- Effective flush at 1.1 gallons/4.0 Litres or less
- U.S. EPA WaterSense-qualified (certified & listed)
- MaP: 600 grams or better

In California, the model must also be listed in the MAE Database of the California Energy Commission

**NOTE:** MaP PREMIUM rounds flush volumes to a single decimal place. While we recognize that 1.1 gallons is about 11 tablespoons of water greater than the 4.0-litre maximum flush volume set by MaP PREMIUM, it is our professional opinion that this difference is not materially significant.

**CAUTION:** Toilets shown on this list are recommended **FOR RESIDENTIAL APPLICATIONS** OR those other **light commercial installations** where sufficient volumes of supplemental flows of water are introduced into the building drainline system near the toilet fixture (clothes washers, showers, dishwashers, process water, food service operations, sinks, etc.).



June 24, 2026

| MaP Test Report Number (internal use) | Brand Name                  | Toilet Model Name                                            | Toilet Model Numbers                                                                     | Design: Single-flush (S); Dual-flush (D) | Gravity (G); Pressure-Assist (P); Electric (E) | RATED flush volume (see note 3 below) | 1- or 2-piece | Horizontal Rough-in (inches) | Round (R) or Elongated (E) bowl | Comfort Height Bowl (CH) | Rear (Back) Outlet | Floor-(F) OR Wall-Mounted(W) |
|---------------------------------------|-----------------------------|--------------------------------------------------------------|------------------------------------------------------------------------------------------|------------------------------------------|------------------------------------------------|---------------------------------------|---------------|------------------------------|---------------------------------|--------------------------|--------------------|------------------------------|
| 26-005RN42-RN58                       | Contrac                     | Claire RF (one-piece)                                        | 5710BFX (one-piece) (lined tank)                                                         | D                                        | G                                              | 1.0                                   | 1             | 12                           | R                               |                          |                    | F                            |
| 26-006RN42-RN58                       | Contrac                     | Claire RF (one-piece)                                        | 5710BFXU (one-piece)                                                                     | D                                        | G                                              | 1.0                                   | 1             | 12                           | R                               |                          |                    | F                            |
| 64-010                                | Contrac                     | Comeau EL                                                    | 5720BEY: 5722BEY bowl, 5721BOY tank                                                      | S                                        | G                                              | 1.0                                   | 2             | 12                           | E                               |                          |                    | F                            |
| 19-089RN35-RN51                       | Contrac                     | Chane EL CH                                                  | 5720BMY: 5722BMY bowl, 5721BOY tank - Sloan Flushmate inside ( <b>rear outlet bowl</b> ) | S                                        | P                                              | 1.0                                   | 2             | 12                           | E                               | CH                       | R                  | F                            |
| 21-017RN37-RN53                       | Contrac                     | Cleo EL CH                                                   | 5720BOY: B5722BOY bowl, T5721BOY tank - Sloan Flushmate inside                           | S                                        | P                                              | 1.1                                   | 2             | 12                           | E                               | CH                       |                    | F                            |
| 24-075RN40-RN56                       | Contrac                     | Cato EL (lined tank)                                         | 5730BEV: B5730BEV bowl, T5730BEV tank (lined)                                            | S                                        | G                                              | 1.1                                   | 2             | 12                           | E                               |                          |                    | F                            |
| 36-067RN52                            | Contrac                     | Cato EL (lined tank)                                         | 5730BEX: 5732BEX bowl, 5731BFX tank (lined)                                              | S                                        | G                                              | 0.9                                   | 2             | 12                           | E                               |                          |                    | F                            |
| 36-066RN52                            | Contrac                     | Cato EL                                                      | 5730BEXU: 5732BEX bowl, 5731BFXU tank                                                    | S                                        | G                                              | 0.9                                   | 2             | 12                           | E                               |                          |                    | F                            |
| 24-073RN40-RN56                       | Contrac                     | Cadell RF (lined tank)                                       | 5730BFV: B5730BFV bowl, T5730BFV tank (lined)                                            | S                                        | G                                              | 1.1                                   | 2             | 12                           | R                               | CH                       |                    | F                            |
| 36-065RN52                            | Contrac                     | Cadell RF (lined tank)                                       | 5730BFX: 5732BFX bowl, 5731BFX tank (lined)                                              | S                                        | G                                              | 0.9                                   | 2             | 12                           | R                               |                          |                    | F                            |
| 36-064RN52                            | Contrac                     | Cadell RF                                                    | 5730BFXU: 5732BFX bowl, 5731BFXU tank                                                    | S                                        | G                                              | 0.9                                   | 2             | 12                           | R                               |                          |                    | F                            |
| 24-072RN40-RN56                       | Contrac                     | Clancy RF CH                                                 | 5730BIV: B5730BIV bowl, T5730BIV tank                                                    | S                                        | G                                              | 1.1                                   | 2             | 12                           | R                               | CH                       |                    | F                            |
| 34-028RN50                            | Contrac                     | Clancy RF CH                                                 | 5730BIVU: B5730BIVU bowl, T5730BIVU tank                                                 | S                                        | G                                              | 1.0                                   | 2             | 12                           | R                               | CH                       |                    | F                            |
| 36-063RN52                            | Contrac                     | Clancy RF CH (lined tank)                                    | 5730BIX: 5732BIX bowl, 5731BFX tank (lined)                                              | S                                        | G                                              | 0.9                                   | 2             | 12                           | R                               | CH                       |                    | F                            |
| 36-062RN52                            | Contrac                     | Clancy RF CH                                                 | 5730BIXU: 5732BIX bowl, 5731BFXU tank                                                    | S                                        | G                                              | 0.9                                   | 2             | 12                           | R                               | CH                       |                    | F                            |
| 24-074RN40-RN56                       | Contrac                     | Case EL CH (lined tank)                                      | 5730BOV: B5730BOV bowl, T5730BOV tank (lined)                                            | S                                        | G                                              | 1.1                                   | 2             | 12                           | E                               | CH                       |                    | F                            |
| 34-027RN50                            | Contrac                     | Case EL CH                                                   | 5730BOVU: B5730BOVU bowl, T5730BOVU tank                                                 | S                                        | G                                              | 1.0                                   | 2             | 12                           | E                               | CH                       |                    | F                            |
| 36-061RN52                            | Contrac                     | Case EL CH (lined tank)                                      | 5730BOX: 5732BOX bowl, 5731BFX tank (lined)                                              | S                                        | G                                              | 0.9                                   | 2             | 12                           | E                               | CH                       |                    | F                            |
| 36-060RN52                            | Contrac                     | Case EL CH                                                   | 5730BOXU: 5732BOX bowl, 5731BFXU tank                                                    | S                                        | G                                              | 0.9                                   | 2             | 12                           | E                               | CH                       |                    | F                            |
| 81-007                                | Craft + Main                | Easley EL CH (equipped with FLUSH GUARD overflow protection) | TL-5800AFHD-E: LL-5800FH-E bowl, T-5800AD tank                                           | D                                        | G                                              | 1.1                                   | 2             | 12                           | E                               | CH                       |                    | F                            |
| 23-030RN39                            | Dolphin                     | Ottawa RF                                                    | Z15R15 bowl, S23348 tank                                                                 | D                                        | G                                              | 1.0                                   | 2             | 12                           | R                               |                          |                    | F                            |
| 39-037RN55                            | Dolphin Plumbing/Dolphinbay | Miami EL CH                                                  | Z59E16S11338: Z59E16 bowl, S11338 tank                                                   | S                                        | G                                              | 1.0                                   | 2             | 12                           | E                               | CH                       |                    | F                            |
| 39-036RN55                            | Dolphin Plumbing/Dolphinbay | Chicago EL CH                                                | Z59E16S22338: Z59E16 bowl, S22338 tank                                                   | S                                        | G                                              | 1.0                                   | 2             | 12                           | E                               | CH                       |                    | F                            |
| 39-035RN55                            | Dolphin Plumbing/Dolphinbay | Miami RF CH                                                  | Z59R16S11338: Z59R16 bowl, S11338 tank                                                   | S                                        | G                                              | 1.0                                   | 2             | 12                           | R                               | CH                       |                    | F                            |
| 39-034 RN55                           | Dolphin Plumbing/Dolphinbay | Portland RF CH                                               | Z59R16S22338: Z59R16 bowl, S22338 tank                                                   | S                                        | G                                              | 1.0                                   | 2             | 12                           | R                               | CH                       |                    | F                            |
| 23-031RN39                            | Dolphin Plumbing/Dolphinbay | Edmonton RF                                                  | Z88R15 bowl, S8803 tank                                                                  | S                                        | G                                              | 0.8                                   | 2             | 12                           | R                               |                          |                    | F                            |
| 51-015                                | DUKO (by Mingyoung)         | None EL CH                                                   | A249HL bowl, T491.0GS tank                                                               | S                                        | G                                              | 1.0                                   | 2             | 12                           | E                               | CH                       |                    | F                            |
| 51-016                                | DUKO (by Mingyoung)         | None EL                                                      | A249L bowl, T491.0GS tank                                                                | S                                        | G                                              | 1.0                                   | 2             | 12                           | E                               |                          |                    | F                            |
| 51-017                                | DUKO (by Mingyoung)         | None RF                                                      | A249R bowl, T491.0GS tank                                                                | S                                        | G                                              | 1.0                                   | 2             | 12                           | R                               |                          |                    | F                            |
| 54-029                                | Duravit                     | Viu RF (wall-mount - CH possible)                            | 251109 OR 251159 bowl, 111.018.00 in-wall tank (Geberit)                                 | D                                        | G                                              | 1.0                                   | 2             | N.A.                         | R                               | CH                       | R                  | W                            |
| 54-027                                | Duravit                     | ME by Starck RF (wall-mount - CH possible)                   | 252909 bowl, 111.018.00.1 in-wall tank (Geberit)                                         | D                                        | G                                              | 1.0                                   | 2             | N.A.                         | R                               | CH                       | R                  | W                            |
| 54-028                                | Duravit                     | ME by Starck RF (wall-mount - CH possible)                   | 253009 bowl, 111.018.00.1 in-wall tank (Geberit)                                         | D                                        | G                                              | 1.0                                   | 2             | N.A.                         | R                               | CH                       | R                  | W                            |
| 33-031                                | Duravit                     | Senso Wash I EL                                              | 620000 00 1001 300 (Electro-hydraulic)                                                   | D                                        | E                                              | 1.0                                   | 2             | 12                           | E                               |                          |                    | F                            |
| 69-001                                | Duravit                     | Dura Style EL CH                                             | 203501 bowl, 09352000U5 tank OR 09352000U6 tank                                          | S                                        | G                                              | 1.0                                   | 2             | 12                           | E                               | CH                       |                    | F                            |
| 44-085                                | Gerber                      | Viper EL CH                                                  | DF-20-521: WS-21-521 bowl, DF-28-591 tank                                                | D                                        | G                                              | 1.0                                   | 2             | 12                           | E                               | CH                       |                    | F                            |
| 56-015                                | Gerber                      | Viper EL CH                                                  | DF-20-528: WS-21-528 bowl, DF-28-528 tank                                                | D                                        | G                                              | 1.0                                   | 2             | 12                           | E                               | CH                       |                    | F                            |
| 56-014                                | Gerber                      | Viper EL                                                     | DF-20-551: WS-21-551 bowl, DF-28-528 tank                                                | D                                        | G                                              | 1.0                                   | 2             | 12                           | E                               |                          |                    | F                            |
| 16-150RN32-RN48                       | Gerber                      | Ultra Flush RF                                               | EF-21-302: 21-342 bowl, EF-28-380 tank - WDI EcoFlush inside                             | S                                        | P                                              | 1.0                                   | 2             | 12                           | R                               |                          |                    | F                            |
| 33-003RN49 & 15RN                     | Gerber                      | Ultra Flush 1.1 EL                                           | EF-21-312: 21-372 bowl, EF-28-380 tank - WDI EcoFlush inside                             | S                                        | P                                              | 1.1                                   | 2             | 12                           | E                               |                          |                    | F                            |



## Maximum Performance (MaP) of "PREMIUM" tank-type & electro-hydraulic toilet models (California)

MaP PREMIUM Requirements....each listed toilet model must meet the following:

- Effective flush at 1.1 gallons/4.0 Litres or less
- U.S. EPA WaterSense-qualified (certified & listed)
- MaP: 600 grams or better

In California, the model must also be listed in the MAE Database of the California Energy Commission

**NOTE:** MaP PREMIUM rounds flush volumes to a single decimal place. While we recognize that 1.1 gallons is about 11 tablespoons of water greater than the 4.0-litre maximum flush volume set by MaP PREMIUM, it is our professional opinion that this difference is not materially significant.

**CAUTION:** Toilets shown on this list are recommended **FOR RESIDENTIAL APPLICATIONS** OR those other **light commercial installations** where sufficient volumes of supplemental flows of water are introduced into the building drainline system near the toilet fixture (clothes washers, showers, dishwashers, process water, food service operations, sinks, etc.).



June 24, 2026

| MaP Test Report Number (internal use) | Brand Name      | Toilet Model Name                                    | Toilet Model Numbers                                                                                                         | Design: Single-flush (S); Dual-flush (D) | Gravity (G); Pressure-Assist (P); Electric (E) | RATED flush volume (see note 3 below) | 1- or 2-piece | Horizontal Rough-in (inches) | Round (R) or Elongated (E) bowl | Comfort Height Bowl (CH) | Rear (Back) Outlet | Floor-(F) OR Wall-Mounted(W) |
|---------------------------------------|-----------------|------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------|------------------------------------------|------------------------------------------------|---------------------------------------|---------------|------------------------------|---------------------------------|--------------------------|--------------------|------------------------------|
| 33-004RN49 & 15RN                     | Gerber          | Ultra Flush 1.1 EL CH                                | EF-21-318: 21-377 bowl, EF-28-380 tank - WDI EcoFlush inside                                                                 | S                                        | P                                              | 1.1                                   | 2             | 12                           | E                               | CH                       |                    | F                            |
| 33-006RN49 & 15RN                     | Gerber          | Ultra Flush 1.1 EL CH (rear discharge)               | EF-21-325: 21-375 bowl, EF-28-380 tank - WDI EcoFlush inside ( <b>rear outlet bowl</b> )                                     | S                                        | P                                              | 1.1                                   | 2             | N.A.                         | E                               | CH                       | R                  | F                            |
| 58-031                                | Gerber          | Viper EL                                             | GLF-20-500: GWS-21-551 bowl, GLF-28-595 tank                                                                                 | S                                        | G                                              | 1.0                                   | 2             | 10                           | E                               |                          |                    | F                            |
| 58-026                                | Gerber          | Viper EL CH                                          | GLF-20-517: GWS-21-528 bowl, GLF-28-595 tank                                                                                 | S                                        | G                                              | 1.0                                   | 2             | 10                           | E                               | CH                       |                    | F                            |
| 72-058                                | Gerber          | Viper EL CH                                          | GLF21528 (LF-21-528 <b>OR</b> GTB21528 <b>OR</b> TB-21-528): GWS21528(W-21-528) bowl, GLF28580(LF-28-580) tank               | S                                        | G                                              | 0.8                                   | 2             | 12                           | E                               | CH                       |                    | F                            |
| 72-057                                | Gerber          | Viper RF                                             | GLF21551 (LF-21-551 <b>OR</b> GTB21551 <b>OR</b> TB-21-551): GWS21551(W-21-551) bowl, GLF28580(LF-28-580) tank               | S                                        | G                                              | 0.8                                   | 2             | 12                           | R                               |                          |                    | F                            |
| 79-032                                | Gerber          | Viper Select EL CH                                   | GRS48251E: GWS21528 bowl, GRS48209 tank                                                                                      | S                                        | G                                              | 0.8                                   | 2             | 12                           | E                               | CH                       |                    | F                            |
| 72-056                                | Gerber          | Ultra Flush EL (CH possible)                         | GUL20370 (UL-20-370): GHE21370 (HE-21-370) bowl, GUF28370 (UF-28-370) tank ( <b>NOTE: Floor mount, wall outlet fixture</b> ) | S                                        | P                                              | 1.0                                   | 2             | N.A.                         | E                               | CH                       | R                  | W                            |
| 61-018                                | Gerber          | Viper EL CH (NOTE: Floor mount, wall outlet fixture) | GWS20022 (or WS-20-022): GWS21575 (or WS-21-575) bowl, GWS28575 (or WS-28-575) tank                                          | S                                        | G                                              | 1.0                                   | 2             | N.A.                         | E                               | CH                       | R                  | F                            |
| 56-013                                | Gerber          | Viper EL CH                                          | LF-20-528: WS-21-528 bowl, WS-28-528 tank                                                                                    | S                                        | G                                              | 0.8                                   | 2             | 12                           | E                               | CH                       |                    | F                            |
| 56-012                                | Gerber          | Viper EL                                             | LF-20-551: WS-21-551 bowl, LF-28-528 tank                                                                                    | S                                        | G                                              | 0.8                                   | 2             | 12                           | E                               |                          |                    | F                            |
| 53-048                                | Gerber          | Ultra Flush EL                                       | UL-20-300: UF-21-342 bowl, UF-28-385 tank-WDI EcoFlush inside                                                                | S                                        | P                                              | 1.0                                   | 2             | 10                           | E                               |                          |                    | F                            |
| 53-049                                | Gerber          | Ultra Flush EL                                       | UL-20-302: UF-21-342 bowl, UF-28-380 tank-WDI EcoFlush inside                                                                | S                                        | P                                              | 1.0                                   | 2             | 12                           | E                               |                          |                    | F                            |
| 53-050                                | Gerber          | Ultra Flush EL (rear discharge)                      | UL-20-310: UF-21-374 bowl, UF-28-380 tank-WDI EcoFlush inside                                                                | S                                        | P                                              | 1.0                                   | 2             | N.A.                         | E                               |                          | R                  | F                            |
| 53-051                                | Gerber          | Ultra Flush EL                                       | UL-20-311: UF-21-372 bowl, UF-28-385 tank-WDI EcoFlush inside                                                                | S                                        | P                                              | 1.0                                   | 2             | 10                           | E                               |                          |                    | F                            |
| 53-052                                | Gerber          | Ultra Flush EL                                       | UL-20-312: UF-21-372 bowl, UF-28-380 tank-WDI EcoFlush inside                                                                | S                                        | P                                              | 1.0                                   | 2             | 12                           | E                               |                          |                    | F                            |
| 53-053                                | Gerber          | Ultra Flush EL CH                                    | UL-20-317: UF-21-377 bowl, UF-28-385 tank-WDI EcoFlush inside                                                                | S                                        | P                                              | 1.0                                   | 2             | 10                           | E                               | CH                       |                    | F                            |
| 53-054                                | Gerber          | Ultra Flush EL CH                                    | UL-20-318: UF-21-377 bowl, UF-28-380 tank - WDI EcoFlush inside                                                              | S                                        | P                                              | 1.0                                   | 2             | 12                           | E                               | CH                       |                    | F                            |
| 53-055                                | Gerber          | Ultra Flush EL CH (rear discharge)                   | UL-20-325: UF-21-375 bowl, UF-28-380 tank - WDI EcoFlush inside                                                              | S                                        | P                                              | 1.0                                   | 2             | N.A.                         | E                               | CH                       | R                  | F                            |
| 44-103                                | Gerber          | Viper EL CH                                          | WS-20-521: WS-21-521 bowl, WS-28-591 tank                                                                                    | S                                        | G                                              | 1.0                                   | 2             | 12                           | E                               | CH                       |                    | F                            |
| 56-010                                | Gerber          | Viper EL CH                                          | WS-20-528 (INSULATED): WS-21-528 bowl, WS-28-522 tank                                                                        | S                                        | G                                              | 1.0                                   | 2             | 12                           | E                               | CH                       |                    | F                            |
| 56-011                                | Gerber          | Viper EL CH                                          | WS-20-528: WS-21-528 bowl, WS-28-528 tank                                                                                    | S                                        | G                                              | 1.0                                   | 2             | 12                           | E                               | CH                       |                    | F                            |
| 56-008                                | Gerber          | Viper EL                                             | WS-20-551 (INSULATED): WS-21-551 bowl, WS28-522 tank                                                                         | S                                        | G                                              | 1.0                                   | 2             | 12                           | E                               |                          |                    | F                            |
| 56-009                                | Gerber          | Viper EL                                             | WS-20-551: WS-21-551 bowl, WS28-528 tank                                                                                     | S                                        | G                                              | 1.0                                   | 2             | 12                           | E                               |                          |                    | F                            |
| 58-020                                | Gerber          | Viper EL CH                                          | WS-21-519: WS-21-872 bowl, WS-28-570 tank                                                                                    | S                                        | G                                              | 1.0                                   | 2             | 12                           | E                               | CH                       |                    | F                            |
| 79-050                                | Grohe           | Sensia Bidet Toilet                                  | 131886 (one-piece electro-hydraulic)                                                                                         | D                                        | E                                              | 1.0                                   | 1             | 12                           | E                               |                          |                    | F                            |
| 51-032                                | Hajoca Mainline | None RF                                              | MLS10425 bowl, MLS10427 tank                                                                                                 | S                                        | G                                              | 0.8                                   | 2             | 12                           | R                               |                          |                    | F                            |
| 51-031                                | Hajoca Mainline | None EL CH                                           | MLS10426 bowl, MLS10427 tank                                                                                                 | S                                        | G                                              | 0.8                                   | 2             | 12                           | E                               | CH                       |                    | F                            |
| 22-026RN38                            | Home Depot      | Glacier Bay EL CH                                    | N7717 bowl, N7715T tank                                                                                                      | S                                        | G                                              | 0.8                                   | 2             | 12                           | E                               | CH                       |                    | F                            |
| 35-006                                | Home Depot      | Glacier Bay EL (lined tank)                          | SKU 1000-822-557 (by Foremost): LL-775E bowl, T1-005*TL tank (lined)                                                         | S                                        | G                                              | 1.0                                   | 2             | 12                           | E                               |                          |                    | F                            |
| 37-004                                | Home Depot      | Glacier Bay EL CH                                    | SKU 1001-251-582: N2410EB bowl, N2410T tank (by Niagara)                                                                     | S                                        | G                                              | 1.0                                   | 2             | 12                           | E                               | CH                       |                    | F                            |
| 36-051                                | Home Depot      | Schon EL CH (one-piece - concealed trapway)          | SKU 1001-300-191 (Foremost TL6115-HC) black color                                                                            | D                                        | G                                              | 1.0                                   | 1             | 12                           | E                               | CH                       |                    | F                            |
| 36-051                                | Home Depot      | Schon EL CH (one-piece - concealed trapway)          | SKU 1001-300-192 (Foremost TL6115-HC) biscuit color                                                                          | D                                        | G                                              | 1.0                                   | 1             | 12                           | E                               | CH                       |                    | F                            |
| 36-051                                | Home Depot      | Schon EL CH (one-piece - concealed trapway)          | SKU 1001-300-210 (Foremost TL6115-HC) white color                                                                            | D                                        | G                                              | 1.0                                   | 1             | 12                           | E                               | CH                       |                    | F                            |
| 74-037                                | Home Depot      | Glacier Bay Dual Flush EL CH                         | SKU 215-583 (TL 6920HC E by Foremost)                                                                                        | D                                        | G                                              | 1.1                                   | 2             | 12                           | E                               | CH                       |                    | F                            |



## Maximum Performance (MaP) of "PREMIUM" tank-type & electro-hydraulic toilet models (California)

MaP PREMIUM Requirements....each listed toilet model must meet the following:

- Effective flush at 1.1 gallons/4.0 Litres or less
- U.S. EPA WaterSense-qualified (certified & listed)
- MaP: 600 grams or better

In California, the model must also be listed in the MAE Database of the California Energy Commission

**NOTE:** MaP PREMIUM rounds flush volumes to a single decimal place. While we recognize that 1.1 gallons is about 11 tablespoons of water greater than the 4.0-litre maximum flush volume set by MaP PREMIUM, it is our professional opinion that this difference is not materially significant.

**CAUTION:** Toilets shown on this list are recommended **FOR RESIDENTIAL APPLICATIONS** OR those **other light commercial installations** where sufficient volumes of supplemental flows of water are introduced into the building drainline system near the toilet fixture (clothes washers, showers, dishwashers, process water, food service operations, sinks, etc.).



June 24, 2026

| MaP Test Report Number (internal use) | Brand Name                 | Toilet Model Name                                                      | Toilet Model Numbers                                                                                        | Design: Single-flush (S); Dual-flush (D) | Gravity (G); Pressure-Assist (P); Electric (E) | RATED flush volume (see note 3 below) | 1- or 2-piece | Horizontal Rough-in (inches) | Round (R) or Elongated (E) bowl | Comfort Height Bowl (CH) | Rear (Back) Outlet | Floor- (F) OR Wall-Mounted (W) |
|---------------------------------------|----------------------------|------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------|------------------------------------------|------------------------------------------------|---------------------------------------|---------------|------------------------------|---------------------------------|--------------------------|--------------------|--------------------------------|
| 18-041RN34                            | Home Depot                 | Stealth EL CH                                                          | SKU 263-564 (by Niagara): N7717 bowl, N7714 tank - toilet sold as All-In-One (AIO) package.                 | S                                        | G                                              | 0.8                                   | 2             | 12                           | E                               | CH                       |                    | F                              |
| 37-013RN53                            | Home Depot                 | Stealth RF CH                                                          | SKU 734-553                                                                                                 | S                                        | G                                              | 0.8                                   | 2             | 12                           | R                               | CH                       |                    | F                              |
| 79-101                                | Horow                      | None EL CH (one-piece)                                                 | T30 (includes HR-T30, T30-NE, AND T30-BT)                                                                   | S                                        | E                                              | 1.0                                   | 1             | 12                           | E                               | CH                       |                    | F                              |
| 72-018                                | Huida                      | None EL CH                                                             | HD103ED (1-piece)                                                                                           | D                                        | G                                              | 1.0                                   | 1             | 12                           | E                               | CH                       |                    | F                              |
| 75-021                                | Huida                      | None EL CH                                                             | HD108ED (one-piece)                                                                                         | D                                        | G                                              | 1.1                                   | 1             | 12                           | E                               | CH                       |                    | F                              |
| 76-038                                | Huida                      | None EL CH                                                             | HDE7101W211011101211AL                                                                                      | S                                        | E                                              | 1.0                                   | 1             | 12                           | E                               | CH                       |                    | F                              |
| 38-002RN54                            | Humble Bee                 | None RF                                                                | EG20BSWH bowl, EG20TSWH tank                                                                                | S                                        | G                                              | 1.0                                   | 2             | 12                           | R                               |                          |                    | F                              |
| 43-002RN59                            | Humble Bee                 | None EL CH                                                             | EG25HSHWH bowl, EG20TSWH tank                                                                               | S                                        | G                                              | 1.0                                   | 2             | 12                           | E                               | CH                       |                    | F                              |
| 38-001RN54                            | Humble Bee                 | None EL                                                                | EG25SWH bowl, EG20TSWH tank                                                                                 | S                                        | G                                              | 1.0                                   | 2             | 12                           | E                               |                          |                    | F                              |
| 50-005                                | ICERA                      | Palermo II EL CH                                                       | C-2250 bowl, T-2251 tank                                                                                    | S                                        | G                                              | 1.0                                   | 2             | 12                           | E                               | CH                       |                    | F                              |
| 37-004                                | Interline Brands           | Premier EL CH                                                          | 1034397: N2410EB bowl, N2410T tank (by Niagara)                                                             | S                                        | G                                              | 1.0                                   | 2             | 12                           | E                               | CH                       |                    | F                              |
| 62-029                                | Kohler                     | Veil EL                                                                | K-1381 (one-piece)                                                                                          | D                                        | G                                              | 1.0                                   | 1             | 12                           | E                               |                          |                    | F                              |
| 62-028                                | Kohler                     | Brazn EL                                                               | K-22378 (one-piece)                                                                                         | D                                        | G                                              | 1.0                                   | 1             | 12                           | E                               |                          |                    | F                              |
| 62-027                                | Kohler                     | Reach Up                                                               | K-23188 (one-piece)                                                                                         | D                                        | G                                              | 1.0                                   | 1             | 12                           | E                               |                          |                    | F                              |
| 7-509RN36                             | Kohler                     | Highline Pressure Lite EL CH                                           | K-3519: 4304 bowl, 4484 tank - Sloan Flushmate inside                                                       | S                                        | P                                              | 1.0                                   | 2             | 12                           | E                               | CH                       |                    | F                              |
| 7-508RN36                             | Kohler                     | Wellworth Pressure Lite EL                                             | K-3531: 4303 bowl, 4484 tank - Sloan Flushmate inside                                                       | S                                        | P                                              | 1.0                                   | 2             | 12                           | E                               |                          |                    | F                              |
| 12-024RN26-RN42                       | Kohler                     | San Raphael Pressure Lite EL CH                                        | K-3597 (one-piece) - Sloan Flushmate inside                                                                 | S                                        | P                                              | 1.0                                   | 1             | 12                           | E                               | CH                       |                    | F                              |
| 42-055                                | Kohler                     | Reach EL (one-piece)                                                   | K-3983                                                                                                      | D                                        | G                                              | 1.0                                   | 1             | 12                           | E                               |                          |                    | F                              |
| 79-026                                | Kohler                     | Highline EL CH                                                         | K-44298: 35704 bowl, 44471 tank                                                                             | S                                        | E                                              | 1.0                                   | 2             | 12                           | E                               | CH                       |                    | F                              |
| 42-012                                | Kohler                     | Highline Flair EL                                                      | K-5298: 5297 bowl, 5308 tank                                                                                | S                                        | G                                              | 1.0                                   | 2             | 12                           | E                               |                          |                    | F                              |
| 42-013                                | Kohler                     | Highline Classic EL                                                    | K-5299: 5297 bowl, 5307 tank                                                                                | S                                        | G                                              | 1.0                                   | 2             | 12                           | E                               |                          |                    | F                              |
| 62-032                                | Kohler                     | Veil Intelligent Toilet EL CH (electric flush valve and electric seat) | K-5401-PA (one-piece)                                                                                       | D                                        | E                                              | 1.0                                   | 1             | 12                           | E                               | CH                       |                    | F                              |
| 62-033                                | Kohler                     | Karing 2.0 Intelligent EL (electric flush valve and electric seat)     | K-77780                                                                                                     | S                                        | E                                              | 1.1                                   | 1             | 12                           | E                               |                          |                    | F                              |
| 62-031                                | Kohler                     | EIR Intelligent EL CH (electric flush valve and electric seat)         | K-77795                                                                                                     | D                                        | E                                              | 0.9                                   | 1             | 12                           | E                               | CH                       |                    | F                              |
| 38-002                                | Leza (by Tangshan Hengmao) | None RF                                                                | HM20BSWH bowl, HM20TSWH tank                                                                                | S                                        | G                                              | 1.0                                   | 2             | 12                           | R                               |                          |                    | F                              |
| 43-002                                | Leza (by Tangshan Hengmao) | None EL CH                                                             | HM25HSHWH bowl, HM20TSWH tank                                                                               | S                                        | G                                              | 1.0                                   | 2             | 12                           | E                               | CH                       |                    | F                              |
| 38-001                                | Leza (by Tangshan Hengmao) | None EL                                                                | HM25SWH bowl, HM20TSWH tank                                                                                 | S                                        | G                                              | 1.0                                   | 2             | 12                           | E                               |                          |                    | F                              |
| 42-003RN58                            | Lowe's                     | Project Source Lynton EL CH                                            | 0901027 bowl (skirted), 78195094 tank (Foremost TL-8483HC-EWL-PS)                                           | D                                        | G                                              | 1.0                                   | 1             | 12                           | E                               | CH                       |                    | F                              |
| 70-004                                | Lowe's                     | Project Source RF CH                                                   | MT20205P OR MT20206A                                                                                        | S                                        | G                                              | 0.8                                   | 2             | 12                           | R                               | CH                       |                    | F                              |
| 47-022                                | Mansfield                  | Maverick EL CH                                                         | 1014 bowl, 1012 tank                                                                                        | S                                        | G                                              | 1.0                                   | 2             | 12                           | E                               | CH                       |                    | F                              |
| 11-070RN24-RN40                       | Mansfield                  | QuantumOne EL CH                                                       | 144 bowl, 153 tank - Sloan Flushmate inside                                                                 | S                                        | P                                              | 1.0                                   | 2             | 12                           | E                               | CH                       | R                  | W                              |
| 10-122RN22-RN38                       | Mansfield                  | QuantumOne RF                                                          | 146 bowl, 153 tank - Sloan Flushmate inside                                                                 | S                                        | P                                              | 1.0                                   | 2             | 12                           | R                               |                          |                    | F                              |
| 10-121RN22-RN38                       | Mansfield                  | QuantumOne EL                                                          | 147 bowl, 153 tank - Sloan Flushmate inside                                                                 | S                                        | P                                              | 1.1                                   | 2             | 12                           | E                               |                          |                    | F                              |
| 10-120RN22-RN38                       | Mansfield                  | QuantumOne EL CH                                                       | 148 bowl, 153 tank - Sloan Flushmate inside                                                                 | S                                        | P                                              | 1.1                                   | 2             | 12                           | E                               | CH                       |                    | F                              |
| 10-119RN22-RN38                       | Mansfield                  | QuantumOne EL                                                          | 149 bowl, 153 tank - Sloan Flushmate inside                                                                 | S                                        | P                                              | 1.0                                   | 2             | N.A.                         | E                               |                          | R                  | F                              |
| 27-022RN43                            | Mansfield                  | QuantumOne EL CH (Floor Mount, Rear Outlet)                            | 151-153: 151 bowl, 153 tank - Sloan Flushmate inside (rear outlet bowl)                                     | S                                        | P                                              | 1.1                                   | 2             | N.A.                         | E                               | CH                       | R                  | F                              |
| 38-035                                | Megabrand                  | None RF                                                                | C201 bowl, T201 tank                                                                                        | S                                        | G                                              | 1.0                                   | 2             | 12                           | R                               |                          |                    | F                              |
| 38-034                                | Megabrand                  | None EL                                                                | C202 bowl, T201 tank                                                                                        | S                                        | G                                              | 1.0                                   | 2             | 12                           | E                               |                          |                    | F                              |
| 70-031                                | Niagara                    | Sabre RF                                                               | C22.000.** (left handle) OR C22.001.** (right handle): 22.0202.01 bowl; 22.0300.**LWH OR 22.0300.**RWH tank | S                                        | V                                              | 1.1                                   | 2             | 12                           | R                               |                          |                    | F                              |



## Maximum Performance (MaP) of "PREMIUM" tank-type & electro-hydraulic toilet models (California)

MaP PREMIUM Requirements....each listed toilet model must meet the following:

- Effective flush at 1.1 gallons/4.0 Litres or less
- U.S. EPA WaterSense-qualified (certified & listed)
- MaP: 600 grams or better

In California, the model must also be listed in the MAE Database of the California Energy Commission

**NOTE:** MaP PREMIUM rounds flush volumes to a single decimal place. While we recognize that 1.1 gallons is about 11 tablespoons of water greater than the 4.0-litre maximum flush volume set by MaP PREMIUM, it is our professional opinion that this difference is not materially significant.

**CAUTION:** Toilets shown on this list are recommended **FOR RESIDENTIAL APPLICATIONS** OR those **other light commercial installations** where sufficient volumes of supplemental flows of water are introduced into the building drainline system near the toilet fixture (clothes washers, showers, dishwashers, process water, food service operations, sinks, etc.).



June 24, 2026

| MaP Test Report Number (internal use) | Brand Name | Toilet Model Name                     | Toilet Model Numbers                                                                                         | Design: Single-flush (S); Dual-flush (D) | Gravity (G); Pressure-Assist (P); Electric (E) | RATED flush volume (see note 3 below) | 1- or 2-piece | Horizontal Rough-in (inches) | Round (R) or Elongated (E) bowl | Comfort Height Bowl (CH) | Rear (Back) Outlet | Floor- (F) OR Wall-Mounted (W) |
|---------------------------------------|------------|---------------------------------------|--------------------------------------------------------------------------------------------------------------|------------------------------------------|------------------------------------------------|---------------------------------------|---------------|------------------------------|---------------------------------|--------------------------|--------------------|--------------------------------|
| 70-029                                | Niagara    | Sabre RF CH                           | C22.0200.** (left handle) OR C22.201.** (right handle): 22.0200.01 bowl; 22.0300.**LWH OR 22.0300.**RWH tank | S                                        | V                                              | 1.1                                   | 2             | 12                           | R                               | CH                       |                    | F                              |
| 70-034                                | Niagara    | Sabre EL                              | C22.100.** (left handle) OR C22.101.** (right handle): 22.0203.01 bowl; 22.0300.**LWH OR 22.0300.**RWH tank  | S                                        | V                                              | 1.1                                   | 2             | 12                           | E                               | CH                       |                    | F                              |
| 70-030                                | Niagara    | Shadow EL CH                          | C22.300.** (left handle) OR C22.301.** (right handle): 22.0201.01 bowl; 22.0300.**LWH OR 22.0300.**RWH tank  | S                                        | V                                              | 0.8                                   | 2             | 12                           | E                               | CH                       |                    | F                              |
| 70-024                                | Niagara    | Phantom EL CH                         | C33.0101.**LWH (left handle) OR 33.0101.**RWH (right handle)                                                 | S                                        | V                                              | 0.8                                   | 1             | 12                           | E                               | CH                       |                    | F                              |
| 70-033                                | Niagara    | Shadow RF CH                          | C33.200.** (left handle) OR C33.201.** (right handle): 33.0200.01 bowl; 33.0300.**LWH OR 33.0300.**RWH tank  | S                                        | V                                              | 0.8                                   | 2             | 12                           | R                               | CH                       |                    | F                              |
| 80-027                                | Niagara    | Shadow 0.8 gpf RF CH                  | C33.210.**: 33.0210.01 bowl, 33.0300.**L** (left handle)                                                     | S                                        | V                                              | 0.8                                   | 2             | 10                           | R                               | CH                       |                    | F                              |
| 80-027                                | Niagara    | Shadow 0.8 gpf RF CH                  | C33.211.**: 33.0210.01 bowl, 33.0300.**R** (right handle)                                                    | S                                        | V                                              | 0.8                                   | 2             | 10                           | R                               | CH                       |                    | F                              |
| 80-027                                | Niagara    | Shadow 0.8 gpf RF CH                  | C33.214.**: 33.0210.01 bowl, 33.0300.**L** (left handle)                                                     | S                                        | V                                              | 0.8                                   | 2             | 10                           | R                               | CH                       |                    | F                              |
| 80-027                                | Niagara    | Shadow 0.8 gpf RF CH                  | C33.215.**: 33.0210.01 bowl, 33.0300.**R** (right handle)                                                    | S                                        | V                                              | 0.8                                   | 2             | 10                           | R                               | CH                       |                    | F                              |
| 70-032                                | Niagara    | Shadow EL CH                          | C33.300.** (left handle) and C33.301.** (right handle): 33.0201.01 bowl; 33.0300.**LWH OR 33.0300.**RWH tank | S                                        | V                                              | 0.8                                   | 2             | 12                           | E                               | CH                       |                    | F                              |
| 63-031                                | Niagara    | Shadow EL CH                          | C33.300.**: 33.0201.01 bowl, 33.0300.**LWH (Left Handle) tank OR 33.0300.**RWH (Right Handle) tank           | S                                        | V                                              | 0.8                                   | 2             | 12                           | E                               |                          |                    | F                              |
| 80-028                                | Niagara    | Shadow 0.8 gpf EL CH                  | C33.310.**: 33.0211.01 bowl, 33.0300.**L** (left handle)                                                     | S                                        | V                                              | 0.8                                   | 2             | 10                           | E                               | CH                       |                    | F                              |
| 80-028                                | Niagara    | Shadow 0.8 gpf EL CH                  | C33.311.**: 33.0211.01 bowl, 33.0300.**R** (right handle)                                                    | S                                        | V                                              | 0.8                                   | 2             | 10                           | E                               | CH                       |                    | F                              |
| 80-028                                | Niagara    | Shadow 0.8 gpf EL CH                  | C33.314.**: 33.0211.01 bowl, 33.0300.**L** (left handle)                                                     | S                                        | V                                              | 0.8                                   | 2             | 10                           | E                               | CH                       |                    | F                              |
| 80-028                                | Niagara    | Shadow 0.8 gpf EL CH                  | C33.315.**: 33.0211.01 bowl, 33.0300.**R** (right handle)                                                    | S                                        | V                                              | 0.8                                   | 2             | 10                           | E                               | CH                       |                    | F                              |
| 63-025                                | Niagara    | Barron RF                             | C44.000.01: 44.0200.01 bowl, 44.0302.01LCH (Left Handle) tank OR 44.0302.01RCH (Right Handle) tank           | S                                        | P                                              | 1.0                                   | 2             | 12                           | R                               |                          |                    | F                              |
| 63-023                                | Niagara    | Barron RF                             | C44.010.01: 44.0200.01 bowl, 44.0300.01LCH (Left Handle) tank OR 44.0300.01RCH (Right Handle) tank           | S                                        | P                                              | 1.0                                   | 2             | 10                           | R                               |                          |                    | F                              |
| 63-015                                | Niagara    | Barron EL                             | C44.100.01: 44.0201.01 bowl, 44.0302.01LCH (Left Handle) tank OR 44.0302.01RCH (Right Handle) tank           | S                                        | P                                              | 1.0                                   | 2             | 12                           | E                               |                          |                    | F                              |
| 63-013                                | Niagara    | Barron EL                             | C44.110.01: 44.0201.01 bowl, 44.0300.01LCH (Left Handle) tank OR 44.0300.01RCH (Right Handle) tank           | S                                        | P                                              | 1.0                                   | 2             | 10                           | E                               |                          |                    | F                              |
| 63-036                                | Niagara    | Barron EL CH                          | C44.300.01: 44.0203.01 bowl, 44.0302.01LCH (Left Handle) tank OR 44.0302.01RCH (Right Handle) tank           | S                                        | P                                              | 1.0                                   | 2             | 12                           | E                               | CH                       |                    | F                              |
| 63-034                                | Niagara    | Barron EL CH                          | C44.310.01: 44.0203.01 bowl, 44.0300.01LCH (Left Handle) tank OR 44.0300.01RCH (Right Handle) tank           | S                                        | P                                              | 1.0                                   | 2             | 10                           | E                               | CH                       |                    | F                              |
| 63-032                                | Niagara    | Barron EL CH (Note: rear outlet bowl) | C44.390.01: 44.0205.01 bowl, 44.0302.01LCH (Left Handle) tank OR 44.0302.01RCH (Right Handle) tank           | S                                        | P                                              | 1.0                                   | 2             | N.A.                         | E                               | CH                       | R                  | F                              |
| 37-004                                | Niagara    | Glacier Bay EL CH                     | N2410E: N2410EB bowl, N2410T tank                                                                            | S                                        | G                                              | 1.0                                   | 2             | 12                           | E                               | CH                       |                    | F                              |
| 80-010                                | Niagara    | None EL CH                            | N2484E-17, Tank N2484T, Bowl N2484E-17                                                                       | S                                        | V                                              | 0.8                                   | 2             | 12                           | E                               | CH                       |                    | F                              |
| 80-011                                | Niagara    | None RF ch                            | N2484R-17, Tank N2484T, Bowl N2484R-17                                                                       | S                                        | V                                              | 0.8                                   | 2             | 12                           | R                               | CH                       |                    | F                              |
| 37-013RN53                            | Niagara    | Stealth RF CH                         | 77001RWH11 (sold as All-In-One package) Available at Home Depot as SKU 734-553                               | S                                        | V                                              | 0.8                                   | 2             | 12                           | R                               | CH                       |                    | F                              |
| 38-040                                | Niagara    | Stealth EL                            | N7711 (one-piece)                                                                                            | S                                        | V                                              | 0.8                                   | 1             | 12                           | E                               |                          |                    | F                              |
| 37-012                                | Niagara    | Stealth RF CH                         | N7716: N7716 bowl, N7715T tank                                                                               | S                                        | V                                              | 0.8                                   | 2             | 12                           | R                               | CH                       |                    | F                              |
| 79-023                                | Niagara    | Stealth RF CH                         | N7716R-17: N7716RB-17 bowl, N7714T tank                                                                      | S                                        | V                                              | 0.8                                   | 2             | 12                           | R                               | CH                       |                    | F                              |
| 37-013RN53                            | Niagara    | Stealth RF CH                         | N7716R: N7716 bowl, N7714 tank OR 7714TFH tank - ALSO sold as All-In-One package Model 77002                 | S                                        | V                                              | 0.8                                   | 2             | 12                           | R                               | CH                       |                    | F                              |



## Maximum Performance (MaP) of "PREMIUM" tank-type & electro-hydraulic toilet models (California)

MaP PREMIUM Requirements....each listed toilet model must meet the following:

- Effective flush at 1.1 gallons/4.0 Litres or less
- U.S. EPA WaterSense-qualified (certified & listed)
- MaP: 600 grams or better

In California, the model must also be listed in the MAE Database of the California Energy Commission

**NOTE:** MaP PREMIUM rounds flush volumes to a single decimal place. While we recognize that 1.1 gallons is about 11 tablespoons of water greater than the 4.0-litre maximum flush volume set by MaP PREMIUM, it is our professional opinion that this difference is not materially significant.

**CAUTION:** Toilets shown on this list are recommended **FOR RESIDENTIAL APPLICATIONS** OR those **other light commercial installations** where sufficient volumes of supplemental flows of water are introduced into the building drainline system near the toilet fixture (clothes washers, showers, dishwashers, process water, food service operations, sinks, etc.).



June 24, 2026

| MaP Test Report Number (internal use) | Brand Name              | Toilet Model Name            | Toilet Model Numbers                                                                                                                                              | Design: Single-flush (S); Dual-flush (D) | Gravity (G); Pressure-Assist (P); Electric (E) | RATED flush volume (see note 3 below) | 1- or 2-piece | Horizontal Rough-in (inches) | Round (R) or Elongated (E) bowl | Comfort Height Bowl (CH) | Rear (Back) Outlet | Floor- (F) OR Wall-Mounted (W) |
|---------------------------------------|-------------------------|------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------|------------------------------------------------|---------------------------------------|---------------|------------------------------|---------------------------------|--------------------------|--------------------|--------------------------------|
| 22-026RN38                            | Niagara                 | Stealth EL CH                | N7717: N7717 bowl, N7715T tank (Available at Home Depot as Glacier Bay model)                                                                                     | S                                        | V                                              | 0.8                                   | 2             | 12                           | E                               | CH                       |                    | F                              |
| 40-006                                | Niagara                 | Stealth EL CH                | N7717/N7714: N7717 bowl, N7714 tank - <b>NOTES:</b> toilet also sold as All-In-One package Model 77000 - Available Home Depot with SKU 263-564                    | S                                        | V                                              | 0.8                                   | 2             | 12                           | E                               | CH                       |                    | F                              |
| 30-066RN46                            | Niagara                 | Stealth EL CH Dual Flush     | N771714E-DF: N7717EB-DF bowl, N7714T-DF tank                                                                                                                      | D                                        | V                                              | 0.7                                   | 2             | 12                           | E                               | CH                       |                    | F                              |
| 37-017                                | Niagara                 | Stealth RF                   | N772614R: N7726RB bowl, N7714 tank                                                                                                                                | S                                        | V                                              | 0.8                                   | 2             | 10                           | R                               |                          |                    | F                              |
| 37-015                                | Niagara                 | Stealth RF                   | N772615R: N7726RB bowl, N7715T tank                                                                                                                               | S                                        | V                                              | 0.8                                   | 2             | 10                           | R                               |                          |                    | F                              |
| 37-016                                | Niagara                 | Stealth EL CH                | N772714E: N7727EB bowl, N7714 tank                                                                                                                                | S                                        | V                                              | 0.8                                   | 2             | 10                           | E                               | CH                       |                    | F                              |
| 37-014                                | Niagara                 | Stealth EL CH                | N772715E: N7727EB bowl, N7715T tank                                                                                                                               | S                                        | V                                              | 0.8                                   | 2             | 10                           | E                               | CH                       |                    | F                              |
| 49-037                                | Niagara                 | Nano EL CH                   | N7737E-DF: N7737EB bowl, N7747T-DF tank - ( <b>NOTE:</b> This dual-flush fixture flushes with 0.8 gal/3L on the full flush and 0.5 gal/1.9L on the reduced flush) | D                                        | V                                              | 0.7                                   | 2             | 12                           | E                               | CH                       |                    | F                              |
| 49-038                                | Niagara                 | Nano EL CH                   | N7737E: N7737EB bowl, N7747T tank                                                                                                                                 | S                                        | G                                              | 0.8                                   | 2             | 12                           | E                               | CH                       |                    | F                              |
| 50-034                                | Niagara                 | Phantom EL CH                | N7747E: 7747EB bowl, 7747T tank                                                                                                                                   | S                                        | G                                              | 0.8                                   | 2             | 12                           | E                               | CH                       |                    | F                              |
| 36-047                                | Niagara                 | Stealth EL CH                | N7799-NCC: N7799 bowl, N7714T tank (rear outlet bowl)                                                                                                             | S                                        | V                                              | 1.0-3.6L                              | 2             | N.A.                         | E                               | CH                       | R                  | F                              |
| 52-023                                | Niagara                 | Stealth EL CH                | N7799: N7799 bowl, N7799T tank (rear outlet bowl)                                                                                                                 | S                                        | V                                              | 0.95                                  | 2             | N.A.                         | E                               | CH                       | R                  | F                              |
| 53-031                                | PROFLO (Ferguson brand) | Jerritt RF                   | PF1400T bowl, PF2310 tank                                                                                                                                         | S                                        | G                                              | 1.1                                   | 2             | 10                           | R                               |                          |                    | F                              |
| 53-035                                | PROFLO (Ferguson brand) | Jerritt RF                   | PF1400T bowl, PF2312 tank                                                                                                                                         | S                                        | G                                              | 1.1                                   | 2             | 12                           | R                               |                          |                    | F                              |
| 53-027                                | PROFLO (Ferguson brand) | Jerritt RF                   | PF1400T bowl, PF2314 tank                                                                                                                                         | S                                        | G                                              | 1.1                                   | 2             | 14                           | R                               |                          |                    | F                              |
| 53-030                                | PROFLO (Ferguson brand) | Jerritt EL                   | PF1401T bowl, PF2310 tank                                                                                                                                         | S                                        | G                                              | 1.1                                   | 2             | 10                           | E                               |                          |                    | F                              |
| 53-034                                | PROFLO (Ferguson brand) | Jerritt EL                   | PF1401T bowl, PF2312 tank                                                                                                                                         | S                                        | G                                              | 1.1                                   | 2             | 12                           | E                               |                          |                    | F                              |
| 53-026                                | PROFLO (Ferguson brand) | Jerritt EL                   | PF1401T bowl, PF2314 tank                                                                                                                                         | S                                        | G                                              | 1.1                                   | 2             | 14                           | E                               |                          |                    | F                              |
| 53-028                                | PROFLO (Ferguson brand) | Jerritt Comf EL CH           | PF1402T bowl, PF2310 tank                                                                                                                                         | S                                        | G                                              | 1.1                                   | 2             | 10                           | E                               | CH                       |                    | F                              |
| 53-032                                | PROFLO (Ferguson brand) | Jerritt Comf EL CH           | PF1402T bowl, PF2312 tank                                                                                                                                         | S                                        | G                                              | 1.1                                   | 2             | 12                           | E                               | CH                       |                    | F                              |
| 53-024                                | PROFLO (Ferguson brand) | Jerritt Comf EL CH           | PF1402T bowl, PF2314 tank                                                                                                                                         | S                                        | G                                              | 1.1                                   | 2             | 14                           | E                               | CH                       |                    | F                              |
| 53-029                                | PROFLO (Ferguson brand) | Jerritt EL CH                | PF1403T bowl, PF2310 tank                                                                                                                                         | S                                        | G                                              | 1.1                                   | 2             | 10                           | E                               | CH                       |                    | F                              |
| 53-033                                | PROFLO (Ferguson brand) | Jerritt EL CH                | PF1403T bowl, PF2312 tank                                                                                                                                         | S                                        | G                                              | 1.1                                   | 2             | 12                           | E                               | CH                       |                    | F                              |
| 53-025                                | PROFLO (Ferguson brand) | Jerritt EL CH                | PF1403T bowl, PF2314 tank                                                                                                                                         | S                                        | G                                              | 1.1                                   | 2             | 14                           | E                               | CH                       |                    | F                              |
| 28-059RN44-RN60                       | PROFLO (Ferguson brand) | Gilpin RF                    | PF1604PA bowl (rear outlet), PF1612PA tank (left-hand lever) (Flushmate 504 pressure vessel inside)                                                               | S                                        | P                                              | 0.9                                   | 2             | 12                           | R                               |                          | R                  | F                              |
| 28-060RN44-RN60                       | PROFLO (Ferguson brand) | Gilpin EL CH                 | PF1606PA bowl (rear outlet), PF1612PA tank (left-hand lever) (Flushmate 504 pressure vessel inside)                                                               | S                                        | P                                              | 0.9                                   | 2             | 12                           | E                               | CH                       | R                  | F                              |
| 28-065RN44-RN60                       | PROFLO (Ferguson brand) | Gilpin RF                    | PF1600PA bowl, PF1612PA tank (left-hand lever) (Flushmate 504 pressure vessel inside)                                                                             | S                                        | P                                              | 1.0                                   | 2             | 12                           | R                               |                          |                    | F                              |
| 28-066RN44-RN60                       | PROFLO (Ferguson brand) | Gilpin EL                    | PF1601PA bowl, PF1612PA tank (left-hand lever) (Flushmate 504 pressure vessel inside)                                                                             | S                                        | P                                              | 1.0                                   | 2             | 12                           | E                               |                          |                    | F                              |
| 28-067RN44-RN60                       | PROFLO (Ferguson brand) | Gilpin EL CH                 | PF1603PA bowl, PF1612PA tank (left-hand lever) (Flushmate 504 pressure vessel inside)                                                                             | S                                        | P                                              | 1.0                                   | 2             | 12                           | E                               | CH                       |                    | F                              |
| 28-068RN44-RN60                       | PROFLO (Ferguson brand) | Gilpin EL                    | PF1605PA bowl (rear outlet), PF1612PA tank (left-hand lever) (Flushmate 504 pressure vessel inside)                                                               | S                                        | P                                              | 1.0                                   | 2             | 12                           | E                               |                          | R                  | F                              |
| 53-015                                | PROFLO (Ferguson brand) | Gilpin Pressure Assist RF    | PF1600PA bowl, PF1610PA tank (Flushmate 504 pressure vessel inside)                                                                                               | S                                        | P                                              | 1.0                                   | 2             | 10                           | R                               |                          |                    | F                              |
| 53-016                                | PROFLO (Ferguson brand) | Gilpin Pressure Assist EL CH | PF1603PA bowl, PF1610PA tank (Flushmate 504 pressure vessel inside)                                                                                               | S                                        | P                                              | 1.0                                   | 2             | 10                           | E                               | CH                       |                    | F                              |



## Maximum Performance (MaP) of "PREMIUM" tank-type & electro-hydraulic toilet models (California)

MaP PREMIUM Requirements....each listed toilet model must meet the following:

- Effective flush at 1.1 gallons/4.0 Litres or less
- U.S. EPA WaterSense-qualified (certified & listed)
- MaP: 600 grams or better

In California, the model must also be listed in the MAE Database of the California Energy Commission

**NOTE:** MaP PREMIUM rounds flush volumes to a single decimal place. While we recognize that 1.1 gallons is about 11 tablespoons of water greater than the 4.0-litre maximum flush volume set by MaP PREMIUM, it is our professional opinion that this difference is not materially significant.

**CAUTION:** Toilets shown on this list are recommended **FOR RESIDENTIAL APPLICATIONS** OR those other **light commercial installations** where sufficient volumes of supplemental flows of water are introduced into the building drainline system near the toilet fixture (clothes washers, showers, dishwashers, process water, food service operations, sinks, etc.).



June 24, 2026

| MaP Test Report Number (internal use) | Brand Name              | Toilet Model Name                 | Toilet Model Numbers                                                                                                                                                                       | Design: Single-flush (S); Dual-flush (D) | Gravity (G); Pressure-Assist (P); Electric (E) | RATED flush volume (see note 3 below) | 1- or 2-piece | Horizontal Rough-in (inches) | Round (R) or Elongated (E) bowl | Comfort Height Bowl (CH) | Rear (Back) Outlet | Floor- (F) OR Wall-Mounted (W) |
|---------------------------------------|-------------------------|-----------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------|------------------------------------------------|---------------------------------------|---------------|------------------------------|---------------------------------|--------------------------|--------------------|--------------------------------|
| 53-017                                | PROFLO (Ferguson brand) | Gilpin Pressure Assist EL         | PF1601PA bowl, PF1610PA tank (Flushmate 504 pressure vessel inside)                                                                                                                        | S                                        | P                                              | 1.0                                   | 2             | 10                           | E                               |                          |                    | F                              |
| 53-022                                | PROFLO (Ferguson brand) | Culpepper Skirted Comf Bowl EL CH | PF9002S bowl, PF2310 tank                                                                                                                                                                  | S                                        | G                                              | 1.1                                   | 2             | 10                           | E                               | CH                       |                    | F                              |
| 53-023                                | PROFLO (Ferguson brand) | Culpepper Skirted Comf Bowl EL CH | PF9002S bowl, PF2312 tank                                                                                                                                                                  | S                                        | G                                              | 1.1                                   | 2             | 12                           | E                               | CH                       |                    | F                              |
| 53-021                                | PROFLO (Ferguson brand) | Culpepper Skirted Comf Bowl EL CH | PF9002S bowl, PF2314 tank                                                                                                                                                                  | S                                        | G                                              | 1.1                                   | 2             | 14                           | E                               | CH                       |                    | F                              |
| 49-007                                | PROFLO (Ferguson brand) | Greenlee RF CH                    | PF9800 bowl, PF9810 OR PF9810R tank                                                                                                                                                        | S                                        | G                                              | 0.8                                   | 2             | 10                           | R                               | CH                       |                    | F                              |
| 49-008                                | PROFLO (Ferguson brand) | Greenlee RF CH                    | PF9800 bowl, PF9812 OR PF9812R tank                                                                                                                                                        | S                                        | G                                              | 0.8                                   | 2             | 12                           | R                               | CH                       |                    | F                              |
| 50-007                                | PROFLO (Ferguson brand) | Greenlee EL CH                    | PF9803 bowl, PF9810 tank                                                                                                                                                                   | S                                        | G                                              | 0.8                                   | 2             | 10                           | E                               | CH                       |                    | F                              |
| 50-008                                | PROFLO (Ferguson brand) | Greenlee EL CH                    | PF9803 bowl, PF9812 OR PF9812R tank                                                                                                                                                        | S                                        | G                                              | 0.8                                   | 2             | 12                           | E                               | CH                       |                    | F                              |
| 77-003                                | PROFLO (Ferguson brand) | MacLair Ultra RF CH               | PFGLC110UHEAWH: PF9800AWH bowl, PF9810WH tank (Left-Hand Lever) OR PF9810RWH (right-hand lever)                                                                                            | S                                        | G                                              | 0.8                                   | 2             | 10                           | R                               | CH                       |                    | F                              |
| 77-001                                | PROFLO (Ferguson brand) | MacLair Ultra RF CH               | PFGLC112UHEAWH: PF9800AWH bowl, PF9812WH tank (Left Hand Lever) OR PF9812WH tank (right-hand lever)                                                                                        | S                                        | G                                              | 0.8                                   | 2             | 12                           | R                               | CH                       |                    | F                              |
| 77-004                                | PROFLO (Ferguson brand) | MacLair Ultra EL CH               | PFGLC410UHEAWH: PF9803AWH bowl, PF9810WH tank (Left-Hand Lever) OR PF9810RWH tank (right-hand lever)                                                                                       | S                                        | G                                              | 0.8                                   | 2             | 10                           | E                               | CH                       |                    | F                              |
| 77-002                                | PROFLO (Ferguson brand) | MacLair Ultra EL CH               | PFGLC412UHEAWH: PF9803AWH bowl, PF9812WH tank (Left-Hand Lever) OR PF9812RWH tank (right-hand lever)                                                                                       | S                                        | G                                              | 0.8                                   | 2             | 12                           | E                               | CH                       |                    | F                              |
| 64-020                                | PROFLO (Ferguson brand) | Gilpin RF                         | PFGPC012PAUHETWHA: PF1600PAWH Bowl; PF1612PAWHA Tank (WDI B8204 pressure vessel inside) - Includes models PFGPC012PAUHETRWHA Right hand Lever & PFGPC012PALWHA with Lid Lock               | S                                        | P                                              | 1.0                                   | 2             | 12                           | R                               |                          |                    | F                              |
| 64-021                                | PROFLO (Ferguson brand) | Gilpin RF                         | PFGPC010PAWHA: PF1600PAWH Bowl; PF1610PAWHA Tank (WDI B8204 pressure vessel inside)                                                                                                        | S                                        | P                                              | 1.0                                   | 2             | 12                           | R                               |                          |                    | F                              |
| 64-022                                | PROFLO (Ferguson brand) | Gilpin RF                         | PFGPC212PAUHETWHA: PF1601PAWH Bowl; PF1612PAWHA Tank (WDI B8204 pressure vessel inside) - Includes models PFGPC212PAUHETRWHA Right hand Lever & PFGPC212PALWHA with Lid Lock               | S                                        | P                                              | 1.0                                   | 2             | 12                           | R                               |                          |                    | F                              |
| 64-023                                | PROFLO (Ferguson brand) | Gilpin EL                         | PFGPC210PAWHA: PF1601PAWH Bowl; PF1610PAWHA Tank (WDI B8204 pressure vessel inside)                                                                                                        | S                                        | P                                              | 1.0                                   | 2             | 12                           | E                               |                          |                    | F                              |
| 64-024                                | PROFLO (Ferguson brand) | Gilpin RF CH                      | PFGPC412PAUHETWHA: PF1603PAWH Bowl; PF1612PAWHA Tank (WDI B8204 pressure vessel inside) - Includes models PFGPC412PAUHETRWHA Right hand Lever & PFGPC412PALWHA with Lid Lock               | S                                        | P                                              | 1.0                                   | 2             | 12                           | R                               | CH                       |                    | F                              |
| 64-025                                | PROFLO (Ferguson brand) | Gilpin EL CH                      | PFGPC410PAWHA: PF1603PAWH Bowl; PF1610PAWHA Tank (WDI B8204 pressure vessel inside)                                                                                                        | S                                        | P                                              | 1.0                                   | 2             | 12                           | E                               | CH                       |                    | F                              |
| 64-029                                | PROFLO (Ferguson brand) | Gilpin RF                         | PFGPC612PAUHETWHA: PF1605PAWH Bowl (rear outlet); PF1612PAWHA Tank (WDI B8204 pressure vessel inside) - Includes models PFGPC612PAUHETRWHA Right hand Lever & PFGPC612PALWHA with Lid Lock | S                                        | P                                              | 1.0                                   | 2             | N.A.                         | R                               |                          | R                  | F                              |
| 64-030                                | PROFLO (Ferguson brand) | Gilpin RF                         | PFGPC512PAUHETWHA: PF1604PAWH Bowl (rear outlet); PF1612PAWHA Tank (WDI B8204 pressure vessel inside) - Includes models PFGPC512PAUHETRWHA Right hand Lever & PFGPC512PALWHA with Lid Lock | S                                        | P                                              | 1.0                                   | 2             | N.A.                         | R                               |                          | R                  | F                              |



## Maximum Performance (MaP) of "PREMIUM" tank-type & electro-hydraulic toilet models (California)

MaP PREMIUM Requirements....each listed toilet model must meet the following:

- Effective flush at 1.1 gallons/4.0 Litres or less
- U.S. EPA WaterSense-qualified (certified & listed)
- MaP: 600 grams or better

In California, the model must also be listed in the MAE Database of the California Energy Commission

**NOTE:** MaP PREMIUM rounds flush volumes to a single decimal place. While we recognize that 1.1 gallons is about 11 tablespoons of water greater than the 4.0-litre maximum flush volume set by MaP PREMIUM, it is our professional opinion that this difference is not materially significant.

**CAUTION:** Toilets shown on this list are recommended **FOR RESIDENTIAL APPLICATIONS** OR those **other light commercial installations** where sufficient volumes of supplemental flows of water are introduced into the building drainline system near the toilet fixture (clothes washers, showers, dishwashers, process water, food service operations, sinks, etc.).



June 24, 2026

| MaP Test Report Number (internal use) | Brand Name                                                     | Toilet Model Name                               | Toilet Model Numbers                                                                                                                                                                            | Design: Single-flush (S); Dual-flush (D) | Gravity (G); Pressure-Assist (P); Electric (E) | RATED flush volume (see note 3 below) | 1- or 2-piece | Horizontal Rough-in (inches) | Round (R) or Elongated (E) bowl | Comfort Height Bowl (CH) | Rear (Back) Outlet | Floor-(F) OR Wall-Mounted(W) |
|---------------------------------------|----------------------------------------------------------------|-------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------|------------------------------------------------|---------------------------------------|---------------|------------------------------|---------------------------------|--------------------------|--------------------|------------------------------|
| 64-031                                | PROFLO (Ferguson brand)                                        | Gilpin RF CH                                    | PFGPC712PAUHETWHA: PF1606PAWH Bowl (rear outlet); PF1612PAWHA Tank (WDI B8204 pressure vessel inside) - Includes models PFGPC712PAUHETRWHA with right-hand Lever & PFGPC712PALWHA with Lid Lock | S                                        | P                                              | 1.0                                   | 2             | N.A.                         | R                               | CH                       | R                  | F                            |
| 62-026                                | Royal Conservation                                             | Two Piece EL CH                                 | CLB-QUN-EL                                                                                                                                                                                      | S                                        | G                                              | 0.9                                   | 2             | 12                           | E                               | CH                       |                    | F                            |
| 62-024                                | Royal Conservation                                             | Two Piece EL CH                                 | CLB-KNG-EL                                                                                                                                                                                      | S                                        | G                                              | 0.9                                   | 2             | 12                           | E                               | CH                       |                    | F                            |
| 62-025                                | Royal Conservation                                             | Two Piece RF CH                                 | CLB-KNG-RD                                                                                                                                                                                      | S                                        | G                                              | 0.9                                   | 2             | 12                           | R                               | CH                       |                    | F                            |
| 62-023                                | Royal Conservation                                             | Two Piece RF CH                                 | CLB-QUN-RD                                                                                                                                                                                      | S                                        | G                                              | 0.9                                   | 2             | 12                           | R                               | CH                       |                    | F                            |
| 36-051                                | Schön-Simply Modern (by Home Depot - YOW-Your Other Warehouse) | None HET EL CH (one-piece)                      | TL-6115HC (by Foremost)                                                                                                                                                                         | D                                        | G                                              | 1.0                                   | 1             | 12                           | E                               | CH                       |                    | F                            |
| 46-053                                | Seasons (HD Supply)                                            | Hawthorne EL CH                                 | 108466 bowl, 564854 tank                                                                                                                                                                        | S                                        | P                                              | 1.0                                   | 2             | 12                           | E                               | CH                       |                    | F                            |
| 67-024                                | Seasons (at HD Supply)                                         | None RF                                         | 117913 (same as Foremost TL-4590-RW)                                                                                                                                                            | S                                        | G                                              | 0.8                                   | 2             | 12                           | R                               |                          |                    | F                            |
| 67-023                                | Seasons (at HD Supply)                                         | None EL CH                                      | 117914 (same as Foremost TL-4590HC-CEW)                                                                                                                                                         | S                                        | G                                              | 0.8                                   | 2             | 12                           | E                               | CH                       |                    | F                            |
| 19-089RN35-RN51                       | Seasons (HD Supply)                                            | Hawthorne EL CH                                 | 564814 bowl, 564854 tank                                                                                                                                                                        | S                                        | P                                              | 1.0                                   | 2             | 12                           | E                               | CH                       | R                  | F                            |
| 15-100RN31-RN47                       | Seasons (HD Supply)                                            | Hawthorne EL CH                                 | 564856 bowl, 564854 tank                                                                                                                                                                        | S                                        | P                                              | 1.0                                   | 2             | 12                           | E                               | CH                       |                    | F                            |
| 35-013                                | Seasons (at HD Supply)                                         | None HET EL CH                                  | 710695 bowl, 189880 tank (by Foremost)                                                                                                                                                          | S                                        | G                                              | 1.0                                   | 2             | 12                           | E                               | CH                       |                    | F                            |
| 32-046RN48                            | Seasons (at HD Supply)                                         | Keating HET RF                                  | 749458 bowl, 189880 tank, (same as Foremost LL-775R bowl, T-006 unlined tank)                                                                                                                   | S                                        | G                                              | 1.0                                   | 2             | 12                           | R                               |                          |                    | F                            |
| 73-016                                | Seasons (HD Supply)                                            | None RF CH                                      | SKU 338272 bowl, SKU 189880 tank                                                                                                                                                                | S                                        | G                                              | 1.0                                   | 2             | 12                           | R                               | CH                       |                    | F                            |
| 79-023                                | Seasons (at HD Supply)                                         | Stealth RF CH                                   | SKU 398701: N7716RB-17 bowl, N7714T tank                                                                                                                                                        | S                                        | V                                              | 0.8                                   | 2             | 12                           | R                               | CH                       |                    | F                            |
| 80-011                                | Seasons (at HD Supply)                                         | None RF ch                                      | SKU 403482                                                                                                                                                                                      | S                                        | V                                              | 0.8                                   | 2             | 12                           | R                               | CH                       |                    | F                            |
| 80-010                                | Seasons (at HD Supply)                                         | None EL CH                                      | SKU 403986                                                                                                                                                                                      | S                                        | V                                              | 0.8                                   | 2             | 12                           | E                               | CH                       |                    | F                            |
| 61-028                                | Signature Hardware (Ferguson brand)                            | Integrated Intelligent Toilet (with bidet seat) | SHVE540SPWH OR SHVE540SWH (Electro-hydraulic)                                                                                                                                                   | S                                        | P                                              | 1.0                                   | 1             | 12                           | E                               |                          |                    | F                            |
| 81-002                                | Signature Hardware (Ferguson brand)                            | Smart Toilet with Bidet Seat RF CH              | SHDE540SWH (one-piece)                                                                                                                                                                          | S                                        | E                                              | 1.1                                   | 1             | 12                           | R                               | CH                       |                    | F                            |
| 50-033                                | Sloan                                                          | None EL                                         | WETS-8009.8016 AND 8009.8116: ST-8009 bowl, ST-8016 OR ST-8116 tank - Sloan Flushmate inside (Note: Tank 8016 has left-side actuator; 8116 has right-side actuator)                             | S                                        | P                                              | 1.0                                   | 2             | 12                           | E                               |                          |                    | F                            |
| 50-029                                | Sloan                                                          | None EL CH                                      | WETS-8029.8016 AND 8029.8116: ST-8029 bowl, ST-8016 tank OR ST-8116 tank - Sloan Flushmate inside (Note: Tank 8016 has left-side actuator; 8116 has right-side actuator)                        | S                                        | P                                              | 1.0                                   | 2             | 12                           | E                               | CH                       |                    | F                            |
| 38-002RN54                            | Spenco                                                         | None RF                                         | HM20BSWH bowl, HM20TSWH tank                                                                                                                                                                    | S                                        | G                                              | 1.0                                   | 2             | 12                           | R                               |                          |                    | F                            |
| 43-002RN59                            | Spenco                                                         | None EL CH                                      | HM25HSH bowl, HM20TSWH tank                                                                                                                                                                     | S                                        | G                                              | 1.0                                   | 2             | 12                           | E                               | CH                       |                    | F                            |
| 38-001RN54                            | Spenco                                                         | None EL                                         | HM25SWH bowl, HM20TSWH tank                                                                                                                                                                     | S                                        | G                                              | 1.0                                   | 2             | 12                           | E                               |                          |                    | F                            |
| 45-027                                | SSI-Sustainable Solutions Int'l                                | ONE NO CLOG Point 8 EL CH                       | 301302W bowl, 301300W tank                                                                                                                                                                      | S                                        | G                                              | 0.8                                   | 2             | 12                           | E                               | CH                       |                    | F                            |
| 59-012                                | SSI-Sustainable Solutions Int'l                                | None RF CH                                      | 301401 bowl, 301400 tank                                                                                                                                                                        | S                                        | G                                              | 0.8                                   | 2             | 10                           | R                               | CH                       |                    | F                            |
| 59-011                                | SSI-Sustainable Solutions Int'l                                | None EL CH                                      | 301402 bowl, 301400 tank                                                                                                                                                                        | S                                        | G                                              | 0.8                                   | 2             | 12                           | E                               | CH                       |                    | F                            |
| 43-023RN59                            | Toto                                                           | Promenade II EL CH                              | CST404CUF(G): C404CUF(G) bowl, ST403U tank                                                                                                                                                      | S                                        | G                                              | 1.0                                   | 2             | 12                           | E                               | CH                       |                    | F                            |
| 47-026RN63                            | Toto                                                           | Aquia IV RH EL                                  | CST446CEM(G): CT446CU(G)T40 bowl, ST446EM tank - NOTE: ALSO sold as MS446124CEM(G), MW4463046CEM(G), MW4463056CEM(G), and MW4463084CEMFGN                                                       | D                                        | G                                              | 1.0                                   | 2             | 12                           | E                               |                          |                    | F                            |



## Maximum Performance (MaP) of "PREMIUM" tank-type & electro-hydraulic toilet models (California)

MaP PREMIUM Requirements....each listed toilet model must meet the following:

- Effective flush at 1.1 gallons/4.0 Litres or less
- U.S. EPA WaterSense-qualified (certified & listed)
- MaP: 600 grams or better

In California, the model must also be listed in the MAE Database of the California Energy Commission

**NOTE:** MaP PREMIUM rounds flush volumes to a single decimal place. While we recognize that 1.1 gallons is about 11 tablespoons of water greater than the 4.0-litre maximum flush volume set by MaP PREMIUM, it is our professional opinion that this difference is not materially significant.

**CAUTION:** Toilets shown on this list are recommended **FOR RESIDENTIAL APPLICATIONS** OR those **other light commercial installations** where sufficient volumes of supplemental flows of water are introduced into the building drainline system near the toilet fixture (clothes washers, showers, dishwashers, process water, food service operations, sinks, etc.).



June 24, 2026

| MaP Test Report Number (internal use) | Brand Name | Toilet Model Name                                                                                                          | Toilet Model Numbers                                                                                                                                                                                                                 | Design: Single-flush (S); Dual-flush (D) | Gravity (G); Pressure-Assist (P); Electric (E) | RATED flush volume (see note 3 below) | 1- or 2-piece | Horizontal Rough-in (inches) | Round (R) or Elongated (E) bowl | Comfort Height Bowl (CH) | Rear (Back) Outlet | Floor- (F) OR Wall-Mounted (W) |
|---------------------------------------|------------|----------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------|------------------------------------------------|---------------------------------------|---------------|------------------------------|---------------------------------|--------------------------|--------------------|--------------------------------|
| 47-025RN63                            | Toto       | Aquia IV UH EL CH                                                                                                          | CST446CEMF(G)(T40): CT446CUF(G)T40 bowl, ST446EM tank - <b>NOTE: ALSO sold as MS446124CEMF(G), MW4463046CEMF(G), AND MW4463056CEMF(G)</b>                                                                                            | D                                        | G                                              | 1.0                                   | 2             | 12                           | E                               | CH                       |                    | F                              |
| 65-018                                | Toto       | Aquia IV EL CH                                                                                                             | CST446CEMF(GN)***: CT446CEFGN(T40)*** bowl; ST446EMN(A)*** tank                                                                                                                                                                      | D                                        | G                                              | 1.0                                   | 2             | 12                           | E                               | CH                       |                    | F                              |
| 65-018                                | Toto       | Aquia IV EL                                                                                                                | CST446CEMGN***: CT446CE(G)N(T40)*** bowl; ST446EMN(A)*** tank                                                                                                                                                                        | D                                        | G                                              | 1.0                                   | 2             | 12                           | E                               |                          |                    | F                              |
| 40-027RN56                            | Toto       | Drake II IG - RF CH                                                                                                        | CST453CUF(G): C453CUF(G) bowl, ST453U tank                                                                                                                                                                                           | S                                        | G                                              | 1.0                                   | 2             | 12                           | R                               | CH                       |                    | F                              |
| 27-006RN43                            | Toto       | Drake II 1G EL                                                                                                             | CST454CUFG: C454CUFG bowl, ST453U tank                                                                                                                                                                                               | S                                        | G                                              | 1.1                                   | 2             | 12                           | E                               |                          |                    | F                              |
| 38-005RN54                            | Toto       | Vespin II 1G EL CH                                                                                                         | CST474CUF: CT474CUFG bowl, ST453U tank                                                                                                                                                                                               | S                                        | G                                              | 1.0                                   | 2             | 12                           | E                               | CH                       |                    | F                              |
| 24-009RN40                            | Toto       | Maris EL CH                                                                                                                | CST484CEMF(G): CT484CEF(G) bowl, ST484M tank                                                                                                                                                                                         | D                                        | G                                              | 1.1                                   | 2             | 12                           | E                               | CH                       |                    | F                              |
| 43-016RN59                            | Toto       | Connolly EL CH                                                                                                             | CST494CEMF(G): CT494CEF(G) bowl, ST494M tank                                                                                                                                                                                         | D                                        | G                                              | 1.1                                   | 2             | 12                           | E                               | CH                       |                    | F                              |
| 33-035RN49                            | Toto       | Ultramax II EL CH (1-piece)                                                                                                | CST604CUF(G), <b>ALSO sold as MS604114CUFG, MS604124CUFG</b> , MW6042034CUF(G), MW6042044CUF(G), MW604574CUF(G), and MW604584CUF(G)                                                                                                  | S                                        | G                                              | 1.0                                   | 1             | 12                           | E                               | CH                       |                    | F                              |
| 38-004RN54                            | Toto       | Carlyle II 1G EL CH                                                                                                        | CST614CUFG <b>OR</b> MS614114CUFG                                                                                                                                                                                                    | S                                        | G                                              | 1.0                                   | 1             | 12                           | E                               | CH                       |                    | F                              |
| 54-038                                | Toto       | Nexus EL CH                                                                                                                | CST642CUF*** (one-piece); <b>ALSO sold as MS642124CUF*, MS642234CUF*, MW6423046CUF*, MW6423046CUFG*, MW6423056CUF**</b>                                                                                                              | S                                        | G                                              | 1.0                                   | 1             | 12                           | E                               | CH                       |                    | F                              |
| 55-001                                | Toto       | Aquia IV EL (one-piece)                                                                                                    | CST646CEMF***; <b>NOTE: ALSO SOLD AS MS646124CEMF*, MS646234CEMF*, MW6463046CEMF**, AND MW6463056CEMF**</b>                                                                                                                          | D                                        | G                                              | 1.1                                   | 1             | 12                           | E                               |                          |                    | F                              |
| 55-002                                | Toto       | Aquia IV EL (one-piece)                                                                                                    | CST646CUMF***; <b>NOTE: ALSO SOLD AS MS646234CUMF*, MW6463046CUMF**, AND MW6463056CUMF**</b>                                                                                                                                         | D                                        | G                                              | 0.9                                   | 1             | 12                           | E                               |                          |                    | F                              |
| 56-027                                | Toto       | Drake EL                                                                                                                   | CST746CEM**: CT746CU** bowl, ST746EM(A) tank - <b>NOTE: ALSO sold as CST746CEM**(T40); CST746CEM****; MS746124CEM**; MW7463046CEM****; MW7463056CEM**; CST748CEM**; MS748124CEM**; MW7483046CEM**; and MW7483056CEM</b>              | D                                        | G                                              | 1.0                                   | 2             | 12                           | E                               |                          |                    | F                              |
| 54-020RN70                            | Toto       | Drake EL                                                                                                                   | CST746CEM**: CT746CU** bowl, ST746EM** tank                                                                                                                                                                                          | D                                        | G                                              | 1.0                                   | 2             | 12                           | E                               |                          |                    | F                              |
| 56-027                                | Toto       | Drake EL CH                                                                                                                | CST746CEMF*: CT746CUF* bowl, ST746EM(A) tank - <b>NOTE: ALSO sold as CST746CEMF*(T40); CST746CEM****; MS746124CEMF*; MW7463046CEMF**; MW7463056CEMF*; CST748CEMF*; MS748124CEMF*; MW7483046CEMF*; and MW7483056CEMF</b>              | D                                        | G                                              | 1.0                                   | 2             | 12                           | E                               | CH                       |                    | F                              |
| 56-028                                | Toto       | Drake EL CH                                                                                                                | CST746CEMF*.10: CT746CUF*.10 bowl, ST746EM* tank - <b>NOTE: ALSO sold as CST746CEMF*(T40).10; MS746124CEMF*.10; MW7463046CEMF*.10; MW7463056CEMF*.10; CST748CEMF*.10; MS748124CEMF*.10; MW7483046CEMF*.10; and MW7483056CEMF*.10</b> | D                                        | G                                              | 1.0                                   | 2             | 10                           | E                               | CH                       |                    | F                              |
| 54-020RN70                            | Toto       | Drake EL CH                                                                                                                | CST746CEMF**: CT746CUF** bowl, ST746EM** tank                                                                                                                                                                                        | D                                        | G                                              | 1.0                                   | 2             | 12                           | E                               | CH                       |                    | F                              |
| 54-017                                | Toto       | Drake EL CH                                                                                                                | CST746CEMF*.10: CT746CUF*.10 bowl, ST746EM** tank                                                                                                                                                                                    | D                                        | G                                              | 1.0                                   | 2             | 10                           | E                               | CH                       |                    | F                              |
| 56-029                                | Toto       | Ultramax (1-piece) Washlet EL CH                                                                                           | CST856CEMF**T40 - <b>NOTE: This toilet model is ALSO sold as MS856124CEMF*, MS856234CEMF*, MW8563046CEM**, MW8563056CEM**, MS856124CEM*, CST856234CEM**T40</b>                                                                       | D                                        | G                                              | 1.0                                   | 1             | 12                           | E                               | CH                       |                    | F                              |
| 56-031                                | Toto       | Ultramax (1-piece) Washlet EL CH (NOTE: this dual-flush toilet model flushes with 1.0 gallon-3.8 litres on the full flush) | CST856CUMF**T40 - <b>NOTE: This toilet model is ALSO sold as MS856124CUMF*; MS856234CUMF*; MW8563046CUMF*; MW8563056CUMF*; MS856124CUM*; MS856234CUM*; MW8563046CUM*; MW8563056CUM*; CST856CUM**T40</b>                              | D                                        | G                                              | 0.9                                   | 1             | 12                           | E                               | CH                       |                    | F                              |
| 54-015                                | Toto       | Nexus EL CH                                                                                                                | CT442CUF** bowl, ST442U* tank                                                                                                                                                                                                        | S                                        | G                                              | 1.0                                   | 2             | 12                           | E                               | CH                       |                    | F                              |



## Maximum Performance (MaP) of "PREMIUM" tank-type & electro-hydraulic toilet models (California)

MaP PREMIUM Requirements....each listed toilet model must meet the following:

- Effective flush at 1.1 gallons/4.0 Litres or less
- U.S. EPA WaterSense-qualified (certified & listed)
- MaP: 600 grams or better

In California, the model must also be listed in the MAE Database of the California Energy Commission

**NOTE:** MaP PREMIUM rounds flush volumes to a single decimal place. While we recognize that 1.1 gallons is about 11 tablespoons of water greater than the 4.0-litre maximum flush volume set by MaP PREMIUM, it is our professional opinion that this difference is not materially significant.

**CAUTION:** Toilets shown on this list are recommended **FOR RESIDENTIAL APPLICATIONS** OR those **other light commercial installations** where sufficient volumes of supplemental flows of water are introduced into the building drainline system near the toilet fixture (clothes washers, showers, dishwashers, process water, food service operations, sinks, etc.).



June 24, 2026

| MaP Test Report Number (internal use) | Brand Name | Toilet Model Name                                 | Toilet Model Numbers                                                                                                                                                                                                                                   | Design: Single-flush (S); Dual-flush (D) | Gravity (G); Pressure-Assist (P); Electric (E) | RATED flush volume (see note 3 below) | 1- or 2-piece | Horizontal Rough-in (inches) | Round (R) or Elongated (E) bowl | Comfort Height Bowl (CH) | Rear (Back) Outlet | Floor-(F) OR Wall-Mounted(W) |
|---------------------------------------|------------|---------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------|------------------------------------------------|---------------------------------------|---------------|------------------------------|---------------------------------|--------------------------|--------------------|------------------------------|
| 55-018                                | Toto       | None EL (wall-mount, CH possible)                 | CT447CFG bowl, WT174M in-wall carrier (ALSO sold as CT447CFG bowl with W172M carrier; CT447CFG60 bowl with WT173M carrier; CT447CFG60 bowl with WT173MA carrier); CWT447247CMFG (bowl-tank combination); and CWT4474047CMFG60 (bowl-tank combination). | D                                        | G                                              | 1.1                                   | 2             | N.A.                         | E                               | CH                       | R                  | W                            |
| 55-019                                | Toto       | None (wall-mount, special bowl, CH possible)      | CT449CFG bowl, WT174M in-wall carrier (ALSO sold as CT449CFG bowl with W172M carrier; CT449CFG60 bowl with WT173M carrier; and CT449CFG60 bowl with WT173MA carrier)                                                                                   | D                                        | G                                              | 1.1                                   | 2             | N.A.                         | Special                         | CH                       | R                  | W                            |
| 56-025                                | Toto       | Drake EL CH                                       | CT746CU**T40 bowl, ST746EMD tank - NOTE: This toilet model ALSO sold as CST746CEM*DG; CST746CEMA*DG(T40); CST746CEMF*DG; and CST746CEMFA*DG(T40)                                                                                                       | D                                        | G                                              | 1.0                                   | 2             | 12                           | E                               | CH                       |                    | F                            |
| 56-026                                | Toto       | Drake EL CH                                       | CT746CU**T40.10 bowl, ST746EMD tank - NOTE: This toilet model ALSO sold as CST746CEM*DG.10 and CST746CEMFA*DG(T40).10                                                                                                                                  | D                                        | G                                              | 1.0                                   | 2             | 10                           | E                               | CH                       |                    | F                            |
| 54-013                                | Toto       | AP Wall Hung (concealed in-wall carrier and tank) | CWT4263046CMF**: CT426CF** bowl with WT172M or WT173M* in-wall tank                                                                                                                                                                                    | D                                        | G                                              | 1.1                                   | 2             | N.A.                         | -                               | CH                       | R                  | W                            |
| 54-013                                | Toto       | AP Wall Hung (concealed in-wall carrier and tank) | CWT4263056CMF**:CT426CF** bowl with WT172M or WT173M* in-wall tank                                                                                                                                                                                     | D                                        | G                                              | 1.1                                   | 2             | N.A.                         | -                               | CH                       | R                  | W                            |
| 54-013                                | Toto       | AP Wall Hung (concealed in-wall carrier and tank) | CWT426CMF**: CT426CF** bowl with WT172M or WT173M* in-wall tank                                                                                                                                                                                        | D                                        | G                                              | 1.1                                   | 2             | N.A.                         | -                               | CH                       | R                  | W                            |
| 54-008                                | Toto       | EP Wall Hung (concealed in-wall carrier and tank) | CWT428CMF*: CT428CF** bowl, WT172M or WT173M tank (ALSO COMBINATIONS CWT4283046CMF** AND CWT4283056CMF**)                                                                                                                                              | D                                        | G                                              | 1.1                                   | 2             | N.A.                         | -                               | CH                       |                    | F                            |
| 54-012                                | Toto       | MH Wall Hung (concealed in-wall carrier and tank) | CWT43717MF**: CT437F* bowl with WT172M in-wall tank (ALSO COMBINATIONS CWT437217MF**, CWT437237MF(G), and CWT4372047MF**)                                                                                                                              | D                                        | G                                              | 1.1                                   | 2             | N.A.                         | -                               | CH                       | R                  | W                            |
| 40-029RN56                            | Toto       | Dual Max - EL CH (wall-mount)                     | CWT437MF(G)-3 (also CWT43717MF(G)-3): CT437F(G) bowl, WT153M in-wall tank                                                                                                                                                                              | D                                        | G                                              | 1.1                                   | 1             | N.A.                         | E                               | CH                       | R                  | W                            |
| 40-029RN56                            | Toto       | Dual Max - EL CH (wall-mount)                     | CWT437MF(G)-4 (also CWT43717MF(G)-4): CT437F(G) bowl, WT154M in-wall tank                                                                                                                                                                              | D                                        | G                                              | 1.1                                   | 1             | N.A.                         | E                               | CH                       | R                  | W                            |
| 55-019                                | Toto       | None (wall-mount, special bowl, CH possible)      | CWT449049CMFG: CT449CFG60 bowl, WT173MA tank (combined bowl and in-wall carrier)                                                                                                                                                                       | D                                        | G                                              | 1.1                                   | 2             | N.A.                         | Special                         | CH                       | R                  | W                            |
| 55-019                                | Toto       | None (wall-mount, special bowl, CH possible)      | CWT449249CMFG: CT449CFG bowl, WT172M tank (combined bowl and in-wall carrier)                                                                                                                                                                          | D                                        | G                                              | 1.1                                   | 2             | N.A.                         | Special                         | CH                       | R                  | W                            |
| 44-110                                | Toto       | Neorest EW RF (wall-mount, CH possible)           | CWT994CEMFG: CT994CEMFG bowl, WT174M tank (in-wall)                                                                                                                                                                                                    | D                                        | G                                              | 1.1                                   | 2             | N.A.                         | R                               | CH                       | R                  | W                            |
| 44-111                                | Toto       | Neorest AC RF (wall-mount, CH possible)           | CWT996CEMFX: CT996CEMFX bowl, WT174M tank (in-wall)                                                                                                                                                                                                    | D                                        | G                                              | 1.1                                   | 2             | N.A.                         | R                               | CH                       | R                  | W                            |
| 65-020                                | Toto       | Aquia IV Cube EL CH                               | MS436***CEMF(G)N***: CT446CEFG(N)T40*** bowl; ST436EMN(A)(R)*** tank (ALSO SOLD AS MW436***CEMFGN(A)***)                                                                                                                                               | D                                        | G                                              | 1.1                                   | 2             | 12                           | E                               | CH                       |                    | F                            |
| 58-005                                | Toto       | Aquia IV Cube EL CH                               | MS436124CEMF(G): CT446CUFG(G)T40 bowl, ST436EM(A)(R) tank - NOTE: This toilet model ALSO sold as MW4363046CEMF(G)(A): CT446CUFG(G)T40 bowl, ST436EM(A)(R) tank AND MW4363056CEMF(G)(A): CT446CUFG(G)T40 bowl, ST436UM(A) tank                          | D                                        | G                                              | 1.0                                   | 2             | 12                           | E                               | CH                       |                    | F                            |
| 58-004                                | Toto       | Aquia IV Cube 1G EL CH                            | MS436124CUMF(G): CT446CUFG(G)T40 bowl, ST436UM(A) tank - NOTE: This toilet model ALSO sold as MW4363046CUMF(G)(A): CT446CUFG(G)T40 bowl, ST436UM(A) tank AND MW4363056CUMF(G)(A): CT446CUFG(G)T40 bowl, ST436EM(A)(R) tank                             | D                                        | G                                              | 0.9                                   | 2             | 12                           | E                               | CH                       |                    | F                            |
| 54-015                                | Toto       | Nexus EL CH                                       | MS442124CUF* (ALSO sold as MS442234CUF*, MW4423046CUF**, and MW4423056CUF**)                                                                                                                                                                           | S                                        | G                                              | 1.0                                   | 2             | 12                           | E                               | CH                       |                    | F                            |
| 65-018                                | Toto       | Aquia IV EL                                       | MS446***CEM(G)N***: CT446CE(G)N(T40)*** bowl; ST446EMN(A)*** tank (ALSO SOLD AS MW446***CEMGN(A)***)                                                                                                                                                   | D                                        | G                                              | 1.1                                   | 2             | 12                           | E                               |                          |                    | F                            |



## Maximum Performance (MaP) of "PREMIUM" tank-type & electro-hydraulic toilet models (California)

MaP PREMIUM Requirements....each listed toilet model must meet the following:

- Effective flush at 1.1 gallons/4.0 Litres or less
- U.S. EPA WaterSense-qualified (certified & listed)
- MaP: 600 grams or better

In California, the model must also be listed in the MAE Database of the California Energy Commission

**NOTE:** MaP PREMIUM rounds flush volumes to a single decimal place. While we recognize that 1.1 gallons is about 11 tablespoons of water greater than the 4.0-litre maximum flush volume set by MaP PREMIUM, it is our professional opinion that this difference is not materially significant.

**CAUTION:** Toilets shown on this list are recommended **FOR RESIDENTIAL APPLICATIONS** OR those **other light commercial installations** where sufficient volumes of supplemental flows of water are introduced into the building drainline system near the toilet fixture (clothes washers, showers, dishwashers, process water, food service operations, sinks, etc.).



June 24, 2026

| MaP Test Report Number (internal use) | Brand Name | Toilet Model Name                                                                  | Toilet Model Numbers                                                                                                                                                                                                           | Design: Single-flush (S); Dual-flush (D) | Gravity (G); Pressure-Assist (P); Electric (E) | RATED flush volume (see note 3 below) | 1- or 2-piece | Horizontal Rough-in (inches) | Round (R) or Elongated (E) bowl | Comfort Height Bowl (CH) | Rear (Back) Outlet | Floor-(F) OR Wall-Mounted(W) |
|---------------------------------------|------------|------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------|------------------------------------------------|---------------------------------------|---------------|------------------------------|---------------------------------|--------------------------|--------------------|------------------------------|
| 65-018                                | Toto       | Aquia IV EL CH                                                                     | MS446***CEMF(G)N***: CT446CEFGN*** bowl; ST446EMN(A)*** tank (ALSO SOLD AS MW446***CEMFGN(A)***)                                                                                                                               | D                                        | G                                              | 1.1                                   | 2             | 12                           | E                               | CH                       |                    | F                            |
| 65-019                                | Toto       | Aquia IV Arc EL CH                                                                 | MS448***CEMF(G)N***: CT446CEFGN(T40)*** bowl; ST448EMN(A)*** tank (ALSO SOLD AS MW448***CEMFGN(A)***)                                                                                                                          | D                                        | G                                              | 1.1                                   | 2             | 12                           | E                               | CH                       |                    | F                            |
| 58-006                                | Toto       | Aquia IV Arc 1G EL CH                                                              | MS448124CUMF(G)(A): CT446CUG(G)T40 bowl, ST448UM(A) tank - <b>NOTE: This toilet model ALSO sold as MW4483056CUMF(G)(A): CT446CUG(G)T40 bowl, ST448UM(A) tank AND MW4483046CUMF(G)(A): CT446CUG(G)T40 bowl, ST448UM(A) tank</b> | D                                        | G                                              | 0.9                                   | 2             | 12                           | E                               | CH                       |                    | F                            |
| 27-006RN43-RN59                       | Toto       | Drake II EL CH                                                                     | MS454124CUF: C454CUGT40 bowl, ST453U tank; <b>ALSO SOLD AS</b> CST454CUG, MW4543046CUG, and MW4543056CUG.                                                                                                                      | S                                        | G                                              | 1.0                                   | 2             | 12                           | E                               | CH                       |                    | F                            |
| 54-009                                | Toto       | Connelly EL CH                                                                     | MS494124CEMF*: CT494CEF** bowl, ST494M* tank (ALSO MS494234CEMF**, MW4943044CEMF**, and MW4943054CEMF**)                                                                                                                       | D                                        | G                                              | 1.1                                   | 2             | 12                           | E                               | CH                       |                    | F                            |
| 65-021                                | Toto       | Aquia IV EL CH (one-piece)                                                         | MS646***CEMF(G)N***: CST646CEMFG(A)*** Bowl (ALSO SOLD AS MW6463***CEMFGN(A)***)                                                                                                                                               | D                                        | G                                              | 1.1                                   | 1             | 12                           | E                               | CH                       |                    | F                            |
| 54-020RN70                            | Toto       | Drake EL                                                                           | MS746124CEMF** (ALSO MW7463046CEMF** and MW7463056CEMF**)                                                                                                                                                                      | D                                        | G                                              | 1.0                                   | 2             | 12                           | E                               |                          |                    | F                            |
| 54-020RN70                            | Toto       | Drake EL CH                                                                        | MS746124CEMF** (ALSO MW7463046CEMF** and MW7463056CEMF**)                                                                                                                                                                      | D                                        | G                                              | 1.0                                   | 2             | 12                           | E                               | CH                       |                    | F                            |
| 54-017                                | Toto       | Drake EL CH                                                                        | MS746124CEMF**.10 (ALSO MW7463046CEMF**.10 and MW7463056CEMF**.10)                                                                                                                                                             | D                                        | G                                              | 1.0                                   | 2             | 10                           | E                               | CH                       |                    | F                            |
| 54-021                                | Toto       | Drake EL (DF toilet model flushes with 1.0 gallon-3.8 litres on the full flush)    | MS746124CUM** (ALSO MW7463046CUM** and MW7463056CUM**)                                                                                                                                                                         | D                                        | G                                              | 0.9                                   | 2             | 12                           | E                               |                          |                    | F                            |
| 54-021                                | Toto       | Drake EL (DF toilet model flushes with 1.0 gallon-3.8 litres on the full flush)    | MS746124CUM** (ALSO SOLD AS MW7463046CUM**, MW7463056CUM**, and MW7463084CUM(G))                                                                                                                                               | D                                        | G                                              | 0.9                                   | 2             | 12                           | E                               |                          |                    | F                            |
| 54-021                                | Toto       | Drake EL CH (DF toilet model flushes with 1.0 gallon-3.8 litres on the full flush) | MS746124CUMF** (ALSO MW7463046CUMF** and MW7463056CUMF**)                                                                                                                                                                      | D                                        | G                                              | 0.9                                   | 2             | 12                           | E                               | CH                       |                    | F                            |
| 54-021                                | Toto       | Drake EL CH (DF toilet model flushes with 1.0 gallon-3.8 litres on the full flush) | MS746124CUMF** (ALSO SOLD AS MW7463046CUMF**, MW7463056CUMF**, and MW7463084CUMF(G))                                                                                                                                           | D                                        | G                                              | 0.9                                   | 2             | 12                           | E                               | CH                       |                    | F                            |
| 54-016                                | Toto       | Drake EL CH (DF toilet model flushes with 1.0 gallon-3.8 litres on the full flush) | MS746124CUMF**.10 (ALSO SOLD AS MW7463046CUMF**.10 and MW7463056CUMF**.10)                                                                                                                                                     | D                                        | G                                              | 0.9                                   | 2             | 10                           | E                               | CH                       |                    | F                            |
| 54-016                                | Toto       | Drake EL CH (DF toilet model flushes with 1.0 gallon-3.8 litres on the full flush) | MS746124CUMF**.10 (ALSO SOLD AS MW7463046CUMF**.10, MW7463056CUMF**.10, and MW7463084CUMF(G).10)                                                                                                                               | D                                        | G                                              | 0.9                                   | 2             | 10                           | E                               | CH                       |                    | F                            |
| 43-021                                | Toto       | Promenade II EL CH (1-piece)                                                       | MS814224CUG(G) (Also identified as CST814CUG(G) (one-piece))                                                                                                                                                                   | S                                        | G                                              | 1.0                                   | 1             | 12                           | E                               | CH                       |                    | F                            |
| 68-029                                | Toto       | Neorest RS EL CH                                                                   | MS8341CUMFG: SN8551 bowl unit, SN8341 top unit (seat)                                                                                                                                                                          | D                                        | P                                              | 0.9                                   | 1             | 12                           | E                               | CH                       |                    | F                            |
| 68-028                                | Toto       | Neorest AS EL CH                                                                   | MS8551CUMFG: SN8551M bowl unit, SN8341 top unit                                                                                                                                                                                | D                                        | P                                              | 0.9                                   | 2             | 12                           | E                               | CH                       |                    | F                            |
| 68-027                                | Toto       | Neorest LS EL                                                                      | MS8732CUMFG: CT8732CUMFG bowl unit, SN8732N top unit                                                                                                                                                                           | D                                        | P                                              | 0.9                                   | 2             | 12                           | E                               |                          |                    | F                            |
| 56-039                                | Toto       | Neorest NX1 (1-piece)                                                              | MS900CUMFG                                                                                                                                                                                                                     | D                                        | G                                              | 1.1                                   | 1             | N.A.                         | R                               |                          |                    | F                            |
| 56-038                                | Toto       | Neorest NX2 EL (one-piece)                                                         | MS901CUMFX                                                                                                                                                                                                                     | D                                        | G                                              | 1.1                                   | 1             | N.A.                         | E                               |                          |                    | F                            |
| 68-026                                | Toto       | Neorest NX1 EL                                                                     | MS902CUMFG (one-piece)                                                                                                                                                                                                         | D                                        | P                                              | 0.9                                   | 1             | 12                           | E                               |                          |                    | F                            |
| 68-026                                | Toto       | Neorest NX2 EL ( <b>NOTE: Contains integrated UV disinfection</b> )                | MS903CUMFX (one-piece)                                                                                                                                                                                                         | D                                        | P                                              | 0.9                                   | 1             | 12                           | E                               |                          |                    | F                            |
| 40-025                                | Toto       | G400 EL                                                                            | MS920CEMF(G): CT920CEMF(G) bowl, SN920M top                                                                                                                                                                                    | D                                        | E                                              | 1.1                                   | 1             | 12                           | E                               |                          |                    | F                            |
| 56-040                                | Toto       | Washlet G450 EL                                                                    | MS922CUMFG: CT922CUMFG bowl, SN922M washlet                                                                                                                                                                                    | D                                        | G                                              | 0.9                                   | 2             | 12                           | E                               |                          |                    | F                            |
| 40-026                                | Toto       | Neorest 500H EL                                                                    | MS952CUM(G): CT952CUM(G) bowl, SN952M top                                                                                                                                                                                      | D                                        | E                                              | 0.9                                   | 1             | 12                           | E                               |                          |                    | F                            |



## Maximum Performance (MaP) of "PREMIUM" tank-type & electro-hydraulic toilet models (California)



MaP PREMIUM Requirements....each listed toilet model must meet the following:

- Effective flush at 1.1 gallons/4.0 Litres or less
- U.S. EPA WaterSense-qualified (certified & listed)
- MaP: 600 grams or better

In California, the model must also be listed in the MAE Database of the California Energy Commission

**NOTE:** MaP PREMIUM rounds flush volumes to a single decimal place. While we recognize that 1.1 gallons is about 11 tablespoons of water greater than the 4.0-litre maximum flush volume set by MaP PREMIUM, it is our professional opinion that this difference is not materially significant.

**CAUTION:** Toilets shown on this list are recommended **FOR RESIDENTIAL APPLICATIONS** OR those **other light commercial installations** where sufficient volumes of supplemental flows of water are introduced into the building drainline system near the toilet fixture (clothes washers, showers, dishwashers, process water, food service operations, sinks, etc.).

June 24, 2026

| MaP Test Report Number (internal use) | Brand Name                                    | Toilet Model Name                     | Toilet Model Numbers                                                                                   | Design: Single-flush (S); Dual-flush (D) | Gravity (G); Pressure-Assist (P); Electric (E) | RATED flush volume (see note 3 below) | 1- or 2-piece | Horizontal Rough-in (inches) | Round (R) or Elongated (E) bowl | Comfort Height Bowl (CH) | Rear (Back) Outlet | Floor- (F) OR Wall-Mounted (W) |
|---------------------------------------|-----------------------------------------------|---------------------------------------|--------------------------------------------------------------------------------------------------------|------------------------------------------|------------------------------------------------|---------------------------------------|---------------|------------------------------|---------------------------------|--------------------------|--------------------|--------------------------------|
| 28-062RN44                            | Toto                                          | Neorest 550H EL                       | MS982CUM(G): CT982CUM(G) bowl, SN982M tank                                                             | D                                        | E                                              | 0.8                                   | 2             | 12                           | E                               |                          |                    | F                              |
| 56-041                                | Toto                                          | Neorest RH EL                         | MS988CUMFG: CT989CUMFG bowl, SN988M washlet                                                            | D                                        | E                                              | 0.9                                   | 2             | 12                           | E                               |                          |                    | F                              |
| 56-041                                | Toto                                          | Neorest AH EL                         | MS989CUMFG: CT989CUMFG bowl, SN989 washlet                                                             | D                                        | E                                              | 0.9                                   | 2             | 12                           | E                               |                          |                    | F                              |
| 43-020                                | Toto                                          | Neorest 700H                          | MS992CUMF: CT992CUMFG bowl, SN992M tank                                                                | D                                        | E                                              | 0.95                                  | 2             | 12                           | E                               |                          |                    | F                              |
| 43-020                                | Toto                                          | Neorest 750H                          | MS993CUMFX: CT993CUMFX bowl, SN993MX tank                                                              | D                                        | E                                              | 0.95                                  | 2             | 12                           | E                               |                          |                    | F                              |
| 57-001                                | Toto                                          | Arc EL CH                             | MW448***CEMF*: CT446CUF** bowl; ST448EMA tank (ALSO sold as MS448124CEMF*)                             | D                                        | G                                              | 1.0                                   | 2             | 12                           | E                               | CH                       |                    | F                              |
| 54-020RN70                            | Toto                                          | Drake Washlet                         | MW7463074CEM(G): CT746CUGT40 bowl, ST746EMA tank                                                       | D                                        | G                                              | 1.0                                   | 2             | 12                           | E                               | CH                       |                    | F                              |
| 54-020RN70                            | Toto                                          | Drake Washlet                         | MW7463074CEMF(G): CT746CUGT40 bowl, ST746EMA tank                                                      | D                                        | G                                              | 1.0                                   | 2             | 12                           | E                               | CH                       |                    | F                              |
| 54-020RN70                            | Toto                                          | Drake Washlet                         | MW7463074CEMF(G).10: CT746CUGT40.10 bowl, ST746EMA tank                                                | D                                        | G                                              | 1.0                                   | 2             | 10                           | E                               | CH                       |                    | F                              |
| 44-100                                | Unison Ridge                                  | Bellucini EL (one-piece)              | BT-2216ETDF223548 (one-piece)                                                                          | D                                        | G                                              | 1.1                                   | 1             | 12                           | E                               |                          |                    | F                              |
| 44-098                                | Unison Ridge                                  | Sorrentino EL (one-piece)             | BT-2316E233 (one-piece)                                                                                | S                                        | G                                              | 0.8                                   | 1             | 12                           | E                               |                          |                    | F                              |
| 48-001                                | Villeroy & Boch                               | Architectura EL CH (12-inch rough-in) | 5645-7757: 5645U101 bowl, 7757V101 tank                                                                | D                                        | G                                              | 1.1                                   | 2             | 12                           | E                               | CH                       |                    | F                              |
| 8-553RN19-RN36                        | Vortens                                       | Tornado EL CH                         | 3134-3468: 3134-V Bowl, 3468-V Tank - Sloan Flushmate inside                                           | S                                        | P                                              | 1.0                                   | 2             | 12                           | E                               | CH                       |                    | F                              |
| 40-005                                | Vortens                                       | Oken 1G EL                            | 3149-3449: 3149 bowl, 3449 tank                                                                        | S                                        | G                                              | 1.0                                   | 2             | 12                           | E                               | CH                       |                    | F                              |
| 38-003                                | Vortens                                       | Oken 1G RF                            | 3249-3449: 3249-V bowl, 3449-V tank                                                                    | S                                        | G                                              | 1.0                                   | 2             | 12                           | R                               |                          |                    | F                              |
| 12-120RN26-RN42                       | Western Pottery                               | Wangler One EL                        | B432PF-1: 432 PF bowl, ULF-T4 tank - Sloan Flushmate inside                                            | S                                        | P                                              | 1.0                                   | 2             | 11                           | E                               |                          |                    | F                              |
| 54-036                                | Western Pottery                               | None EL CH                            | B772 bowl, T7ULF tank                                                                                  | S                                        | G                                              | 1.0                                   | 2             | 12                           | E                               | CH                       |                    | F                              |
| 31-024                                | Western Pottery                               | None RF                               | W8270: B722 bowl, T7ULF tank (1.0 gal)(by Zhangzhou)                                                   | S                                        | G                                              | 1.0                                   | 2             | 12                           | R                               |                          |                    | F                              |
| 54-001                                | Winmax (Winfield)                             | None RF                               | T32420:                                                                                                | S                                        | G                                              | 1.0                                   | 2             | 12                           | R                               |                          |                    | F                              |
| 54-002                                | Winmax (Winfield)                             | None EL                               | T32425:                                                                                                | S                                        | G                                              | 1.0                                   | 2             | 12                           | E                               |                          |                    | F                              |
| 54-003                                | Winmax (Winfield)                             | None EL CH                            | T32425H:                                                                                               | S                                        | G                                              | 1.0                                   | 2             | 12                           | E                               | CH                       |                    | F                              |
| 18-041RN34                            | Your Other Warehouse (subsidi. of Home Depot) | Stealth EL CH                         | SKU 684-143 (by Niagara): N7717 bowl, N7714 tank - NOTE: toilet also sold as All-In-One (AIO) package. | S                                        | G                                              | 0.8                                   | 2             | 12                           | E                               | CH                       |                    | F                              |
| 16-114RN32-RN48                       | Zurn                                          | EcoVantage EL CH                      | Z5561: Z5560 bowl, Z5561 tank - WDI EcoFlush inside                                                    | S                                        | P                                              | 1.0                                   | 2             | 12                           | E                               | CH                       |                    | F                              |
| 16-111RN32-RN48                       | Zurn                                          | EcoVantage EL                         | Z5571: Z5570 bowl, Z5561 tank - WDI EcoFlush inside                                                    | S                                        | P                                              | 1.0                                   | 2             | 12                           | E                               |                          |                    | F                              |

**NOTES:** (1) All MaP PREMIUM toilets meet a minimum solid waste removal threshold of 600 grams (about 21 ounces) in one flush.

(2) All MaP PREMIUM toilets are certified to the U.S. EPA WaterSense® specification.

(3) The Rated Flush Volume is the water consumption as rated by the **manufacturer** when the toilet model is certified to Federal and California requirements. For DUAL-FLUSH models, the effective flush volume is calculated as the **average volume of 1 reduced flush (as Rated) and 1 full flush (as Rated)**. NOTE: this calculation DIFFERS from that of the U.S. EPA WaterSense program.

(a) The Rated flush volume for single-flush PREMIUM fixtures may not exceed 1.1 gallons (4.0 litres)

(b) The Rated FULL flush volume for dual-flush PREMIUM fixtures may not exceed 1.28 gallons (4.8 litres). There is no limit on the reduced flush volume other than the ASME/CSA national product standard of 1.1 gallons (4.0 litres). The Effective Flush Volume of dual-flush models (calculated as noted above) may not exceed 1.1 gallons (4.0 litres).

KEY: RF-Round-frontbowl EL - Elongated-front bowl S - Special bowl shape gpf - Gallons per Flush

CH-COMFORT HEIGHT BOWL-Meets bowl-height requirements of Americans with Disabilities Act; does NOT imply that fixture meets any other ADA requirements

Rough-in dimensions: ADJ - Adjustable rough-in; may be installed with either 10-inch or 12-inch rough-in

N.A. - Horizontal rough-in dimension is not applicable; toilet model is a rear-outlet fixture

**DISCLAIMER:** The information presented in the table above has been gathered from sources deemed to be reliable. However, the authors make no guarantee as to its correctness, accuracy, completeness, or current status. Readers are encouraged to **perform their own research** at the WaterSense website, the MaP-testing.com website, manufacturer websites, and other sources.